



Multibeam Sonar Theory of Operation



L-3 Communications SeaBeam Instruments

141 Washington Street
East Walpole, MA 02032-1155

Copyright © 2000 L-3 Communications SeaBeam Instruments
All rights reserved

Table of Contents

Chapter 1 - Introduction

Organization of this Document.....	1-3
Scope of this Document.....	1-3

Chapter 2 - Sonar Concepts

The Physics of Sound in Water.....	2-1
The Principles of Sonar.....	2-3
The Sonar Equation	2-5
A Single-Beam Depth Sounder.....	2-6
Why Multibeam? The Limitations of a Single-Beam Depth Sounder.....	2-8
Echo Location Questions – Where is the Bottom?	2-8
Survey Speed.....	2-12
The Multibeam Solution	2-13

Chapter 3 - Introduction to Multibeam Sonar: Projector and Hydrophone Systems

Projector Arrays and Beam Forming	3-1
Hydrophone Arrays	3-11
Beam Steering.....	3-15
The Mills Cross Technique	3-17
The Mills Cross Applied in the SEA BEAM 2100 System.....	3-20
The SEA BEAM 2100 Projector and Hydrophone Arrays	3-20
SEA BEAM 2100 Beam Steering.....	3-21

Chapter 4 - Detection Processing and Range Calculations

Processing Steps.....	4-1
The Steered Beam Data.....	4-5
Dynamic Threshold Calculation	4-6
Time of Arrival (TOA) and Direction of Arrival (DOA) Calculations: BDI and WMT Processing.....	4-10
BDI Processing.....	4-11
High-Resolution Angle Estimation	4-11
Motion Compensation	4-12
Application of the Start and Stop Gates.....	4-16
Direction of Arrival (DOA) and Time of Arrival (TOA) Calculations	4-17
WMT Processing.....	4-19
Interpolating Amplitudes for Each Time Slice.....	4-20
Amplitude-Weighted Time of Arrival (TOA) Computation	4-21

Choosing between BDI and WMT Data	4-23
Range Calculation and Bottom Location	4-26
Sound Velocity and Ray Tracing	4-28

Chapter 5 - Sidescan Sonar

Understanding Sidescan Sonar	5-1
How Sidescan Sonar Works	5-2
A Basic Sidescan Sonar	5-6
Limitations of Traditional Sidescan Sonar	5-11
The SEA BEAM 2100 Sidescan Sonar	5-12
Producing Sidescan Data With the SEA BEAM 2100	5-13
Mapping Sidescan Values for 2000 Pixel Resolution	5-14
Display of Sidescan Data	5-15

Glossary of Terms

List of Figures

1-1	Contour Map of Perth Canyon	1-2
2-1	Components of a Sound Wave.....	2-2
2-2	Components of an Echo Event on the Ocean Floor.....	2-3
2-3	Path of a Ping.....	2-6
2-4	Components of a Single-Beam Depth Sounder System.....	2-7
2-5	Surveying an Irregular Sea Floor.....	2-9
2-6	Using a Narrow-Beam Echo Sounder on an Irregular Sea Floor.....	2-10
2-7	Ship Motion Effects on an Unstabilized Beam.....	2-11
2-8	Dependence of Ensonified Area on Depth	2-12
2-9	Multibeam Sonar Swath	2-13
3-1	Isotropic Expansion	3-2
3-2	Constructive and Destructive Interference.....	3-3
3-3	Positions of Constructive Interference (Example 1).....	3-4
3-4	Positions of Constructive Interference (Example 2).....	3-5
3-5	Directions of Constructive and Destructive Interference for Two Projectors with Spacing $\lambda/2$	3-6
3-6	Beam Pattern for Two Hydrophones with Spacing $\lambda/2$	3-7
3-7	Three-Dimensional Beam Pattern for Two Projectors with Spacing $\lambda/2$	3-8
3-8	Beam Pattern of a Multiple-Element Line Array	3-9
3-9	Hydrophone Array with a Perpendicular Source	3-11
3-10	Hydrophone Traces for a Perpendicular Source	3-12
3-11	Sum of Hydrophone Traces for a Perpendicular Source.....	3-12
3-12	Hydrophone Array with Waves from an Angled Source	3-13
3-13	Hydrophone Traces for an Angled Source.....	3-13
3-14	Sum of Hydrophone Traces for an Angled Source	3-14
3-15	Beam Pattern for a Line Array of Hydrophones.....	3-14
3-16	Wavefronts Striking a Hydrophone Array from a Source at Angle θ	3-15
3-17	Main Lobe Shifted to Angle θ by Introducing a Time Delay.....	3-16
3-18	Hydrophone Array Processing Used to Observe Different Beam Patterns Simultaneously	3-17
3-19	Projector Array Ensonifying a Strip of the Ocean Floor.....	3-18
3-20	Projector and Hydrophone Arrays Arranged in a “Mills Cross”	3-19
3-21	Mills Cross with Multiple Steered Beams	3-20
3-22	Projector Array Pattern	3-21
3-23	“Flat” and “V” Configurations for Hydrophone Arrays.....	3-21
3-24	Instantaneous Measurements $S(t)$ of a Signal with Amplitude $A(t)$	3-22
4-1	Analog-to-Digital Conversion of Hydrophone Data.....	4-2
4-2	SEA BEAM 2100 Processing Steps – Raw Hydrophone Data to Bathymetry, Sidescan and Selected Beam.....	4-4
4-3	Matrix of Steered Beam Data from a Single Ping Containing M Time Slices	4-6
4-4	Hydrophone Array at Time t_1	4-7
4-5	Time Slice at Time $2 \times t_1$	4-7
4-6	Hydrophone Array at Time t_2	4-8
4-7	Time Slice at Time $2 \times t_2$	4-8
4-8	Hydrophone Array at Time t_3	4-9
4-9	Time Slice at Time $2 \times t_3$	4-9
4-10	Dynamic Threshold Applied to a Time Slice	4-10
4-11	Parabola Fitting for High-Resolution Angle Estimation	4-12
4-12	Ship-Motion Coordinate System.....	4-13
4-13	Rotations about the Ship Center of Mass.....	4-14
4-14	Roll, Pitch, and Yaw Angles	4-15

4-15	Adjusting Measured Angles for Roll	4-16
4-16	Hits Plotted Based on Angle and Time	4-17
4-17	Sample Predefined Beam Encompassing a Subset of Hits	4-18
4-18	Hit Envelope Calculation Within a Beam	4-18
4-19	Amplitude-Weighted TOA and DOA	4-19
4-20	Finding the Roll-Adjusted Angles Nearest the Beam Angle	4-20
4-21	Beam Patterns of the Nearest Steered Beams	4-21
4-22	Interpolated Amplitudes for a Single Beam in All Time Slices	4-22
4-23	Eliminating Time Slices Outside the Gates	4-22
4-24	Eliminating Amplitudes Below the Dynamic Threshold	4-23
4-25	Specular Regime: Sonar Perpendicular to the Sea Floor	4-24
4-26	Non-Specular Regime: Sonar at an Angle to the Sea Floor	4-24
4-27	Amplitude versus Time Plot of the Echo Event in the Specular Regime	4-25
4-28	Amplitude versus Time Plot of the Echo Event in the Non-specular Regime	4-25
4-29	Specular and Non-specular Regimes with Different Sea Floors	4-26
4-30	Offset of Ping Illumination Due to Pitch	4-27
4-31	Position of the Echo in a Single Beam	4-28
4-32	Ray Tracing to Find the Bottom	4-29
5-1	Example of Sidescan Mapping	5-2
5-2	Single-Beam Echo Sounding System	5-3
5-3	Plot of Amplitude as a Function of Time	5-3
5-4	Single-Beam Echo Sounder Schematic	5-4
5-5	Amplitude Versus Time Sequence	5-5
5-6	Schematic with a Spherical Pulse Front with a Detailed Bottom	5-5
5-7	Amplitude Versus Time Sequence	5-6
5-8	An Overhead View of the Bottom	5-7
5-9	Survey Vessel Towing a Line Array	5-8
5-10	A Sidescan Sonar Measuring a Featured Ocean Floor with Four Pings	5-9
5-11	Amplitude Versus Time Plot for the Four Pings in 5-10	5-10
5-12	Port and Starboard Traces Plotted in Series	5-10
5-13	Undersea Pipelines Detected Using Sidescan Sonar	5-11
5-14	Half of a Two-Hydrophone Sidescan Sonar	5-12
5-15	Amplitude versus Time Plot for the Situation Depicted in 5-14	5-12
5-16	Mapping Hits in the Sidescan Array	5-15