

# hp omnibook xe3 notebook PC



## best-value, all-in-one business notebook PC

Whether you run your own business or work for a large enterprise, you need a notebook PC that helps you stay on top of it all. That's why HP created the HP Omnibook XE3—a convenient, reliable notebook PC that comes with everything you need to do business and have a little fun, too. Top performance, Internetworking, multimedia, and instant access to your favorite applications—they're all built right in. By the company that understands businesses—no matter what size—better than any other: HP.

With its sleek industrial styling and features that make it even easier to use, the HP Omnibook XE3 builds on the foundation that made its predecessor—the HP Omnibook XE2—one of our most successful notebook PCs ever. And, of course, this notebook PC delivers the unmatched performance, value, reliability, and support that distinguish the entire HP Omnibook family.

## all-in-one convenience

Wouldn't it be great if everything you needed for business and awesome presentations were built in to your notebook PC? With the HP XE3, it is. This notebook PC comes with an integrated CD-ROM, DVD-ROM, or DVD+CD-RW combo drive; a built-in floppy disk drive; and a modem/LAN combination. Plus, you can connect to the Web, boot your PC, access your favorite applications, or even start up a DVD—just by pressing one of the four customizable, one-touch, quick-launch buttons. Or slide in a music CD. With the XE3's front-panel CD player controls, you can enjoy music even when the PC is closed and turned off.

Who says you can't combine a little pleasure with business?

## superb performance and value

The HP XE3 delivers the performance you need for demanding business applications and presentations—at an affordable price. It comes with your choice of leading Intel® Mobile Pentium® III or Celeron™ processors, up to four hours of battery life with a lithium-ion battery, and up to a 15-inch TFT display with dual-display capability to support TV-out and external monitors.


If you're a touch pad user, you'll also appreciate an improvement available only from HP: you can instantly turn the HP XE3's touch pad on or off.

## unmatched reliability and support

The HP XE3 notebook PC has everything you need to stay on top of your business—and more. After all, it's backed by HP, where top quality and reliability start at product design and extend through service and support. Now, we've further enhanced our support offerings with proactive e-mail notification of upgrades, HP e-support for BIOS and software updates, HP Instant Support for Web-based remote diagnostics and automated resolution (U.S. only), and optional Accident-Damage Protection.

We're also making it easier to acquire HP notebook PCs by offering a variety of competitive financing options and your choice of channel. You can buy directly from HP online, or from an HP authorized reseller—whatever works best for your business.

All-in-one convenience. Superb performance and value. Unmatched reliability and support. What more could you ask for? Maybe a little fun? With the HP XE3 notebook PC, you can have that, too.



**hp** omnibook xe3  
notebook PC



**reliability**



15-inch (38.1-cm),  
14.1-inch (35.8-cm),  
13.3-inch (33.8-cm)  
TFT display

user-programmable  
quick launch buttons

power on

sleep button

touch pad

on/off button for touch pad

scroll button

Polk Audio  
speakers

LCD panel  
control

status LCD

volume  
controls

headphone  
out port

CD  
on/off

CD player  
buttons

**front view**

lock slot

reset

two PC  
card slots

built-in  
floppy disk  
drive

**left view**

built-in 24X-max-speed CD-ROM,  
8X-max-speed DVD-ROM,  
or 6X × 4X × 4X × 24X DVD+CD-RW  
combo drive

RJ-45  
LAN jack

**right view**

RJ-11 modem  
jack

PS/2 keyboard/  
mouse port

parallel  
port

infrared  
port

microphone-in  
port

Universal  
AC adapter

serial  
port

video  
out

TV out

two USB ports

**back view**

## PC system features

|                                                              |                                                                                                                                                                                                                                                                                                                                                                                                             |
|--------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>processors</b>                                            | <ul style="list-style-type: none"><li>850-MHz to 1-GHz Intel Mobile Pentium III processor featuring Intel SpeedStep™ technology<sup>1</sup> or</li><li>800-MHz Intel Mobile Celeron processor</li></ul>                                                                                                                                                                                                     |
| <b>cache</b>                                                 | <ul style="list-style-type: none"><li>256-KB internal L2 cache (Pentium III) or</li><li>128-KB internal L2 cache (Celeron)</li><li>32-KB internal L1 cache</li></ul>                                                                                                                                                                                                                                        |
| <b>memory</b>                                                | <ul style="list-style-type: none"><li>128 or 256 MB of 100-MHz SDRAM standard (PC100)</li><li>512-MB maximum system memory (two slots available only for memory modules; two 256-MB modules must be used to achieve 512-MB) (144-PIN/3.3V; 1.25-in slots)</li></ul>                                                                                                                                         |
| <b>mass storage</b>                                          | <ul style="list-style-type: none"><li>Industry-standard 30-, 20-, or 10-GB EnhancedIDE hard drive<sup>2</sup></li><li>Built-in 3.5-inch (8.9-cm), 1.44-MB floppy disk drive (3-mode support)</li><li>Built-in 24X-maximum-speed CD-ROM drive, 8X-maximum-speed DVD-ROM drive, or 6X × 4X × 4X × 24X DVD+CD-RW combo drive</li></ul>                                                                         |
| <b>display</b>                                               | <ul style="list-style-type: none"><li>15-inch (38.1-cm) diagonal 1400 × 1050 SXGA+ TFT display with 16 million colors or</li><li>15-inch (38.1-cm) diagonal 1024 × 768 XGA TFT display with 16 million colors or</li><li>14.1-inch (35.8-cm) diagonal 1024 × 768 XGA TFT display with 16 million colors or</li><li>13.3-inch (33.8-cm) diagonal 1024 × 768 XGA TFT display with 16 million colors</li></ul> |
| <b>video</b>                                                 | <ul style="list-style-type: none"><li>S3 Savage/IX graphics controller</li><li>2X AGP graphics</li><li>128-bit single-cycle 3D architecture video graphics controller</li><li>8MB of embedded video SGRAM</li><li>Support for software MPEG-2</li><li>Integrated NTSC/PAL TV encoder</li><li>Dual-display capability (Windows® 98 SE only)</li><li>TV-out support (composite)</li></ul>                     |
| <b>external video resolution/maximum colors/refresh rate</b> | <ul style="list-style-type: none"><li>1024 × 768/16M colors/85Hz</li><li>1280 × 1024/16M colors/85Hz</li><li>1600 × 1200/64K colors/85Hz</li></ul>                                                                                                                                                                                                                                                          |
| <b>audio</b>                                                 | <ul style="list-style-type: none"><li>16-bit Sound Blaster Pro-compatible stereo sound (ESS Allegro)</li><li>Stereo sound via headphone-out</li><li>Palk Audio speakers</li><li>3D-enhanced PCI bus audio</li><li>Supports CD-play while system is off</li><li>Built-in microphone-in port</li></ul>                                                                                                        |

|                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>ports</b>                        | <ul style="list-style-type: none"><li>Two Universal Serial Bus (USB) ports</li><li>Serial port: 9-pin, 115,200 bps</li><li>Parallel port: 25-pin bi-directional ECP and EPP</li><li>4-Mbps IrDA<sup>3</sup>-compliant infrared port</li><li>PS/2 keyboard/mouse port (Y-adaptor compatible)</li><li>VGA: 15-pin</li><li>Composite TV-out</li><li>RJ-11 modem jack</li><li>RJ-45 LAN jack</li><li>Headphone-out, microphone-in ports</li><li>Docking port: supports optional port replicator</li></ul>                                                                                                                                                                                                                                                                 |
| <b>communications</b>               | <ul style="list-style-type: none"><li>Integrated 56-Kbps<sup>4</sup> modem + LAN (Ethernet 10/100)</li></ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>power/controls</b>               | <ul style="list-style-type: none"><li>Universal AC adapter: 100- to 240-Vac (50- to 60-Hz) input; 19-Vdc, 3.16-A output</li><li>Built-in smart rechargeable 9-cell Lithium-Ion (Li-Ion) battery (with up to 4-hour run time<sup>5</sup>) or</li><li>Built-in rechargeable 9-cell Nickel-Metal Hydride (NiMH) battery (with up to 3-hour run time<sup>5</sup>)</li><li>Approximate two-hour re-charge time</li><li>Suspend/resume/save-to-disk feature</li><li>Auto turn-on on dock</li><li>Low-battery warning</li><li>CD player buttons (previous, play/pause, stop/eject, next, volume-up/down)</li><li>Status LCD (date, time, battery life)</li><li>Four one-touch quick launch buttons (user programmable)</li><li>ACPI 2.0- and Energy Star-compliant</li></ul> |
| <b>PC card slots</b>                | <ul style="list-style-type: none"><li>One Type III or two Type II PC Card slots</li><li>CardBus-enabled (TI 1420)</li></ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>keyboard and pointing device</b> | <ul style="list-style-type: none"><li>87-key full-size keyboard (with 101-key emulation); supports Windows keys</li><li>Embedded numeric keypad</li><li>12 function [Fn] keys</li><li>Touch pad with on/off and scroll up/down button</li><li>Four one-touch (user-programmable) quick-launch buttons</li></ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>weight</b>                       | <ul style="list-style-type: none"><li>7.2 lb (3.26 kg) to 7.3 lb (3.31 kg) with 13.3-in display or</li><li>7.4 lb (3.36 kg) to 7.6 lb (3.45 kg) with 14.1-in display or</li><li>7.8 lb (3.54 kg) to 8.0 lb (3.62 kg) with 15-in display</li></ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>dimensions</b>                   | <ul style="list-style-type: none"><li>13.03 × 10.76 × 1.59 in (33.10 × 27.33 × 4.04 cm) with 13.3-in display or</li><li>13.03 × 10.76 × 1.59 in (33.10 × 27.33 × 4.04 cm) with 14.1-in display or</li><li>13.03 × 10.87 × 1.63 in (33.10 × 27.61 × 4.14 cm) with 15-in display</li></ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

HP PCs use genuine Windows® Operating Systems  
[www.microsoft.com/piracy/howtotell](http://www.microsoft.com/piracy/howtotell)

<sup>1</sup> Dual-speed processor; runs at 850 MHz to 1 GHz from AC power, reduced speed from battery operation.

<sup>2</sup> GB means 1 billion bytes for hard drive sizes.

<sup>3</sup> Reg. U.S. Patent & Trademark Office.

<sup>4</sup> 56 Kbps refers to server download speed only. Download speeds of 56 Kbps are currently unavailable in the U.S.; upload speeds are limited to 33.6 Kbps. Maximum transmission rates will vary according to line conditions and country regulations.

<sup>5</sup> Estimated battery life. Actual battery life will vary based on usage.

## PC management features

|                           |                                                                                                                          |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------|
| <b>desktop management</b> | <ul style="list-style-type: none"><li>Desktop Management Interface (DMI) 2.0-compliant</li><li>HP Tiptools 5.0</li></ul> |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------|

|                 |                                                                                                                                                                                                                                                                                                                              |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>security</b> | <ul style="list-style-type: none"><li>User and administrator passwords</li><li>Kensington MicroSaver lock slot</li><li>System and hard drive passwords</li><li>PC identification displayed at boot</li><li>DMI-accessible electronic serial number</li><li>Optional HP Mobile Protectools 2000 Smart Card Kit V2.1</li></ul> |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## software

|                               |                                                                                                                                                                                                                                                                                                                                                                      |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>operating system</b>       | <ul style="list-style-type: none"> <li>Microsoft® Windows 2000 or Windows 98 Second Edition preloaded (Windows ME included on recovery CD in Windows 98 SE models)</li> </ul>                                                                                                                                                                                        |
| <b>pre-installed software</b> | <ul style="list-style-type: none"> <li>Microsoft Internet Explorer 5.0</li> <li>Microsoft Outlook Express</li> <li>McAfee VirusScan</li> <li>MusicMatch Jukebox MP3 player</li> <li>Mediamatics DVD Express player software (DVD systems)</li> <li>Adaptec CD Writer</li> <li>Adobe® Acrobat® Reader 4.0 (some countries)</li> <li>Online user's handbook</li> </ul> |

|                                        |                                                                                                                                                                                                                                                                                                                                                           |
|----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>pre-installed software (cont'd)</b> | <ul style="list-style-type: none"> <li>QuickLink III fax software by Smith Micro (Windows 98 SE only)</li> <li>System Diagnostics by HP Diagtools 2.2</li> <li>Touch pad tap and scroll functionality by Synaptics</li> <li>Internet service providers<sup>1</sup>: AT&amp;T and Prodigy (U.S. only), AOL and CompuServe™ (Windows 98 SE only)</li> </ul> |
| <b>internet and online</b>             | <ul style="list-style-type: none"> <li>HP E-center for convenient access to online services</li> <li>Electronic registration</li> </ul>                                                                                                                                                                                                                   |

HP PCs use genuine Windows® Operating Systems  
[www.microsoft.com/piracy/howtotell](http://www.microsoft.com/piracy/howtotell)

<sup>1</sup> Internet Service Provider (ISP) registration and monthly fee required.

## hp omnibook xe3 models and configurations

| product number | CPU                              | memory | display         | hard disk drive <sup>1</sup> | CD/DVD          | video            | communications                                 | battery       | operating system  | warranty |
|----------------|----------------------------------|--------|-----------------|------------------------------|-----------------|------------------|------------------------------------------------|---------------|-------------------|----------|
| F3776W/K       | Celeron 800-MHz                  | 128 MB | 13.3" XGA TFT   | 10 GB                        | 24X CD          | S3 Savage/IX-8MB | Built-in 56K <sup>3</sup> modem and 10/100 LAN | 9-cell NiMH   | Win 98 SE or 2000 | 1-year   |
| F3777W/K       | Celeron 800-MHz                  | 128 MB | 14.1" XGA TFT   | 20 GB                        | 24X CD          | S3 Savage/IX-8MB | Built-in 56K <sup>3</sup> modem and 10/100 LAN | 9-cell NiMH   | Win 98 SE or 2000 | 1-year   |
| F2337W/K       | Pentium III <sup>2</sup> 850-MHz | 128 MB | 14.1" XGA TFT   | 20 GB                        | 8X DVD          | S3 Savage/IX-8MB | Built-in 56K <sup>3</sup> modem and 10/100 LAN | 9-cell Li-Ion | Win 98 SE or 2000 | 1-year   |
| F2339W/K       | Pentium III <sup>2</sup> 850-MHz | 256 MB | 14.1" XGA TFT   | 20 GB                        | DVD+CD-RW Combo | S3 Savage/IX-8MB | Built-in 56K <sup>3</sup> modem and 10/100 LAN | 9-cell Li-Ion | Win 98 SE or 2000 | 1-year   |
| F2340W/K       | Pentium III <sup>2</sup> 900-MHz | 256 MB | 15.0" XGA TFT   | 20 GB                        | DVD+CD-RW Combo | S3 Savage/IX-8MB | Built-in 56K <sup>3</sup> modem and 10/100 LAN | 9-cell Li-Ion | Win 98 SE or 2000 | 1-year   |
| F3778W/K       | Pentium III <sup>2</sup> 1-GHz   | 256 MB | 15.0" SXGA+ TFT | 30 GB                        | DVD+CD-RW Combo | S3 Savage/IX-8MB | Built-in 56K <sup>3</sup> modem and 10/100 LAN | 9-cell Li-Ion | Win 98 SE or 2000 | 1-year   |

<sup>1</sup> GB means 1 billion bytes for hard-drive sizes.

<sup>2</sup> Dual-speed processor; runs at 850 MHz to 1 GHz from AC power, reduced speeds from battery operation.

<sup>3</sup> 56 Kbps refers to server download speed only. Download speeds of 56 Kbps are currently unavailable in the U.S.; upload speeds are limited to 33.6 Kbps. Maximum transmission rates will vary according to line conditions and country regulations.

hp omnibook xe3  
notebook PC  
accessories



value



## hp omnibook xe3 accessories

|                          |        |                                                                                                                                  |
|--------------------------|--------|----------------------------------------------------------------------------------------------------------------------------------|
| <b>docking solutions</b> | F2025A | Port replicator                                                                                                                  |
| <b>memory upgrades</b>   | F1457C | 64-MB PC-133 SDRAM module                                                                                                        |
|                          | F1622C | 128-MB PC-133 SDRAM module                                                                                                       |
|                          | F1654C | 256-MB PC-133 SDRAM module                                                                                                       |
| <b>power</b>             | F1454A | Universal AC adapter                                                                                                             |
|                          | F1781A | Ultra slimline AC adapter                                                                                                        |
|                          | F1455A | Auto/airline adapter                                                                                                             |
|                          | F2024A | Lithium-Ion battery with up to 4-hour run time <sup>1</sup>                                                                      |
| <b>communications</b>    | F1623A | Xircom CreditCard Ethernet 10/100+ Modem 56 <sup>2</sup> GlobalACCESS                                                            |
|                          | F1625A | Xircom CreditCard Modem 56 <sup>2</sup> GlobalACCESS                                                                             |
|                          | F1626B | 3Com 10/100 LAN CardBus PC Card                                                                                                  |
|                          | F1627A | Xircom CreditCard Modem 56 <sup>2</sup> (for use inside U.S. only)                                                               |
|                          | F1643A | Xircom RealPort CardBus Ethernet 10/100+Modem 56 <sup>2</sup>                                                                    |
|                          | F1782A | 3Com 10/100 Fast Ethernet+56 <sup>2</sup> Global Modem CardBus PC Card                                                           |
|                          | F1985A | 3Com USB-NIC Ethernet Adapter (no Windows 2000 support)                                                                          |
|                          | F2135B | Lucent 802.11b Wireless LAN Access Point                                                                                         |
|                          | F2136A | Lucent 802.11b Wireless LAN PC Card                                                                                              |
|                          | F2138A | Sierra Wireless CDPD PC Card (U.S. only)                                                                                         |
|                          | P1981A | Lucent 802.11b Wireless LAN Small Business Access Point                                                                          |
| <b>security</b>          | F1611C | 128-bit HP Mobile Protecttools 2000 Smart Card Kit V2.1 (for use in U.S. and Canada)<br>(Smart Card BIOS Lock not supported)     |
|                          | F1612C | 40-bit HP Mobile Protecttools 2000 Smart Card Kit V2.1 (for use outside U.S. and Canada)<br>(Smart Card BIOS Lock not supported) |
|                          | F1613B | HP Mobile Protecttools 2000 Smart Card 5-pack                                                                                    |
|                          | F2104A | International Smart Card 5-pack                                                                                                  |
|                          | F1645A | Kensington MicroSaver notebook lock                                                                                              |
|                          | F1747A | Defcon 1 notebook alarm                                                                                                          |
| <b>carrying cases</b>    | F1608A | HP Omnibook executive carrying case                                                                                              |
|                          | F1607A | HP Omnibook leather carrying case                                                                                                |
|                          | F1606A | HP Omnibook nylon carrying case                                                                                                  |
|                          | F1771A | HP Omnibook universal carrying case                                                                                              |
| <b>cables</b>            | F1469A | PS-2 Y adapter                                                                                                                   |

<sup>1</sup> Actual battery life will vary based on usage.

<sup>2</sup> 56 Kbps refers to server download speed only. Download speeds of 56 Kbps are currently unavailable in the U.S.; upload speeds are limited to 33.6 Kbps. Maximum transmission rates will vary according to line conditions and country regulations.



### service and support: no time for downtime

Two additional important features come standard with the HP Omnibook XE3 Notebook PC: HP's legendary quality and reliability. These features, combined with our award-winning HP Customer Care service and support, are your assurance that your HP Omnibook notebook PC won't let you down. As an HP Omnibook owner, you can count on:

- A one-year, worldwide, parts-and-labor limited warranty
- A one-year, worldwide warranty on battery and accessories
- Two-year and three-year warranty extension available on all HP Omnibook XE3 models
- Next-day onsite upgrades for up to three years

- 24x7 HP technical phone support during the warranty period
- Free HP Express pickup and delivery service in the U.S. and Canada during the warranty period
- Centralized, worldwide BIOS and driver update service
- Proactive notification e-mail service
- Service repair tracking
- Customer Care electronic support available on the Web at **[www.hp.com/notebooks](http://www.hp.com/notebooks)**
- HP Instant Support (Web-based remote diagnostics and automated resolution)
- Omnibook Accident-Damage Protection



Lucent Technologies



For the latest information on HP Omnibook notebook PCs and their optional accessories, visit HP's World Wide Web site at **[www.hp.com/notebooks](http://www.hp.com/notebooks)**

As an Energy Star partner, HP has determined that these products meet the Energy Star guidelines for energy efficiency.

Adobe and Acrobat are trademarks of Adobe Systems Incorporated. CompuServe is a U.S. trademark of CompuServe, Inc. Energy Star is a U.S. registered service mark of the U.S. Environmental Protection Agency. Intel, Pentium, and the Intel Inside logo are U.S. registered trademarks and SpeedStep and Celeron are U.S. trademarks of Intel Corporation. Microsoft and Windows are U.S. registered trademarks of Microsoft Corporation.

Hewlett-Packard continually strives to improve the quality of its products. Consequently, technical and environmental information contained in this document is subject to change without notice.

© Copyright Hewlett-Packard Company 2001.  
Printed in USA 08/01  
5980-7203ENUC