

Compact-Computer Pricelist

Version 08.04B

ALPHATMX-SERIES
SPIDER

Embedded Server Products

OEM Pricelist 08/2004

SPIDER-II	Part number	1	10	25	50
Spider-II	02080-1632-04-0	329	319	310	300
ARM 720T w. MMU/Cache/74MHz 16 MB Flash 32 MB RAM 2 x RS232 Interface 10 BaseT Ethernet PowerOn LED, Activity LED 4 Bit Digital Input optodecoupled 4 Bit Digital Output optodecoupled additional internal interfaces: - Digital I/O - LCD-Controller - Matrix Kbd interface linear power supply DC input 4.5-15V stable aluminium case Dimensions: 102 x 95 x 30 mm					
Spider-II-OPT-RS485	02080-0000-10-0	24	23	23	22
One serial interface is switchable between RS232 and RS422/485 operation					

ALPHA ^X _{TM} -SERIES	Part number	1	10	25	50	
AlphaX-ES-300	53010-1632-00-0	Standard Version	579	562	545	528
ARM 720T/70 MHz with MMU/Cache 16 MB Flash 32 MB RAM 10 BaseT Ethernet 4 x RS232 USB Client 1.1 MMC-card slot for up to 2 GB cards PS2 Keyboardinterface Watchdog SystemX expansion slot DC-Input 8.5-40 volts Dimension: 186x158x32mm						
ES-300-CANRS-Option-Pack	53010-0000-10-0		133	129	125	121
2 x CAN interface optodecoupled 1 x RS485 (replaces one RS232)						
ES-300-SRAM-Option-Pack	53010-0000-15-0		47	46	44	43
Nonvolatile SRAM 1 Mbyte						
ES-300-Battery-Option-Pack	53010-0000-20-0		on request			
Integrated battery with onboard trickle charger						
ES-300-Xtemp-Option	53010-0000-50-0		on request			
Operating temp. -40..+85°C Temperature sensor						

Option packs are board manufacturing options, they are not upgrade options.
 Option packs do not use any of the systemX expansion module options.

Embedded Server Products

OEM Pricelist 08/2004

ALPHA TM -SERIES	Part number	Price / Piece per order (Eur)				
		1	10	25	50	
alphaX-ES-500	53015-1632-00-1	Standard Version	589	571	554	538
ARM 920T w. MMU/Cache/180MHz 8 MB Flash 32 MB RAM 10/100 BaseT Ethernet 5 x RS232 Compactflash slot for cards up to 8GB MMC/SD-Card Slot for cards up to 4 GB USB Host 2.0 fullspeed USB Client 2.0 fullspeed Watchdog SystemX expansion slot DC-input 8.5-40 volts Dimension: 186x158x32mm						
ES-500-A/D-RS-Option-Pack	53015-0000-10-0		79	77	74	72
A/D Converter 8 Channel, 12 Bit, 3,8 uS conversion time 1 x RS485 (replaces one RS232)						
ES-500-Memory-Option-Pack	53015-0000-15-0		39	38	37	36
Nonvolatile SRAM 512 kByte EEPROM						
ES-300-Battery-Option-Pack	53015-0000-20-0		on request			
Integrated battery with onboard trickle charger						
ES-300-Xtemp-Option	53015-0000-50-0		on request			
Operating temp. -40..+85°C integrated temperature sensor						

Option packs are board manufacturing options, they are not upgrade options.

Option packs do not use any of the systemX expansion module options.

Embedded Server Products

OEM Pricelist 08/2004

ALPHA TM X-SERIES		Price / Piece per order (Eur)				
	Part number	1	10	25	50	
alphaX-WS-300	53050-1632-00-0	Standard Version	889	862	836	811
ARM 720T w. MMU/Cache/70MHz						
16 MB Flash						
32 MB RAM						
10 BaseT Ethernet						
GPS module integrated						
GSM module Siemens MC35i						
2 x RS232 free usable						
(internal 4 x RS232)						
USB Client 1.1						
MMC-card slot for cards up to 2GB						
PS2 Keyboardinterface						
Headset connector						
Simcard slot						
GPS antennajack						
GSM antennajack						
SystemX expansion slot						
DC-input 8.5-40 volts						
Dimensions: 186x158x32mm						
WS-300-CANRS-Option-Pack	53050-0000-10-0		133	129	125	121
2 x CAN interface optocoupled						
1 x RS485 (replaces one RS232)						
WS-300-SRAM-Option-Pack	53050-0000-15-0		47	46	44	43
Nonvolatile SRAM 1 Mbyte						
batterybuffered						
WS-300-Battery-Option-Pack	53050-0000-20-0		on request			
Integrated battery						
with onboard trickle charger						
WS-300-Xtemp-Option	53050-0000-50-0		on request			
Operating temp. -20..+55°C						
integrated temperature sensor						
(restricted by S35i module						
all other components -40..+85°C)						

Embedded Server Products

OEM Pricelist 08/2004

ALPHA TM -SERIES		Price / Piece per order (Eur)				
Part number		1	10	25	50	
alphaX-WS-500	53055-1632-00-1	Standard Version	990	960	931	904
ARM 920T						
16 MB Flash						
32 MB RAM						
10/100 BaseT Ethernet						
GPS module integrated						
GSM module Siemens MC35i						
2 x RS232						
Compactflash slot for cards up to 8 GB						
MMC/SD-Card slot for cards up to 4 GB						
USB Host 2.0 fullspeed						
USB Client 2.0 fullspeed						
Watchdog						
Connector for headset and handset						
Simcard slot						
GPS antennajack						
GSM antennajack						
SystemX expansion slot						
DC-input 8.5-40 volts						
Dimensions: 186x158x32mm						
WS-500-A/D-RS-Option-Pack	53055-0000-10-0		79	77	74	72
A/D Converter 8 Channel, 12 Bit,						
3,8 uS conversion time						
1 x RS485 (replaces one RS232)						
WS-500-Memory-Option-Pack	53055-0000-15-0		39	38	37	36
Multimediacard slot						
Nonvolatile SRAM 512 kByte						
EEPROM						
WS-500-Battery-Option-Pack	53055-0000-20-0		on request			
Integrated battery						
with onboard trickle charger						
WS-500-Xtemp-Option	53055-0000-50-0		on request			
Operating temp. -20..+55°C						
integrated temperaturesensor						
(restricted by S35i module						
all other components -40..+85°C)						

Embedded Server Products

OEM Pricelist 08/2004

DEVELOPMENT KIT		Part Number	Price/ Pieces per order (Eur)			
			1	10	25	50
Linux Dev. Starter Kit	02610-0000-01-3		347			
AC-DC supply, Nullmodem-cabel, Patchcabel Cross Development System with GNU Toolchain for Linux Host ARM Linux Kernel 2.4 Binutils, http, ftp, telnet server		Not available as single item. Only bundled with any Axotec single board ARM based computer.				
Linux Development Kit	02610-0000-01-2		1980			
AC-DC supply, Nullmodem-cabel, Patchcabel Cross Development System with GNU Toolchain for Linux Host ARM Linux Kernel 2.4 Binutils, http, ftp, telnet server System incl. Full support according to actual support agreement		Not available as single item. Only bundled with any Axotec single board ARM based computer.				
Linux Development Kit Project Specific Versions						
We are offering special project specific conditions. Please ask.						

ACCESSORIES	Part Number	1	10	25	50
AC-DC Adapter	02052-0000-01-0	18			
for use with all embedded server products					
Ethernet Crossover cable	02053-0000-01-0	8			
for direct network connection between two ethernet adapters					

All prices are net prices. This pricelist supersedes all prior price lists. Technical changes and price changes can occur without prior notice. All orders are only valid with our written order confirmation.

Alle Preise sind Nettopreise zuzüglich der gesetzlichen MWSt. Mit dieser Preisliste verlieren alle vorherigen Preislisten ihre Gültigkeit. Technische Änderungen und Preisänderungen können ohne weitere Ankündigung erfolgen. Bestellungen sind nur mit unserer schriftlichen Auftragsbestätigung rechtswirksam. Es gelten unsere Ihnen bekannten allgemeinen Geschäftsbedingungen.