

MONTEREY
BAY
AQUARIUM
RESEARCH
INSTITUTE



PURCHASE ORDER

Purchase Order Invalid Without PO#

PO#: 1010885 Rev. 1

Date: 7/27/2010

VENDOR

Teledyne ODI, Inc.
1026 North Williamson Blvd.
Daytona Beach, FL 32114 USA
Phone: (888) 506-2326
Fax: (386) 236-0906
Email: llore@teledyne.com
Contact: Lorrie Lore / Matt
Endebrock
Payment Terms: 2% 10 N 30
Customer Number:

SHIPPING

Ship To:
MBARI Building A
7700 Sandholdt Road
Moss Landing, CA 95039-9644 USA

Ship Via: Best Way
Expected Delivery Date: 8/16/2010
FOB: Shipping Point

MBARI CONTACT

Name: Mark Chaffey
Phone: (831) 775-1708
Fax: (831) 775-1645
Email: chma@mbari.org

SEND INVOICES TO

MBARI Accounts Payable
7700 Sandholdt Rd.
Moss Landing, CA 95039-9644
Phone: (831) 775-1700 Fax: (831) 775-1630

PROJECT

Project	Account	RefNum	Amount
900820.00	5360-000		\$8,376.00

REMARKS

As per Teledyne ODI quote # 16396, 25 June 2010. CSM material in place at ODI as per Lorrie Lore email 6/30/10. Revised 27JUL10: Corrected delivery and quote dates. Note 1: Shipping Cost is an estimate, final cost billed with invoice. Note 2: Sales/Use Tax need not be billed. Item is subject to CA sales tax, will be paid by MBARI.

ITEM DETAIL

#	Description	Part #	Quantity	U/M	Unit Cost	Ext Amount
1	Convert 1049243 into 1031569 4O/4E	1031569 (OPM-159-01)	1.0000	Each	\$7,615.00	\$7,615.00
2	Expedite fee for 6 week completion ARO (August 11, 2010)	none	1.0000	Each	\$761.00	\$761.00

Shipping Cost: \$50.00
Sales/Use Tax: \$691.02
Purchase Order Amount: \$9,117.02

MBARI is an Affirmative Action/Equal Opportunity employer. MBARI does not discriminate against any employee or applicant for employment because of race, color, sex, or national origin. MBARI will comply with the provisions of Executive Order 11246 of 9/24/65, and relevant rules and regulations as required by law. Please be advised that all contractors and subcontractors having 50 or more employees and a federal government contract or subcontract of \$50,000 or more must develop a written affirmative action plan under the federal guidelines.