



2 Nm 5 and 7.5 Watts 7.5 Watts Part number




	Type	Type	Number of phases	Ratios
MADE TO ORDER	7.5 Watts	82 929 0	2 / 4	75/4
MADE TO ORDER	7.5 Watts	82 929 0	2 / 4	25
MADE TO ORDER	7.5 Watts	82 929 0	2 / 4	40
MADE TO ORDER	7.5 Watts	82 929 0	2 / 4	50
MADE TO ORDER	7.5 Watts	82 929 0	2 / 4	60
MADE TO ORDER	7.5 Watts	82 929 0	2 / 4	80
MADE TO ORDER	7.5 Watts	82 929 0	2 / 4	100
MADE TO ORDER	7.5 Watts	82 929 0	2 / 4	120
MADE TO ORDER	7.5 Watts	82 929 0	2 / 4	160
MADE TO ORDER	7.5 Watts	82 929 0	2 / 4	250
MADE TO ORDER	7.5 Watts	82 929 0	2 / 4	300
MADE TO ORDER	7.5 Watts	82 929 0	2 / 4	540
MADE TO ORDER	7.5 Watts	82 929 0	2 / 4	600
MADE TO ORDER	7.5 Watts	82 929 0	2 / 4	800
MADE TO ORDER	7.5 Watts	82 929 0	2 / 4	1080
MADE TO ORDER	7.5 Watts	82 929 0	2 / 4	1440
MADE TO ORDER	7.5 Watts	82 929 0	2 / 4	3000
MADE TO ORDER	7.5 Watts	82 929 0	2 / 4	6000
MADE TO ORDER	7.5 Watts	82 929 0	2 / 4	21600
MADE TO ORDER	7.5 Watts	82 929 0	2 / 4	54000
MADE TO ORDER	7.5 Watts	82 929 0	2 / 4	180000
MADE TO ORDER	5 Watts	82 919 5	2 / 4	75/4
MADE TO ORDER	5 Watts	82 919 5	2 / 4	25
MADE TO ORDER	5 Watts	82 919 5	2 / 4	40
MADE TO ORDER	5 Watts	82 919 5	2 / 4	50
MADE TO ORDER	5 Watts	82 919 5	2 / 4	60
MADE TO ORDER	5 Watts	82 919 5	2 / 4	80
MADE TO ORDER	5 Watts	82 919 5	2 / 4	100
MADE TO ORDER	5 Watts	82 919 5	2 / 4	120
MADE TO ORDER	5 Watts	82 919 5	2 / 4	160
MADE TO ORDER	5 Watts	82 919 5	2 / 4	250

MADE TO ORDER	5 Watts	82 919 5	2 / 4	300
MADE TO ORDER	5 Watts	82 919 5	2 / 4	540
MADE TO ORDER	5 Watts	82 919 5	2 / 4	600
MADE TO ORDER	5 Watts	82 919 5	2 / 4	800
MADE TO ORDER	5 Watts	82 919 5	2 / 4	1080
MADE TO ORDER	5 Watts	82 919 5	2 / 4	1500
MADE TO ORDER	5 Watts	82 919 5	2 / 4	3000
MADE TO ORDER	5 Watts	82 919 5	2 / 4	4800
MADE TO ORDER	5 Watts	82 919 5	2 / 4	6000
MADE TO ORDER	5 Watts	82 919 5	2 / 4	27000
MADE TO ORDER	5 Watts	82 919 5	2 / 4	180000
MADE TO ORDER	5 Watts	82 919 0	2 / 4	75/4
MADE TO ORDER	5 Watts	82 919 0	2 / 4	25
MADE TO ORDER	5 Watts	82 919 0	2 / 4	40
MADE TO ORDER	5 Watts	82 919 0	2 / 4	50
MADE TO ORDER	5 Watts	82 919 0	2 / 4	60
MADE TO ORDER	5 Watts	82 919 0	2 / 4	80
MADE TO ORDER	5 Watts	82 919 0	2 / 4	100
MADE TO ORDER	5 Watts	82 919 0	2 / 4	120
MADE TO ORDER	5 Watts	82 919 0	2 / 4	160
MADE TO ORDER	5 Watts	82 919 0	2 / 4	250
MADE TO ORDER	5 Watts	82 919 0	2 / 4	300
MADE TO ORDER	5 Watts	82 919 0	2 / 4	540
MADE TO ORDER	5 Watts	82 919 0	2 / 4	600
MADE TO ORDER	5 Watts	82 919 0	2 / 4	800
MADE TO ORDER	5 Watts	82 919 0	2 / 4	1080
MADE TO ORDER	5 Watts	82 919 0	2 / 4	1500
MADE TO ORDER	5 Watts	82 919 0	2 / 4	3000
MADE TO ORDER	5 Watts	82 919 0	2 / 4	4800
MADE TO ORDER	5 Watts	82 919 0	2 / 4	6000
MADE TO ORDER	5 Watts	82 919 0	2 / 4	27000
MADE TO ORDER	5 Watts	82 919 0	2 / 4	54000
MADE TO ORDER	5 Watts	82 919 0	2 / 4	180000

Stepper motor / Number of phases

Gearbox	81 033
Step angle (°)	7,5
Maximum permitted torque from gearmotor under continuous conditions (Nm)	2
Axial load static (daN)	1
Radial load static (daN)	10
Absorbed power (W)	7,5
Coil temperature (°C)	120
Weight (g)	260
Wires length (mm)	250
Protection rating	IP 40



Dimension Diagram : Shaft 79 202 573

