

Papers citing Raven Pro as of 20150702

2015

- Alström, P., Xia, C., Rasmussen, P. C., Olsson, U., Dai, B., et al. (2015). Integrative taxonomy of the Russet Bush Warbler *Locustella mandelli* complex reveals a new species from central China. *Avian Research*, 6.
- Andrade, I. S., Filipe, A., Oliveira, D. S., & Grosso, M. (2015). Distribution extension of *Pseudopaludicola pocoto* Magalhães, Loebmann, Kokubum, Haddad & Garda, 2014 (Anura: Leptodactylidae: Leiuperinae) in state of Minas Gerais, Brazil. *Herpetology Notes*, 8, 227–229.
- Avendaño, J. E., Cuervo, A. M., López-O., J. P., Gutiérrez-Pinto, N., Cortés-Diago, A., et al. (2015). A new species of tapaculo (Rhinocryptidae: Scytalopus) from the Serranía de Perijá of Colombia and Venezuela. *The Auk*, 132, 450–466.
- Bagočius, D. (2015). Piling underwater noise impact on migrating salmon fish during Lithuanian LNG terminal construction (Curonian Lagoon, Eastern Baltic Sea Coast). *Marine Pollution Bulletin*, 1–7.
- Bowles, A. E., Grebner, D. M., & Crance, J. L. (2015). Disproportionate emission of bubble streams with killer whale biphonic calls : Perspectives on production and function. *JASA Express Letters*, 137, 165–170.
- Byers, B. E., Akresh, M. E., & King, D. I. (2015). A proxy of social mate choice in prairie warblers is correlated with consistent, rapid, low-pitched singing. *Behavioral Ecology and Sociobiology*.
- Constantine, R., Johnson, M., Riekkola, L., Jervis, S., Kozmian-Ledward, L., et al. (2015). Mitigation of vessel-strike mortality of endangered Bryde's whales in the Hauraki Gulf, New Zealand. *Biological Conservation*, 186, 149–157.
- Crane, J. M. S., Pick, J. L., Tribe, A. J., Vincze, E., Hatchwell, B. J., et al. (2015). Chestnut-crowned babblers show affinity for calls of removed group members: a dual playback without expectancy violation. *Animal Behaviour*, 104, 51–57.
- Falcão, F., Ugarte-Núñez, J. a., Faria, D., & Caselli, C. B. (2015). Unravelling the calls of discrete hunters: acoustic structure of echolocation calls of furipterid bats (Chiroptera, Furipteridae). *Bioacoustics*, 1–9.
- Fernández-Vargas, M., & Johnston, R. E. (2015). Ultrasonic Vocalizations in Golden Hamsters (*Mesocricetus auratus*) Reveal Modest Sex Differences and Nonlinear Signals of Sexual Motivation. *Plos One*, 10, e0116789.
- Ferrer, E. S., García-Navas, V., Bueno-Enciso, J., Sanz, J. J., & Ortego, J. (2015). Multiple sexual ornaments signal heterozygosity in male blue tits. *Biological Journal of the Linnean Society*.
- Franz, I., & Henrique de Mello, M. (2015). Fritiziana aff. fissilis (Miranda-Ribeiro, 1920) (Anura, Hemiphractidae): the first hemiphractid for the state of Rio Grande do Sul, southern Brazil. *Check List*, 11, 3–5.

- Garland, E. C., Castellote, M., & Berchok, C. L. (2015). Beluga whale (*Delphinapterus leucas*) vocalizations and call classification from the eastern Beaufort Sea population. *The Journal of the Acoustical Society of America*, 137, 3054–3067.
- Gridley, T., Nastasi, A., Kriesell, H. J., & Elwen, S. H. (2015). The acoustic repertoire of wild common bottlenose dolphins (*Tursiops truncatus*) in Walvis Bay, Namibia. *Bioacoustics*, 1–22.
- Guimarães de Andrade, L., Lima, I. M. S., Bittencourt, L., Bisi, T. L., Júnior, J. L. B., et al. (2015). High-frequency whistles of Guiana dolphins (*Sotalia guianensis*) in Guanabara Bay, southeastern Brazil. *JASA Express Letters*, 137, 15–19.
- Hara, E., Perez, J. M., Whitney, O., Chen, Q., White, S. A., et al. (2015). Neural FoxP2 and FoxP1 expression in the budgerigar, an avian species with adult vocal learning. *Behavioural Brain Research*, 283, 22–29.
- Hart, P. J., Hall, R., Ray, W., Beck, A., & Zook, J. (2015). Cicadas impact bird communication in a noisy tropical rainforest. *Behavioral Ecology*, 00, 1–4.
- Hertach, T., Trilar, T., Wade, E. J., Simon, C., & Nagel, P. (2015). Songs, genetics, and morphology: revealing the taxonomic units in the European *Cicadetta cerdaniensis* cicada group, with a description of new taxa (Hemiptera: Cicadidae). *Zoological Journal of the Linnean Society*, 173, 320–351.
- Herzing, D. L. (2015). Synchronous and Rhythmic Vocalizations and Correlated Underwater Behavior of Free-ranging Atlantic Spotted Dolphins (*Stenella frontalis*) and Bottlenose Dolphins (*Tursiops truncatus*) in the Bahamas. *Animal Behavior and Cognition*, 2, 14–29.
- Hill, S. D., Amiot, C., Ludbrook, M. R., & Ji, W. (2015). Seasonal variation in the song structure of tui (*Prothemadera novaeseelandiae*). *New Zealand Journal of Ecology*, 39.
- Holt, D. E., & Johnston, C. E. (2015). Traffic noise masks acoustic signals of freshwater stream fish. *Biological Conservation*, 187, 27–33.
- Horton, K. G., Stepanian, P. M., Wainwright, C. E., & Tegeler, A. K. (2015). Influence of atmospheric properties on detection of wood-warbler nocturnal flight calls. *Int. J. Biometeorol.*
- Igic, B., Mclachlan, J., Lehtinen, I., & Magrath, R. D. (2015). Crying wolf to a predator: deceptive vocal mimicry by a bird protecting young. *Proceedings of the Royal Society B-Biological Sciences*, 282.
- Jack, J., Rytwinski, T., Fahrig, L., & Francis, C. M. (2015). Influence of traffic mortality on forest bird abundance. *Biodiversity Conservation*.
- Jalinas, J., Guerri-Agullo, B., Mankin, R. W., Lopez-Follana, R., & Lopez-Llorca, L. V. (2015). Acoustic Assessment of *Beauveria bassiana* (Hypocreales: Clavicipitaceae) Effects on *Rhynchophorus ferrugineus* (Coleoptera: Dryophthoridae) Larval Activity and Mortality. *Journal of Economic Entomology*.

- Kuczaj, S. A., Eskelinen, H. C., Jones, B. L., & Borger-turner, J. L. (2015a). Gotta Go, Mom's Calling: Dolphin (*Tursiops truncatus*) Mothers Use Individually Distinctive Acoustic Signals To Call Their Calves. *Animal Behavior and Cognition*, 2, 88–95.
- Kuczaj, S. a., Frick, E. E., Jones, B. L., Lea, J. S. E., Beecham, D., et al. (2015b). Underwater observations of dolphin reactions to a distressed conspecific. *Learning & Behavior*.
- Kuhelj, A., de Groot, M., Pajk, F., Simčič, T., & Virant-Doberlet, M. (2015). Energetic cost of vibrational signalling in a leafhopper. *Behavioral Ecology and Sociobiology*.
- Loader, S. P., Lawson, L. P., Portik, D. M., & Menegon, M. (2015). Three new species of spiny throated reed frogs (Anura: Hyperoliidae) from evergreen forests of Tanzania. *BMC Research Notes*, 8.
- Luo, C., & Wei, C. (2015). Intraspecific sexual mimicry for finding females in a cicada: males produce “female sounds” to gain reproductive benefit. *Animal Behaviour*, 102, 69–76.
- Luo, C., Wei, C., & Nansen, C. (2015). How Do “Mute” Cicadas Produce Their Calling Songs? *Plos One*, 10, e0118554.
- Mafia, P. d. O. (2015). New record extends the northern limit of distribution of *Scytalopus petrophilus* (Passeriformes: Rhinocryptidae) in the Espinhaço Range, Mina Gerais, Brazil. *Check List*, 11, 10–11.
- Magalhães, F. D. M., Juncá, F. A., & Garda, A. A. (2015). Tadpole and vocalisations of *Phyllodytes wuchereri* (Anura: Hylidae) from Bahia , Brazil. *Salamandra*.
- Marcondes, R. S., & Silveira, L. F. (2015). A taxonomic review of *Aramides cajaneus* (Aves, Gruiformes, Rallidae) with notes on morphological variation in other species of the genus. *ZooKeys*, 500, 111–140.
- Nunes, I., Loebmann, D., Cruz, C. A. G., & Haddad, C. F. B. (2015). Advertisement call, colour variation, natural history, and geographic distribution of *Proceratophrys caramaschii* (Anura: Odontophrynidae). *Salamandra*, 51, 103–110.
- Ordóñez-Gómez, J. D., Dunn, J. C., Arroyo-Rodríguez, V., Méndez-Cárdenas, M. G., Márquez-Arias, A., et al. (2015a). Role of Emitter and Severity of Aggression Influence the Agonistic Vocalizations of Geoffroy's Spider Monkeys (*Ateles geoffroyi*). *International Journal of Primatology*.
- Ordóñez-Gómez, J. D., Dunn, J. C., Arroyo-Rodríguez, V., Méndez-Cárdenas, M. G., Márquez-Arias, A., et al. (2015b). Role of Emitter and Severity of Aggression Influence the Agonistic Vocalizations of Geoffroy's Spider Monkeys (*Ateles geoffroyi*). *International Journal of Primatology*.
- Papale, E., Buffa, G., Filiciotto, F., Maccarrone, V., Mazzola, S., et al. (2015). Biphonic calls as signature whistles in a free-ranging bottlenose dolphin. *Bioacoustics*, 1–9.
- Ramos, M., Macedo, R. H., & Diniz, P. (2015). Attractive males are less than adequate dads in a multimodal signalling passerine. *Animal Behaviour*, 102, 109–117.

- Rivera-Cáceres, K. D. (2015). Plain wrens *Cantorchilus modestus zeledoni* adjust their singing tempo based on self and partner's cues to perform precisely coordinated duets. *Journal of Avian Biology*, 46, 1–8.
- Rocha, L. H. S., Ferreira, L. S., Paula, B. C., Rodrigues, F. H. G., & Sousa-Lima, R. S. (2015). An evaluation of manual and automated methods for detecting sounds of maned wolves (*Chrysocyon brachyurus* Illiger 1815). *Bioacoustics*, 1–14.
- Sandoval, L., Méndez, C., & Mennill, D. J. (2015). Vocal behaviour of White-eared Ground-sparrows (*Melospiza leucotis*) during the breeding season: repertoires, diel variation, behavioural contexts, and individual distinctiveness. *Journal of Ornithology*.
- Schwabl, H., Dowling, J., Baldassarre, D. T., Gahr, M., Lindsay, W. R., et al. (2015). Variation in song system anatomy and androgen levels does not correspond to song characteristics in a tropical songbird. *Animal Behaviour*, 104, 39–50.
- Shekhawat, D. S., & Bhatnagar, C. (2015). A nocturnal call of the black ibis (*Pseudibis papillosa*). *Taprobanica*, 07, 1–2.
- Spillmann, B., van Noordwijk, M. a., Willems, E. P., Mitra Setia, T., Wipfli, U., et al. (2015). Validation of an acoustic location system to monitor Bornean orangutan (*Pongo pygmaeus wurmbii*) long calls. *American Journal of Primatology*, n/a–n/a.
- Straight, C. a., Rhett Jackson, C., Freeman, B. J., & Freeman, M. C. (2015). Diel Patterns and Temporal Trends in Spawning Activities of Robust Redhorse and River Redhorse in Georgia, Assessed Using Passive Acoustic Monitoring. *Transactions of the American Fisheries Society*, 144, 563–576.
- Takagi, M., Saitoh, T., Yamaguchi, N., Okabe, H., & Nishiumi, I. (2015). A breeding record of the Ryukyu Scops Owl on Okinoshima , in northernmost Fukuoka , Japan. *Ornithological Science*, 14, 53–59.
- Táranó, Z. (2015). Choosing a Mate in a Cocktail Party-Like Situation: The Effect of Call Complexity and Call Timing between Two Rival Males on Female Mating Preferences in the Túngara Frog *Physalaemus pustulosus*. *Ethology*, 121, n/a–n/a.
- Terleph, T. a., Malaivijitnond, S., & Reichard, U. H. (2015). Lar gibbon (*Hylobates lar*) great call reveals individual caller identity. *American Journal of Primatology*, n/a–n/a.
- Viljoen, J. J., Ganswindt, A., Reynecke, C., Stoeger, A. S., & Langbauer, W. R. (2015). Vocal stress associated with a translocation of a family herd of African elephants (*Loxodonta africana*) in the Kruger National Park, South Africa. *Bioacoustics*, 24, 1–12.
- Warning, N., & Benedict, L. (2015). Paving the way : Multifunctional nest architecture of the Rock Wren. *Auk*, 132, 288–299.

2014

- Agnihotri, S., Sundeeep, P. V. D. S., Seelamantula, C. S., & Balakrishnan, R. (2014). Quantifying vocal mimicry in the greater racket-tailed drongo: a comparison of automated methods and human assessment. *PloS one*, 9, e89540.
- Akçay, Ç., Hambury, K. L., Arnold, J. A., Nevins, A. M., & Dickinson, J. L. (2014). Song sharing with neighbours and relatives in a cooperatively breeding songbird. *Animal Behaviour*, 92, 55–62.
- Almeida, E., Silva, P., Teixeira, E., Pirani, R. M., & Mângia, S. (2014). Distress calls of two species of the Bokermannohyla circumdata group (Amphibia , Anura , Hylidae). *Herpetology Notes*, 7, 521–524.
- Almonte, C. (2014). Classification of Captive North American River Otters (*Lontra canadensis*) Vocal Repertoires : Individual Variations , and Age Class Comparisons. *Animal Behavior and Cognition*, 1, 502–517.
- Amorim, T. O. S., Manhães, M. a., Azevedo, A. F., & Andriolo, A. (2014). The vocal repertoire of *Myrmeciza loricata* (Lichtenstein, 1823) (Aves: *Thamnophilidae*). *Journal of Natural History*, 00, 1–18.
- Augustine, J. K., & Trauba, D. R. (2014). Potential for behavioral reproductive isolation between greater prairie-chickens and sharp-tailed grouse in west-central Minnesota. *Journal of Ethology*.
- Barker, D. J., Herrera, C., & West, M. O. (2014). Automated Detection of 50-kHz Ultrasonic Vocalizations Using Template Matching in XBAT. *Journal of Neuroscience Methods*, 1–8.
- Batista, A., A, C. A. J., Ponce, M., & Crawford, A. J. (2014). A new species of *Andinobates* (Amphibia: Anura: *Dendrobatidae*) from west central Panama. *Zootaxa*, 3866, 333–352.
- Benites, P., Campagna, L., & Tubaro, P. L. (2014). Song-based species discrimination in a rapid Neotropical radiation of grassland seedeaters. *Journal of Avian Biology*, n/a–n/a.
- Bluemel, J. K., Derlink, M., Pavlovic, P., Russo, I. M., King, R. A., et al. (2014). Integrating vibrational signals , mitochondrial DNA and morphology for species determination in the genus *Aphrodes* (Hemiptera : *Cicadellidae*). *Systematic Entomology*, 39, 304–324.
- Bocast, C., Bruch, R. M., & Koenigs, R. P. (2014). Sound production of spawning lake sturgeon (*Acipenser fulvescens* Rafinesque, 1817) in the Lake Winnebago watershed, Wisconsin, USA. *Journal of Applied Ichthyology*, n/a–n/a.
- Bolus, R. T. (2014). Geographic variation in songs of the Common Yellowthroat. *The Auk*, 131, 175–185.
- Brusquetti, F., Jansen, M., Barrio-Amorós, C., Segalla, M., & Haddad, C. F. B. (2014). Taxonomic review of *Scinax fuscomarginatus* (Lutz, 1925) and related species (Anura; *Hylidae*). *Zoological Journal of the Linnean Society*, 171, 783–821.

- Buchan, S., Hucke-Gaete, R., Rendell, L., & Stafford, K. (2014). A new song recorded from blue whales in the Corcovado Gulf, Southern Chile, and an acoustic link to the Eastern Tropical Pacific. *Endangered Species Research*, 23, 241–252.
- Cerchio, S., Strindberg, S., Collins, T., Bennett, C., & Rosenbaum, H. (2014). Seismic Surveys Negatively Affect Humpback Whale Singing Activity off Northern Angola (J. M. Roberts, Ed.). *PLoS ONE*, 9, e86464.
- Clark, C. J. (2014). Harmonic hopping, and both punctuated and gradual evolution of acoustic characters in selasphorus hummingbird tail-feathers. *PloS one*, 9, e93829.
- Condez, T. H., Clemente-Carvalho, R. B. G., Haddad, C. F. B., & Dos Reis, S. F. (2014). A new species of Brachycephalus (Anura: Brachycephalidae) from the highlands of the Atlantic Forest, southeastern Brazil. *Herpetologica*, 70, 89–99.
- Costello, R. a., & Symes, L. B. (2014a). Effects of anthropogenic noise on male signalling behaviour and female phonotaxis in Oecanthus tree crickets. *Animal Behaviour*, 95, 15–22.
- Costello, R. a., & Symes, L. B. (2014b). Effects of anthropogenic noise on male signalling behaviour and female phonotaxis in Oecanthus tree crickets. *Animal Behaviour*, 95, 15–22.
- Crance, J. L., Bowles, A. E., & Garver, A. (2014). Evidence for vocal learning in juvenile male killer whales, Orcinus orca, from an adventitious cross-socializing experiment. *The Journal of experimental biology*, 217, 1229–37.
- DaCosta, J. M., & Sorenson, M. D. (2014). An experimental test of host song mimicry as a species recognition cue among male brood parasitic indigobirds (Vidua spp.). *The Auk*, 131, 549–558.
- Dalisio, A. C., Jensen, W. E., & Parker, T. H. (2014). Divergence of vocal culture among isolated alpine habitats is inconsistent among three Oscine species. *Journal of Ornithology*.
- Derlink, M., Pavlovčič, P., Stewart, A. J. a., & Virant-Doberlet, M. (2014). Mate recognition in duetting species: the role of male and female vibrational signals. *Animal Behaviour*, 90, 181–193.
- Digby, A., Towsey, M., Bell, B. D., & Teal, P. D. (2014). Temporal and environmental influences on the vocal behaviour of a nocturnal bird. *Journal of Avian Biology*, n/a–n/a.
- Van Doren, B. M., Sheldon, D., Geevarghese, J., Hochachka, W. M., & Farnsworth, A. (2014). Autumn morning flights of migrant songbirds in the northeastern United States are linked to nocturnal migration and winds aloft. *The Auk*, 132, 105–118.
- Eben, A., Mühlethaler, R., Gross, J., & Hoch, H. (2014). First evidence of acoustic communication in the pear psyllid Cacopsylla pyri L. (Hemiptera: Psyllidae). *Journal of Pest Science*.
- Ferrara, C. R., Mortimer, J. a., & Vogt, R. C. (2014). First Evidence that Hatchlings of Chelonia mydas Emit Sounds. *Copeia*, 2014, 245–247.
- Figueiredo, L. (2014). Bryde's Whale (Balaenoptera edeni) Vocalizations from Southeast Brazil. *Aquatic Mammals*, 40, 225–231.

- Frankel, A. S., Zeddies, D., Simard, P., & Mann, D. (2014). Whistle source levels of free-ranging bottlenose dolphins and Atlantic spotted dolphins in the Gulf of Mexico. *The Journal of the Acoustical Society of America*, 135, 1624–1631.
- Froidevaux, J. S. P., Zellweger, F., Bollmann, K., & Obrist, M. K. (2014). Optimizing passive acoustic sampling of bats in forests. *Ecology and Evolution*, 1–11.
- Genty, E., Clay, Z., Hobaiter, C., & Zuberbuhler, K. (2014). Multi-Modal Use of a Socially Directed Call in Bonobos. *PloS One*, 9, 1–12.
- Goedert, D., Dias, R. I., & Macedo, R. H. (2014). Nestling use of alternative acoustic antipredator responses is related to immune condition and social context. *Animal Behaviour*, 91, 160–168.
- Grant, P. B. C., & Samways, M. J. (2014). Acoustic prey and a listening predator: interaction between calling katydids and the bat-eared fox. *Bioacoustics*, 1–13.
- Harris, J. B. C., Rasmussen, P. C., Yong, D. L., Prawiradilaga, D. M., Putra, D. D., et al. (2014). A new species of muscicapa flycatcher from sulawesi, indonesia. *PloS one*, 9, e112657.
- Henger, C. S., & Hauber, M. E. (2014). Variation in antiparasitic behaviors of red-winged blackbirds in response to simulated brown-headed cowbirds. *Wilson Journal of Ornithology*, 126, 488–499.
- Holt, D. E., & Johnston, C. E. (2014). Evidence of the Lombard effect in fishes. *Behavioral Ecology*, 00, 1–8.
- Hung, C.-M., Hung, H.-Y., Yeh, C.-F., Fu, Y.-Q., Chen, D., et al. (2014). Species delimitation in the Chinese bamboo partridge *Bambusicola thoracica* (Phasianidae; Aves). *Zoologica Scripta*, n/a–n/a.
- Igic, B., & Magrath, R. D. (2014). A songbird mimics different heterospecific alarm calls in response to different types of threat. *Behavioral Ecology*, 00, 1–11.
- Kaiser, S. a., Sillett, T. S., & Webster, M. S. (2014). Phenotypic plasticity in hormonal and behavioural responses to changes in resource conditions in a migratory songbird. *Animal Behaviour*, 96, 19–29.
- Kisko, T. M., Himmler, B. T., Himmler, S. M., Euston, D. R., & Pellis, S. M. (2014). Are 50-kHz calls used as play signals in the playful interactions of rats? II. Evidence from the effects of devocalization. *Behavioural Processes*, 1–9.
- Koli, V. K. (2014). Morning territorial calls of male oriental magpie robin (*Copsychus saularis*). *Taprobanica*, 06, 60–62.
- Landrau-Giovanetti, N., Mignucci-Giannoni, A. a, & Reidenberg, J. S. (2014). Acoustical and Anatomical Determination of Sound Production and Transmission in West Indian (*Trichechus manatus*) and Amazonian (*T. inunguis*) Manatees. *Anatomical record (Hoboken, N.J. : 2007)*, 00.
- Laverde-R, O., & Cadena, C. D. (2014). Taxonomy and conservation: a tale of two tinamou species groups (Tinamidae, Crypturellus). *Journal of Avian Biology*, no–no.

- Lechelt, S., Hödl, W., & Ringler, M. (2014). The role of spectral advertisement call properties in species recognition of male *Allobates talamancae* (C OPE , 1875). *Herpetozoa*, 26, 139–150.
- Lima, A. P., Simões, P. I. V. O., & Kaefer, I. L. (2014). A new species of *Allobates* (Anura: Aromobatidae) from the Tapajós River basin, Pará State, Brazil. *Zootaxa*, 3889, 2–5.
- Luís, A. R., Couchinho, M. N., & dos Santos, M. E. (2014). Changes in the acoustic behavior of resident bottlenose dolphins near operating vessels. *Marine Mammal Science*, n/a–n/a.
- Matthews, L. P., McCordic, J. a., & Parks, S. E. (2014). Remote Acoustic Monitoring of North Atlantic Right Whales (*Eubalaena glacialis*) Reveals Seasonal and Diel Variations in Acoustic Behavior (M. L. Fine, Ed.). *PLoS ONE*, 9, e91367.
- McEntee, J. P. (2014). Reciprocal territorial responses of parapatric African sunbirds: species-level asymmetry and intraspecific geographic variation. *Behavioral Ecology*, 00, 1–15.
- Mumm, C. a. S., & Knörnschild, M. (2014). The Vocal Repertoire of Adult and Neonate Giant Otters (*Pteronura brasiliensis*) (D. M. Higgs, Ed.). *PLoS ONE*, 9, e112562.
- Mumm, C. a. S., Urrutia, M. C., & Knörnschild, M. (2014). Vocal individuality in cohesion calls of giant otters, *Pteronura brasiliensis*. *Animal Behaviour*, 88, 243–252.
- Nali, R. C., & Prado, C. P. A. (2014). The fight call of *Bokermannohyla ibitiguara* (Anura : Hylidae): first record for the genus. *Salamandra*, 50, 181–184.
- Niederhauser, J. M., & Bowman, R. (2014). Testing sources of variation in nestling-stage nest success of Florida Scrub-Jays in suburban and wildland habitats. *Journal of Field Ornithology*, 85, 180–195.
- Niekerk, J. H. Van. (2014). Vocal behaviour of the Red-crested Korhaan , *Lophotis ruficrista* , in South Africa. *South African Journal of Wildlife Research*, 44, 24–31.
- De Oliveira, R. M., Ruas, D. S., Mendes, C. V. D. M., & Solé, M. (2014). Advertisement call of *Rhinella crucifer* (Wied-Neuwied, 1821) (Anura: Bufonidae) from southern Bahia, Brazil. *Zootaxa*, 3784, 97–8.
- Osiejuk, T. S. (2014). Differences in Frequency of Shared Song Types Enables Neighbour-Stranger Discrimination in a Songbird Species with Small Song Repertoire (M. Manser, Ed.). *Ethology*, n/a–n/a.
- Pansonato, A., Mudrek, J. R., Simioni, F., Martins, I. A., & Strüssmann, C. (2014). Geographical Variation in Morphological and Bioacoustic Traits of *Pseudopaludicola mystacalis* (Cope, 1887) and a Reassessment of the Taxonomic Status of *Pseudopaludicola serrana* Toledo , 2010 (Anura: Leptodactylidae: Leiuperinae). *Advances in Zoology*, 2014.
- Penna, M., & Toloza, J. (2014). Vocal Responsiveness to Interfering Sounds By a Frog From The Southern Temperate Forest, *Batrachyla leptopus* (S. Foster, Ed.). *Ethology*, n/a–n/a.
- Portillo, F., & Greenbaum, E. (2014). AT THE EDGE OF A SPECIES BOUNDARY : A NEW AND RELATIVELY YOUNG SPECIES OF *LEPTOPELIS* (ANURA : ARTHROLEPTIDAE) FROM THE ITOMBWE PLATEAU , DEMOCRATIC REPUBLIC OF THE CONGO. *Herpetologica*, 70, 100–119.

- Reichert, M. S. (2014). Playback tests and studies of animal contest dynamics: concepts and an example in the gray tree frog. *Behavioral Ecology*, 00, 1–13.
- Rice, A. N., Palmer, K. J., Tielens, J. T., Muirhead, C. a., & Clark, C. W. (2014). Potential Bryde's whale (*Balaenoptera edeni*) calls recorded in the northern Gulf of Mexico. *The Journal of the Acoustical Society of America*, 135, 3066–3076.
- Risch, D., Gales, N. J., Gedamke, J., Kindermann, L., Nowacek, D. P., et al. (2014). Mysterious bio-duck sound attributed to the Antarctic minke whale (*Balaenoptera bonaerensis*). *Biology Letters*, 10, 20140175–20140175.
- Rojas-Runjaic, F. J. M., C, J. A. D., & Guayasamin, J. M. (2014). A new rainfrog of the *Pristimantis myersi* Group (Amphibia, Craugastoridae) from Volcán Pichincha, Ecuador. *Zootaxa*, 3780, 36–50.
- Rowley, J. J. L., Thi, D., Le, T., Hoang, H. U. Y. D. U. C., & Altig, R. (2014). The breeding behaviour, advertisement call and tadpole of *Limnonectes dabanus* (Anura: Dicroglossidae). *Zootaxa*, 3881, 195–200.
- Sala, M., Casacci, L. Pietro, Balletto, E., Bonelli, S., & Barbero, F. (2014). Variation in Butterfly Larval Acoustics as a Strategy to Infiltrate and Exploit Host Ant Colony Resources (W. Gronenberg, Ed.). *PLoS ONE*, 9, e94341.
- Schneider, N. a., & Griesser, M. (2014). The alarm call system of breeding Brown Thornbills (*Acanthiza pusilla*): self-defence or nest defence? *Journal of Ornithology*.
- Smith, A. D., Paton, P. W. C., & McWilliams, S. R. (2014). Using Nocturnal Flight Calls to Assess the Fall Migration of Warblers and Sparrows along a Coastal Ecological Barrier. *PloS One*, 9, e92218.
- Soto, A. B., Marsh, H., Everingham, Y., Smith, J. N., Parra, G. J., et al. (2014). Discriminating between the vocalizations of Indo-Pacific humpback and Australian snubfin dolphins in Queensland, Australia. *The Journal of the Acoustical Society of America*, 136, 930–938.
- Straight, C. A., Freeman, B. J., & Freeman, M. C. (2014). Passive Acoustic Monitoring to Detect Spawning in Large-Bodied Catostomids. *Transactions of the American Fisheries Society*, 143, 595–605.
- Tan, W.-H., Tsai, C.-G., Lin, C., & Lin, Y. K. (2014). Urban canyon effect: storm drains enhance call characteristics of the Mientien tree frog. *Journal of Zoology*, n/a–n/a.
- Toledo, L. F., Martins, I. a., Bruschi, D. P., Passos, M. a., Alexandre, C., et al. (2014). The anuran calling repertoire in the light of social context. *Acta Ethologica*.
- Touchton, J. M., Seddon, N., & Tobias, J. a. (2014). Captive Rearing Experiments Confirm Song Development without Learning in a Tracheophone Suboscine Bird. *PloS one*, 9, e95746.
- Vargas-Salinas, F., Dorado-Correa, A., & Amezcuita, A. (2014a). Microclimate and Stream Noise Predict Geographic Divergence in the Auditory Signal of a Threatened Poison Frog. *Biotropica*, 46, 748–755.

- Vargas-Salinas, F., Quintero-Ángel, A., Osorio-Domínguez, D., Rojas-Morales, J. A., Escobar-Lasso, S., et al. (2014b). Breeding and parental behaviour in the glass frog *Centrolene savagei* (Anura: Centrolenidae). *Journal of Natural History*, 00, 1–17.
- Velásquez, N. a., Opazo, D., Díaz, J., & Penna, M. (2014). Divergence of Acoustic Signals in a Widely Distributed Frog: Relevance of Inter-Male Interactions (T. Aubin, Ed.). *PLoS ONE*, 9, e87732.
- Viljoen, J. J., Ganswindt, A., Reynecke, C., Stoeger, A. S., & Langbauer, W. R. (2014). Vocal stress associated with a translocation of a family herd of African elephants (*Loxodonta africana*) in the Kruger National Park, South Africa. *Bioacoustics*, 1–12.
- Villarreal, S. M., & Gilbert, C. (2014). Male *Scudderia pistillata* katydid defend their acoustic duet against eavesdroppers. *Behavioral Ecology and Sociobiology*.
- Warrington, M. H., McDonald, P. G., Rollins, L. A., & Griffith, S. C. (2014). All signals are not equal: acoustic signalling of individuality, sex and breeding status in a cooperative breeder. *Animal Behaviour*, 93, 249–260.
- Wilson, L. J., Burrows, M. T., Hastie, G. D., & Wilson, B. (2014). Temporal variation and characterization of grunt sounds produced by Atlantic cod *Gadus morhua* and pollack *Pollachius pollachius* during the spawning season. *Journal of fish biology*.
- Zandberg, L., Jolles, J. W., Boogert, N. J., & Thornton, A. (2014). Jackdaw nestlings can discriminate between conspecific calls but do not beg specifically to their parents. *Behavioral Ecology*, 00, 1–9.
- Zaracho, V. H. (2014). Re-Description of the Advertisement Call of *Vitreorana uranoscopa* (Müller, 1924) (Anura, Centrolenidae) from the Argentinean Atlantic Forest, with Notes on Natural History. *South American Journal of Herpetology*, 9, 83–89.
- Zorović, M., & Čokl, A. (2014). Laser vibrometry as a diagnostic tool for detecting wood-boring beetle larvae. *Journal of Pest Science*.

2013

- Aland, K. V., & Hoskin, C. J. (2013). The advertisement call and clutch size of the Golden-capped Boulder-frog *Cophixalus pakayakulangun* (Anura: Microhylidae). *Zootaxa*, 3718, 299–300.
- Alexandre, P., Montoya, J. H., & Mila, B. (2013). Speciation on Oceanic Islands: Rapid Adaptive Divergence vs. Cryptic Speciation in a Guadalupe Island Songbird (Aves: Junco). *Plos One*, 8.
- Amorim, M. C. P., Pedroso, S. S., Bolgan, M., Jordao, J. M., Caiano, M., et al. (2013). Painted gobies sing their quality out loud: acoustic rather than visual signals advertise male quality and contribute to mating success. *Functional Ecology*, 27, 289–298.
- Arévalo, J. E., & Araya-Salas, M. (2013). Collared Forest-Falcon (*Micrastur semitorquatus*) Preying on Chestnut-mandibled Toucan (*Ramphastos swainsonii*) in Costa Rica. *Wilson Journal of Ornithology*, 125, 212–216.

- Azar, J. F., Bell, B. D., & Borowiec, M. (2013a). Temporal change of the song of a local population of the Grey Warbler (*Gerygone igata*): has its song changed over time ? *Emu*.
- Azar, J. F., Bell, B. D., & Burns, K. C. (2013b). Chatter-call harmonics in the North Island Saddleback: do they play a role in ranging? *Emu*, 113, 161.
- Bee, M. a., Suyesh, R., & Biju, S. D. (2013a). The vocal repertoire of *Pseudophilautus kani* , a shrub frog (Anura: Rhacophoridae) from the Western Ghats of India. *Bioacoustics*, 22, 67–85.
- Bee, M. A., Suyesh, R., & Biju, S. D. (2013b). Vocal Behavior of the Ponmudi Bush Frog (*Raorchestes graminirupes*): Repertoire and Individual Variation Your use of this PDF , the BioOne Web site , and all posted and associated content. *Herpetologica*, 69, 22–35.
- Benedict, L., Rose, A., & Warning, N. (2013). Small Song Repertoires and High Rate of Song-Type Sharing among Canyon Wrens. *The Condor*, 115, 874–881.
- Benevides Jr, F. L., & Mautz, W. J. (2013). Temporal and spectral characteristics of the male *Eleutherodactylus coqui* two-note vocalization in Hawaii. *Bioacoustics*, 1–10.
- Bredlau, J. P., Mohajer, Y. J., Cameron, T. M., Kester, K. M., & Fine, M. L. (2013). Characterization and Generation of Male Courtship Song in *Cotesia congregata* (Hymenoptera: Braconidae). *Plos One*, 8.
- Brown, C. L., Reed, S. E., Dietz, M. S., & Fristrup, K. M. (2013a). Detection and Classification of Motor Vehicle Noise in a Forested Landscape. *Environmental Management*, 1–9.
- Brown, R. M., Richards, S. J., & Broadhead, T. S. (2013b). A new shrub frog in the genus *Platymantis* (Ceratobatrachidae) from the Nakanai Mountains of eastern New Britain Island, Bismarck Archipelago. *Zootaxa*, 3710, 31–45.
- Carvalho, T. R. De, Franco, B., & Martins, L. B. (2013a). Intraspecific variability of the advertisement call of *Chiasmocleis albopunctata* (Anura : Microhylidae): note structure as an additional diagnostic character within the genus. *Herpetology Notes*, 6, 439–446.
- Carvalho, T. R. de, Leite, F. S. F., & Pezzuti, T. L. (2013b). A new species of *Leptodactylus* Fitzinger (Anura, Leptodactylidae, Leptodactylinae) from montane rock fields of the Chapada Diamantina, northeastern Brazil. *Zootaxa*, 3701, 349–364.
- Cassini, C. S., Orrico, V. G. D., Dias, I. R., Sole, M., & Haddad, C. F. B. (2013). Phenotypic variation of *Leptodactylus cupreus* Caramaschi, Sao-Pedro and Feio, 2008 (Anura, Leptodactylidae). *Zootaxa*, 3616, 73–84.
- Catullo, R. a., Lanfear, R., Doughty, P., & Keogh, J. S. (2013). The biogeographical boundaries of northern Australia: evidence from ecological niche models and a multi-locus phylogeny of *Uperoleia* toadlets (Anura: Myobatrachidae) (W. D. Kissling, Ed.). *Journal of Biogeography*, n/a–n/a.
- Cheong, S., Yoo, J.-H., Park, S.-R., & Sung, H.-C. (2013). Age estimation by skeletochronology and advertisement call variation in the black-spotted pond frog (*Rana nigromaculata*). *Animal Cells and Systems*, 17, 141–146.

- Cholewiak, D., Baumann-Pickering, S., & Van Parijs, S. (2013). Description of sounds associated with Sowerby's beaked whales (*Mesoplodon bidens*) in the western North Atlantic Ocean. *The Journal of the Acoustical Society of America*, 134, 3905–12.
- Clark, C. J., Feo, T. J., & van Dongen, W. F. D. (2013). Sounds and Courtship Displays of the Peruvian Sheartail, Chilean Woodstar, Oasis Hummingbird, and a Hybrid Male Peruvian Sheartail × Chilean Woodstar. *The Condor*, 115, 558–575.
- Costa, T. R. N., & Toledo, L. F. (2013). *Physalaemus spiniger* (Anura: Leiuperinae): A Frog with an Extensive Vocal Repertoire. *Journal of Herpetology*, 47, 530–538.
- Cramer, E. R. A. (2013a). Measuring consistency: spectrogram cross-correlation versus targeted acoustic parameters. *Bioacoustics*, 1–11.
- Cramer, E. R. A. (2013b). Physically Challenging Song Traits, Male Quality, and Reproductive Success in House Wrens. *Plos One*, 8.
- Cramer, E. R. A. (2013c). Vocal deviation and trill consistency do not affect male response to playback in house wrens. *Behavioral Ecology*, 24, 412–420.
- Crino, O. L., Johnson, E. E., Blickley, J. L., Patricelli, G. L., & Breuner, C. W. (2013). Effects of experimentally elevated traffic noise on nestling white-crowned sparrow stress physiology, immune function and life history. *The Journal of experimental biology*, 216, 2055–62.
- DeLeon, S., Halitschke, R., Hames, R. S., Kessler, A., DeVogd, T., et al. (2013). The Effect of Polychlorinated Biphenyls on the Song of Two Passerine Species. *Plos One*, 8, e73471.
- Dias, P. H., Hepp, F. S., Silva, A. M. P., & Silva, S. P. (2013). Breeding biology and advertisement call of the horned leaf-frog, *Proceratophrys appendiculata* (Amphibia : Anura : Odontophrynidae). *Zoologica*, 30, 388–396.
- Díaz-Gutiérrez, N., Vargas-Salinas, F., Rivera-Correa, M., Rojas-Morales, J. A., Escobar-Lasso, S., et al. (2013). Description of the previously unknown advertisement call and tadpole of the Colombian endemic glassfrog *Centrolene savagei* (Anura:Centrolenidae). *Zootaxa*, 3686, 289–296.
- Digby, A., Bell, B. D., & Teal, P. D. (2013a). Non-linear phenomena in little spotted kiwi calls. *Bioacoustics*, 1–16.
- Digby, A., Bell, B. D., & Teal, P. D. (2013b). Vocal cooperation between the sexes in Little Spotted Kiwi *Apteryx owenii*. *Ibis*, 155, 229–245.
- Digby, A., Towsey, M., Bell, B. D., & Teal, P. D. (2013c). A practical comparison of manual and autonomous methods for acoustic monitoring. *Methods in Ecology and Evolution*.
- Dowling, J. L., & Webster, M. S. (2013). The form and function of duets and choruses in Red-backed Fairy-wrens. *Emu*, 113, 282.
- Duan, S., Zhang, J., Roe, P., Wimmer, J., Dong, X., et al. (2013). Timed Probabilistic Automaton : A Bridge between Raven and Song Scope for Automatic Species Recognition. In *Proceedings of the Twenty-Fifth Innovative Applications of Artificial Intelligence Conference* (pp. 1519–1524).

- Fairhurst, E. N., Horn, A. G., & Leonard, M. L. (2013). Nest acoustics and begging call structure in nestling tree swallows. *Animal Behaviour*, 85, 917–923.
- Faivovich, J., McDiarmid, R. W., & Myers, C. W. (2013). Two new species of *Myersiohyla* (Anura: Hylidae) from Cerro de la Neblina, Venezuela, with comments on other species of the genus. *American Museum Novitates*, 1–64.
- Fallow, P. M., Pitcher, B. J., & Magrath, R. D. (2013). Alarming features: birds use specific acoustic properties to identify heterospecific alarm calls. *Proceedings of the Royal Society B: Biological Sciences*, 280.
- Garbino, G. S. T., Silva, F. E., & Davis, B. J. W. (2013). Range extension of the vulnerable dwarf marmoset, *Callibella humilis* (Roosmalen et al. 1998), and first analysis of its long call structure. *Primates; journal of primatology*, 54, 331–4.
- Garland, E. C., Gedamke, J., Rekdahl, M. L., Noad, M. J., Garrigue, C., et al. (2013). Humpback Whale Song on the Southern Ocean Feeding Grounds: Implications for Cultural Transmission (P. J. O. Miller, Ed.). *PLoS ONE*, 8, e79422.
- Gehara, M., Canedo, C., Haddad, C. F. B., & Vences, M. (2013). From widespread to microendemic: molecular and acoustic analyses show that *Ischnocnema guentheri* (Amphibia: Brachycephalidae) is endemic to Rio de Janeiro, Brazil. *Conservation Genetics*, 14, 973–982.
- Getschow, C. M., Rivers, P., Sterman, S., Lumpkin, D. C., & Tarvin, K. a. (2013). Does Gray Squirrel (*Sciurus carolinensis*) Response to Heterospecific Alarm Calls Depend on Familiarity or Acoustic Similarity? (D. Zeh, Ed.). *Ethology*, n/a–n/a.
- Giaretta, A. A. (2013). On the advertisement call of *Dermatonotus muelleri* (Boettger, 1885) (Anura, Microhylidae). *Zootaxa*, 3700, 593–596.
- Goodwin, S. E., & Podos, J. (2013). Shift of song frequencies in response to masking tones. *Animal Behaviour*, 85, 435–440.
- Greig, E. I., Price, J. J., & Pruett-jones, S. (2013). Song evolution in Maluridae : influences of natural and sexual selection on acoustic structure. *Emu*, 113, 270–281.
- Greig, E. I., & Webster, M. S. (2013). Spatial decoupling of song and plumage generates novel phenotypes between 2 avian subspecies. *Behavioral Ecology*, 24, 1004–1013.
- Harris, J. B. C., & Haskell, D. G. (2013). Simulated birdwatchers' playback affects the behavior of two tropical birds. *PloS one*, 8, e77902.
- Hill, S. D., Ji, W., Parker, K. A., Amiot, C., & Wells, S. J. (2013). A comparison of vocalisations between mainland tui (*Prothemadera novaeseelandiae novaeseelandiae*) and Chatham Island tui (*P. n. chathamensis*). *New Zealand Journal of Ecology*, 37, 214–223.
- Hill, K. B. R., & Marshall, D. C. (2013). The Song, Morphology, Habitat, and Distribution of the Elusive North American Cicada *Okanagana viridis* (Auchenorrhyncha: Cicadidae). *Annals of the Entomological Society of America*, 106, 598–603.

- Hoch, H., Mühlethaler, R., & Wessel, A. (2013). Acoustic communication in the subtroglophile planthopper *Trigonocranus emmeae* Fieber, 1876 (Hemiptera : Fulgoromorpha : Cixiidae : Oecleini). *Acta Musei Moraviae, Scientiae biologicae (Brno)*, 98, 155–162.
- Holt, D. E., & Johnston, C. E. (2013). Sound production and associated behaviours in blacktail shiner *Cyprinella venusta*: a comparison between field and lab. *Environmental Biology of Fishes*.
- Hoskin, C. J. (2013). A new frog species (Microhylidae: Cophixalus) from boulder-pile habitat of Cape Melville, north-east Australia. *Zootaxa*, 3722, 61–72.
- Hoskin, C. J., Hines, H. B., Meyer, E., Clarke, J., & Cunningham, M. (2013). A new treefrog (Hylidae: Litoria) from Kroombit Tops, east Australia, and an assessment of conservation status. *Zootaxa*, 3646, 426–446.
- Igic, B., & Magrath, R. D. (2013). Fidelity of vocal mimicry: identification and accuracy of mimicry of heterospecific alarm calls by the brown thornbill. *Animal Behaviour*, 85, 593–603.
- Ippi, S., van Dongen, W. F. D., Lazzoni, I., Venegas, C. I., & Vásquez, R. a. (2013). Interpopulation Comparisons of Antipredator Defense Behavior of the Thorn-Tailed Rayadito (*Aphrastura spinicauda*) (J. Wright, Ed.). *Ethology*, 119, 1107–1117.
- Jiménez-Rivillas, C., Vargas, L. M., Fang, J. M., Filippo, J. Di, & Daza, J. M. (2013). Advertisement Call of *Diasporus anthrax* (Lynch, 2001) (Anura: Eleutherodactylidae) with Comparisons to Calls from Congeneric Species. *South American Journal of Herpetology*, 8, 1–4.
- Kern, J. M., & Radford, A. N. (2013). Call of duty? Variation in use of the watchman's song by sentinel dwarf mongooses, *Helogale parvula*. *Animal Behaviour*, 85, 967–975.
- Kim, T. (2013). A Taxonomic Study on the Burrowing Cricket Genus *Velarifictorus* with Morphologically Resembled Genus *Lepidogryllus* (Orthoptera : Gryllidae : Gryllinae) in Korea. *Animal Systematics, Evolution and Diversity*, 29, 294–307.
- Kleindorfer, S., Evans, C., Mihailova, M., Colombelli-Négrel, D., Hoi, H., et al. (2013). When subspecies matter: resident Superb Fairy-wrens (*Malurus cyaneus*) distinguish the sex and subspecies of intruding birds. *Emu*, 113, 259.
- Kok, P. J. R., Hölting, M., & Ernst, R. (2013a). A third microendemic to the Iwokrama Mountains of central Guyana: a new ,Äücryptic,Äü species of *Allobates* Zimmerman and Zimmerman, 1988 (Anura: Aromobatidae). *Organisms Diversity & Evolution*, 1–18.
- Kok, P. J. R., Willaert, B., & Means, D. B. (2013b). A New Diagnosis and Description of *Anomaloglossus roraima* (La Marca, 1998) (Anura: Aromobatidae: Anomaloglossinae), with Description of Its Tadpole and Call. *South American Journal of Herpetology*, 8, 29–45.
- Kroodsma, D. E., Hamilton, D., Sánchez, D. E., Byers, B. E., Fandiño-Mariño, H., et al. (2013). Behavioral Evidence for Song Learning in the Suboscine Bellbirds (*Procnias* spp.; Cotingidae). *Wilson Journal of Ornithology*, 125, 1–14.

- Leonardi, G., Amato, M., Brogna, A., Cipriano, M., D'Angelo, R., et al. (2013). Effectiveness of vocal activities of the Lanner Falcon (*Falco biarmicus*) during breeding. *Journal of Ornithology*, 154, 83–89.
- Liu, W., Wada, K., Jarvis, E. D., & Nottebohm, F. (2013). Rudimentary substrates for vocal learning in a suboscine. *Nature communications*, 4, 2082.
- Llusia, D., Gómez, M., Penna, M., & Márquez, R. (2013). Call transmission efficiency in native and invasive anurans: competing hypotheses of divergence in acoustic signals. *PloS One*, 8, e77312.
- Lourenço-de-Moraes, R., Lantyer-Silva, A. S. F., Toledo, L. F., & Solé, M. (2013). Tadpole, Oophagy, Advertisement Call, and Geographic Distribution of *Aparasphenodon arapapa* Pimenta, Napoli and Haddad 2009 (Anura, Hylidae). *Journal of Herpetology*, 47, 575–579.
- Mankin, A. R. W., Rohde, B. B., Mcneill, S. A., Paris, T. M., & Greenfeder, S. (2013). *Diaphorina citri* (Hemiptera : Liviidae) Responses to Microcontroller-Buzzer Communication Signals of Potential Use in Vibration Traps. *Florida Entomologist*, 96, 1546–1555.
- La Manna, G., Manghi, M., Pavan, G., Lo Mascolo, F., & Sarà, G. (2013). Behavioural strategy of common bottlenose dolphins (*Tursiops truncatus*) in response to different kinds of boats in the waters of Lampedusa Island (Italy). *Aquatic Conservation: Marine and Freshwater Ecosystems*, n/a–n/a.
- Martínez-García, V., Lara, C., & Ornelas, J. F. (2013). LEK CHARACTERISTICS AND THE STATIC MALE SONG OF THE GREEN VIOLET-EAR (COLIBRI THALASSINUS) DURING A 3- YEAR STUDY IN A TEMPERATE FOREST OF CENTRAL MEXICO. *ORNITOLOGIA NEOTROPICAL*, 183–200.
- Mazar, R. (2013). A new species of the *Pristimantis orestes* group (Amphibia: Strabomantidae) from the high Andes of Ecuador, Reserva Mazar. *Zootaxa*, 3616, 345–356.
- McIntyre, E., Leonard, M. L., & Horn, A. G. (2013). Ambient noise and parental communication of predation risk in tree swallows, *Tachycineta bicolor*. *Animal Behaviour*, 1–5.
- McLean, M. J., Bishop, P. J., & Nakagawa, S. (2013). Assessing the Patterns of Evolution in Anuran Vocal Sexual Signals. *Evolutionary Biology*, 40, 141–149.
- Melo-Sampaio, P. R., Barbosa de Souza, M., & Vieira Peloio, P. L. (2013). A new, riparian, species of *Allobates* Zimmermann and Zimmermann, 1988 (Anura: Aromobatidae) from southwestern Amazonia. *Zootaxa*, 3716.
- Newman, J. D., Depeine, C. D., & Becker, M. L. (2013). Leaping Ahead. In J. Masters, M. Gamba, & F. Génin (Eds.), *Leaping Ahead: Advances in Prosimian Biology (Developments in Primatology: Progress and Prospects)* (pp. 279–286). New York, NY: Springer New York.
- Odom, K. J., Slaght, J. C., Gutiérrez, R. J., & Dom, K. A. J. O. (2013). Distinctiveness in the Territorial Calls of Great Horned Owls within and among Years Your use of this PDF , the BioOne Web site , and all posted and associated content HORNED OWLS WITHIN AND AMONG YEARS. *J. Raptor Res.*, 47, 21–30.

- Ortega-Andrade, H. M., Rojas-Soto, O., & Paucar, C. (2013). Novel Data on the Ecology of *Cochranella mache* (Anura: Centrolenidae) and the Importance of Protected Areas for This Critically Endangered Glassfrog in the Neotropics (C. J. Salice, Ed.). *PLoS ONE*, 8, e81837.
- Park, S., Jeong, G., & Jang, Y. (2013). No reproductive character displacement in male advertisement signals of *Hyla japonica* in relation to the sympatric *H. suweonensis*. *Behavioral Ecology and Sociobiology*, 67, 1345–1355.
- Parker, K., Ludwig, K., King, T., Brunton, D., Scofield, R., et al. (2013). Differences in vocalisations, morphology and mtDNA support species status for New Zealand saddleback *Philesturnus* spp. *New Zealand Journal of Zoology*, 00, 1–16.
- Pedroso, S. S., Barber, I., Svensson, O., Fonseca, P. J., & Amorim, M. C. P. (2013). Courtship sounds advertise species identity and male quality in sympatric *Pomatoschistus* spp. gobies. *PloS one*, 8, e64620.
- Penna, M., & Moreno-Gómez, F. N. (2013). Ample active acoustic space of a frog from the South American temperate forest. *Journal of comparative physiology. A, Neuroethology, sensory, neural, and behavioral physiology*.
- Petracca, M. M., & Caine, N. G. (2013). Alarm Calls of Marmosets (*Callithrix geoffroyi*) to Snakes and Perched Raptors. *International Journal of Primatology*, 34, 337–348.
- Pontes, R., Mattedi, C., & Baêta, D. (2013). Vocal repertory of *Scinax littoreus* (Anura : Hylidae) with comments on the advertisement call of the *Scinax perpusillus* species group. *Zoologia*, 30, 363–370.
- Potvin, D. A. (2013). Larger body size on islands affects silvereye *Zosterops lateralis* song and call frequency. *Journal of Avian Biology*, 44, 221–225.
- Reichert, M. S. (2013a). Patterns of variability are consistent across signal types in the treefrog *Dendropsophus ebraccatus*. *Biological Journal of the Linnean Society*, 109, 131–145.
- Reichert, M. S. (2013b). Sources of variability in advertisement and aggressive calling in competitive interactions in the grey treefrog, *Hyla versicolor*. *Bioacoustics*, 22, 195–214.
- Reichert, M. S., & Gerhardt, H. C. (2013a). Gray tree frogs, *Hyla versicolor*, give lower-frequency aggressive calls in more escalated contests. *Behavioral Ecology and Sociobiology*, 67, 795–804.
- Reichert, M. S., & Gerhardt, H. C. (2013b). Socially mediated plasticity in call timing in the gray tree frog, *Hyla versicolor*. *Behavioral Ecology*, 24, 393–401.
- Rempel, R. S., Francis, C. M., Robinson, J. N., & Campbell, M. (2013). Comparison of audio recording system performance for detecting and monitoring songbirds. *Journal of Field Ornithology*, 84, 86–97.
- Rios-Chelen, A. A., Quiros-Guerrero, E., Gil, D., & Garcia, C. M. (2013). Dealing with urban noise: vermilion flycatchers sing longer songs in noisier territories. *Behavioral Ecology and Sociobiology*, 67, 145–152.

- Robb, M. S., Berg, A. B. Van Den, & Constantine, M. (2013). A new species of *Strix* owl from Oman. *Dutch Birding*, 35, 275–310.
- Rodríguez-Brenes, S., Hilje, B., & Sánchez, C. (2013). Reproductive Behavior of *Anotheca spinosa* (Anura: Hylidae) Under Natural Conditions in Costa Rica. *Herpetological Review*, 44, 54–56.
- Rohde, B., Paris, T. M., Heatherington, E. M., Hall, D. G., & Mankin, R. W. (2013). Responses of *Diaphorina citri* (Hemiptera: Psyllidae) to Conspecific Vibrational Signals and Synthetic Mimics. *Annals of the Entomological Society of America*, 106, 392–399.
- Rojas-Runjaic, F. J. M., Salerno, P. E., Señaris, J. C., & Pauly, G. B. (2013). Terraranans of the Lost World: a new species of *Pristimantis* (Amphibia, Craugastoridae) from Abakapá-tepui in the Chimantá massif, Venezuelan Guayana, and additions to the knowledge of *P. muchimuk*. *Zootaxa*, 3686, 335–355.
- Ross, J. C., & Allen, P. E. (2013). Random Forest for improved analysis efficiency in passive acoustic monitoring. *Ecological Informatics*.
- Rujirawan, A., Stuart, B. L., & Aowphol, A. (2013). A new tree frog in the genus *Polypedates* (Anura: Rhacophoridae) from southern Thailand. *Zootaxa*, 3702, 545–565.
- Schmidt, K. a., & Belinsky, K. L. (2013). Voices in the dark: predation risk by owls influences dusk singing in a diurnal passerine. *Behavioral Ecology and Sociobiology*, 67, 1837–1843.
- Simões, P. I. V. O., Kaefer, I. L., Farias, I. P., & Lima, A. P. (2013). An integrative appraisal of the diagnosis and distribution of *Allobates sumtuosus* (Morales, 2002) (Anura, Aromobatidae). *Zootaxa*, 3746, 401–421.
- Song, G., Alström, P., Zhang, Y., Gao, X., Gong, H., et al. (2013). Rediscovery of an enigmatic Chinese passerine, the Blackthroat Calliope *obscura*: plumage, vocalizations, distribution, habitat choice, nesting and conservation. *Journal of Ornithology*.
- Sosa-Lopez, J. R., Mennill, D. J., & Navarro-Siguenza, A. G. (2013). Geographic variation and the evolution of song in Mesoamerican rufous-naped wrens *Campylorhynchus rufinucha*. *Journal of Avian Biology*, 44, 27–38.
- Soto, A. B., Cagnazzi, D., Everingham, Y., Parra, G. J., Noad, M., et al. (2013). Acoustic alarms elicit only subtle responses in the behaviour of tropical coastal dolphins in Queensland, Australia. *Endangered Species Research*, 20, 271–282.
- Suzuki, T. N. (2013). Communication about predator type by a bird using discrete, graded and combinatorial variation in alarm calls. *Animal Behaviour*.
- Takagi, M. (2013). A typological analysis of the hoot of the Ryukyu Scops owl across island populations in the Ryukyu archipelago and two oceanic islands. *Wilson Journal of Ornithology*, 125, 358–369.
- Teixeira, B. F. da V., Giaretta, A. A., & Pansonato, A. (2013). The advertisement call of *Dendropsophus tritaeniatus* (Bokermann, 1965) (Anura: Hylidae). *Zoot*, 3669, 189–192.

- Vargas-Salinas, F., & Amezcuita, A. (2013). Traffic noise correlates with calling time but not spatial distribution in the threatened poison frog *Andinobates bombetes*. *Behaviour*, 150, 569–584.
- Vargas-Salinas, F., & Amézquita, A. (2013). Stream Noise, Hybridization, and Uncoupled Evolution of Call Traits in Two Lineages of Poison Frogs: *Oophaga histrionica* and *Oophaga lehmanni*. *PloS one*, 8, e77545.
- Velásquez, N. a., Marambio, J., Brunetti, E., Méndez, M. a., Vásquez, R. a., et al. (2013). Bioacoustic and genetic divergence in a frog with a wide geographical distribution. *Biological Journal of the Linnean Society*, 110, 142–155.
- Wheatcroft, D., & Price, T. D. (2013). Learning and signal copying facilitate communication among bird species. *Proceedings. Biological sciences / The Royal Society*, 280, 20123070.
- Wimmer, J., Towsey, M., Roe, P., & Williamson, I. (2013). Sampling environmental acoustic recordings to determine bird species richness. *Ecological applications : a publication of the Ecological Society of America*, 23, 1419–28.
- Zaccaroni, M., Binazzi, R., Massolo, A., & Dessì-Fulgheri, F. (2013). Audience effect on aerial alarm calls in the monogamous red-legged partridge. *Ethology Ecology & Evolution*, 1–11.

2012

- Araya-Salas, M. (2012). Is birdsong music? Evaluating harmonic intervals in songs of a Neotropical songbird. *Animal Behaviour*, 84, 309–313.
- Avila, R. W., Pansonato, A., & Strussmann, C. (2012). A New Species of *Proceratophrys* (Anura: Cycloramphidae) from Midwestern Brazil. *Journal of Herpetology*, 46, 466–472.
- Batista, A., Ponce, M., & Hertz, A. (2012). A new species of rainfrog of the genus *Diasporus* (Anura: Eleutherodactylidae) from Serrania de Tabasara, Panama. *Zootaxa*, 51–60.
- Benedict, L., & Bowie, R. C. K. (2012). Rattling cisticola song features and variability across sub-Saharan Africa. *Journal of Zoology*, 287, 96–103.
- Benedict, L., Rose, A., & Warning, N. (2012). Canyon wrens alter their songs in response to territorial challenges. *Animal Behaviour*, 84, 1463–1467.
- Both, C., & Grant, T. (2012). Biological invasions and the acoustic niche: the effect of bullfrog calls on the acoustic signals of white-banded tree frogs. *Biology Letters*, 8, 714–716.
- Brown, C. L., Hardy, A. R., Barber, J. R., Fristrup, K. M., Crooks, K. R., et al. (2012). The Effect of Human Activities and Their Associated Noise on Ungulate Behavior. *Plos One*, 7.
- Campagna, L., St Clair, J. J. H., Loughheed, S. C., Woods, R. W., Imberti, S., et al. (2012). Divergence between passerine populations from the Malvinas - Falkland Islands and their continental counterparts: a comparative phylogeographical study. *Biological Journal of the Linnean Society*, 106, 865–879.

- Candiotti, A., Zuberbuhler, K., & Lemasson, A. (2012). Context-related call combinations in female Diana monkeys. *Animal Cognition*, 15, 327–339.
- Colombelli-Négrel, D., Hauber, M. E., Robertson, J., Sulloway, F. J., Hoi, H., et al. (2012). Embryonic learning of vocal passwords in superb fairy-wrens reveals intruder cuckoo nestlings. *Current biology : CB*, 22, 2155–60.
- Da Costa e Silva, L., Tsunoda, D. F., & Deslandes, V. (2012). Mineração de dados: busca de conhecimento sobre a evolução do canto da família Thamnophilidae. *Curitiba*, 1, 61–70.
- Dahlin, C. R., & Wright, T. F. (2012). Does syntax contribute to the function of duets in a parrot, *Amazona auropalliata*? *Animal Cognition*, 15, 647–656.
- Dias, I. R., Lourenco-de-Moraes, R., & Sole, M. (2012). Description of the advertisement call and morphometry of *Haddadus binotatus* (Spix, 1824) from a population from southern Bahia, Brazil. *North-Western Journal of Zoology*, 8, 107–111.
- Freitas, G. H. S., Chaves, A. V., Costa, L. M., Santos, F. R., & Rodrigues, M. (2012). A new species of *Cinclodes* from the Espinhaço Range, southeastern Brazil: insights into the biogeographical history of the South American highlands (M. Collinson, Ed.). *Ibis*, 154, 738–755.
- Garey, M. V., Costa, T. R. N., de Lima, A. M. X., Toledo, L. F., & Hartmann, M. T. (2012a). Advertisement call of *Scinax littoralis* and *S. angrensis* (Amphibia: Anura: Hylidae), with notes on the reproductive activity of *S. littoralis*. *Acta Herpetologica*, 7, 297–308.
- Garey, M. V., Lima, A. M. X., Hartmann, M. T., & Haddad, C. F. B. (2012b). A new species of miniaturized toadlet, genus *Brachycephalus* (Anura: Brachycephalidae), from southern Brazil. *Herpetologica*, 68, 266–271.
- Greig, E. I., Taft, B. N., & Pruett-Jones, S. (2012). Sons learn songs from their social fathers in a cooperatively breeding bird. *Proceedings. Biological sciences / The Royal Society*, 279, 3154–60.
- De Groot, M., Derlink, M., Pavlovic, P., Presern, J., Cokl, A., et al. (2012). Duetting Behaviour in the Leafhopper *Aphrodes makarovi* (Hemiptera: Cicadellidae). *Journal of Insect Behavior*, 25, 419–440.
- Hart, J. A., Detwiler, K. M., Gilbert, C. C., Burrell, A. S., Fuller, J. L., et al. (2012). *Lesula*: A New Species of *Cercopithecus* Monkey Endemic to the Democratic Republic of Congo and Implications for Conservation of Congo's Central Basin. *Plos One*, 7, 1–17.
- Hoskin, C. J. (2012). Two new frog species (Microhylidae: *Cophixalus*) from the Australian Wet Tropics region, and redescription of *Cophixalus ornatus*. *Zootaxa*, 16, 1–16.
- Hutter, C. R., & Guayasamin, J. M. (2012). A new cryptic species of glassfrog (Centrolenidae: *Nymphargus*) from Reserva Las Gralarias, Ecuador. *Zootaxa*, 3257, 1–21.
- Isler, M. L., Cuervo, A. M., Gustavo, A., & Brumfield, R. T. (2012). An Integrative Approach to Species-Level Systematics Reveals the Depth of Diversification in an Andean Thamnophilid, the Long-tailed Antbird. *The Condor*, 114, 571–583.

- Kaefer, I. L., & Lima, A. P. (2012). Sexual signals of the Amazonian frog *Allobates paleovarzensis*: geographic variation and stereotypy of acoustic traits. *Behaviour*, 149, 15–33.
- Kaefer, I. L., Tsuji-Nishikido, B. M., & Lima, A. P. (2012a). Beyond the river: underlying determinants of population acoustic signal variability in Amazonian direct-developing *Allobates* (Anura: Dendrobatoidea). *Acta Ethologica*, 15, 187–194.
- Kaefer, I. L., Tsuji-Nishikido, B. M., Mota, E. P., Farias, I. P., & Lima, A. P. (2012b). The Early Stages of Speciation in Amazonian Forest Frogs: Phenotypic Conservatism Despite Strong Genetic Structure. *Evolutionary Biology*, doi:10.100.
- Kaefer, I. L., Tsuji-Nishikido, B. M., Mota, E. P., Farias, I. P., & Lima, A. P. (2012c). The Early Stages of Speciation in Amazonian Forest Frogs: Phenotypic Conservatism Despite Strong Genetic Structure. *Evolutionary Biology*, doi:10.100.
- Kelley, L. A., & Healy, S. D. (2012). Vocal mimicry in spotted bowerbirds is associated with an alarming context. *Journal of Avian Biology*, 43, 525–530.
- Lehtinen, R. M., Glaw, F., Andreone, F., Pabijan, M., & Vences, M. (2012). A New Species of Putatively Pond Breeding Frog of the Genus *Guibemantis* from Southeastern Madagascar. *Copeia*, 648–662.
- Maddison, C. J., Anderson, R. C., Prior, N. H., Taves, M. D., & Soma, K. K. (2012). Soft song during aggressive interactions: Seasonal changes and endocrine correlates in song sparrows. *Hormones and Behavior*, 62, 455–463.
- Magrath, R. D., & Bennett, T. H. (2012). A micro-geography of fear: learning to eavesdrop on alarm calls of neighbouring heterospecifics. *Proceedings of the Royal Society B-Biological Sciences*, 279, 902–909.
- Marcoux, M., Auger-Méthé, M., & Humphries, M. M. (2012). Variability and context specificity of narwhal (*Monodon monoceros*) whistles and pulsed calls. *Marine Mammal Science*, 28, 649–665.
- Masiero, E., Fonseca, D. A., Lanna, F. M. Ó. L., Sant, A. C., Pereira, E. A., et al. (2012). The advertisement call of *Elachistocleis helianneae* Caramaschi, 2010 (Anura: Microhylidae). *Zootaxa*, 3559, 58–60.
- McKay, J. L., & Maher, C. R. (2012). Relationship between blood mercury levels and components of male song in Nelson's sparrows (*Ammodramus nelsoni*). *Ecotoxicology*, 21, 2391–2397.
- Morano, J. L., Salisbury, D. P., Rice, A. N., Conklin, K. L., Falk, K. L., et al. (2012). Seasonal and geographical patterns of fin whale song in the western North Atlantic Ocean. *The Journal of the Acoustical Society of America*, 132, 1207–12.
- Mosharo, K. K., & Lobel, P. S. (2012). Acoustic signals of two toadfishes from Belize: *Sanopus astrifer* and *Batrachoides gilberti* (Batrachoididae). *Environmental Biology of Fishes*, 94, 623–638.

- Murray, A., Cerchio, S., McCauley, R., Jenner, C. S., Razafindrakoto, Y., et al. (2012). Minimal similarity in songs suggests limited exchange between humpback whales (*Megaptera novaeangliae*) in the southern Indian Ocean. *Marine Mammal Science*, 28, E41–E57.
- Parker, K. A., Anderson, M. J., Jenkins, P. F., & Brunton, D. H. (2012). The effects of translocation-induced isolation and fragmentation on the cultural evolution of bird song. *Ecology Letters*, 15, 778–785.
- Petrella, V., Martinez, E., Anderson, M. G., & Stockin, K. A. (2012). Whistle characteristics of common dolphins (*Delphinus* sp.) in the Hauraki Gulf, New Zealand. *Marine Mammal Science*, 28, 479–496.
- Pizo, M. A. (2012). LEK BEHAVIOR OF THE PLOVERCREST (*STEPHANOXIS LALANDI*, TROCHILIDAE). *Wilson Journal of Ornithology*, 124, 106–112.
- Popik, P., Potasiewicz, A., Pluta, H., & Zieniewicz, A. (2012). High-frequency ultrasonic vocalizations in rats in response to tickling: the effects of restraint stress. *Behavioural brain research*, 234, 223–7.
- Potvin, D. A., & Parris, K. M. (2012). Song convergence in multiple urban populations of silvereyes (*Zosterops lateralis*). *Ecology and Evolution*, 1977–1984.
- Provete, D. B., Garey, M. V., Toledo, L. F., Nascimento, J., Lourenco, L. B., et al. (2012). Redescription of *Physalaemus barrooi* (Anura: Leiuperidae). *Copeia*, 507–518.
- Ramsier, M. a, Cunningham, A. J., Moritz, G. L., Finneran, J. J., Williams, C. V, et al. (2012). Primate communication in the pure ultrasound. *Biology letters*, 8, 508–11.
- Reichert, M. S. (2012). Call timing is determined by response call type, but not by stimulus properties, in the treefrog *Dendropsophus ebraccatus*. *Behavioral Ecology and Sociobiology*, 66, 433–444.
- Ribot, R. F. H., Buchanan, K. L., Endler, J. A., Joseph, L., Bennett, A. T. D., et al. (2012). Learned vocal variation is associated with abrupt cryptic genetic change in a parrot species complex. *Plos One*, 7.
- Rios-Chelen, A. A., Salaberria, C., Barbosa, I., Garcia, C. M., & Gil, D. (2012). The learning advantage: bird species that learn their song show a tighter adjustment of song to noisy environments than those that do not learn. *Journal of Evolutionary Biology*, 25, 2171–2180.
- Rowley, J. J. L., Hoang, H. D., Dau, V. Q., Duong, T. T. L., & Cao, T. T. (2012). A new species of *Leptolalax* (Anura: Megophryidae) from central Vietnam. *Zootaxa*, 56–68.
- Ruas, D. S., Vinicius, C., Mendes, D. E. M., Dias, I. R., & Solé, M. (2012). Description of the advertisement call of *Dendropsophus haddadi* (Bastos and Pombal 1996) (Anura: Hylidae) from southern Bahia, Brazil. *Zootaxa*, 65, 63–65.
- Saborse, J. A., & Renne, I. J. (2012). Historic presence and absence of predator affects call structure of black-capped chickadees. *Wilson Journal of Ornithology*, 124, 750–757.
- Sandoval, L., & Barrantes, G. (2012). Characteristics of male Spot-bellied Bobwhite (*Colinus leucopogon*) song during territory establishment. *Journal of Ornithology*, 153, 547–554.

- Schrode, K. M., Ward, J. L., Vélez, A., & Bee, M. A. (2012). Female preferences for spectral call properties in the western genetic lineage of Cope's gray treefrog (*Hyla chrysoscelis*). *Behavioral Ecology and Sociobiology*, 66, 1595–1606.
- Schwing, R., Parsons, S., & Nelson, X. J. (2012). Vocal repertoire of the New Zealand kea parrot *Nestor notabilis*. *Current Zoology*, 58, 727–740.
- Sekiya, K., Miura, I., & Ogata, M. (2012). A new frog species of the genus *Rugosa* from Sado Island, Japan (Anura, Ranidae). *Zootaxa*, 49–62.
- Seneviratne, S. S., Jones, I. L., & Carr, S. M. (2012). Patterns of vocal divergence in a group of non-oscine birds (auklets; Alcidae, Charadriiformes). *Evolutionary Ecology Research*, 14, 95–112.
- Sims, P. Q., Vaughn, R., Hung, S. K., & Würsig, B. (2012). Sounds of Indo-Pacific humpback dolphins (*Sousa chinensis*) in West Hong Kong: a preliminary description. *The Journal of the Acoustical Society of America*, 131, EL48–53.
- Skrade, P. D. B., & Dinsmore, S. J. (2012). Incubation patterns of a shorebird with rapid multiple clutches, the Mountain Plover (*Charadrius montanus*). *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 90, 257–266.
- Slobodchikoff, C. N., Briggs, W. R., Dennis, P. A., & Hodge, A. M. C. (2012). Size and shape information serve as labels in the alarm calls of Gunnison's prairie dogs *Cynomys gunnisoni*. *Current Zoology*, 58, 741–748.
- Stafford, K. M., Laidre, K. L., & Heide-Jorgensen, M. P. (2012). First acoustic recordings of narwhals (*Monodon monoceros*) in winter. *Marine Mammal Science*, 28, E197–E207.
- Taff, C. C., Steinberger, D., Clark, C., Belinsky, K., Sacks, H., et al. (2012). Multimodal sexual selection in a warbler: plumage and song are related to different fitness components. *Animal Behaviour*, 84, 813–821.
- Therrien, S. C., Thomas, J. A., Therrien, R. E., & Stacey, R. (2012). Time of Day and Social Change Affect Underwater Sound Production by Bottlenose Dolphins (*Tursiops truncatus*) at the Brookfield Zoo. *Aquatic Mammals*, 38, 65–75.
- Trainor, C. R., Verbelen, P., & Hoste, S. (2012). Rediscovery of the Timor Bush Warbler *Locustella timorensis* on Alor and Timor, Wallacea: clarifying taxonomic affinities, defining habitat and survey recommendations. *Bird Conservation International*, 22, 354–369.
- Tsuji-Nishikido, B. M., Kaefer, I. L., de Freitas, F. C., Menin, M., & Lima, A. P. (2012). Significant but not diagnostic: Differentiation through morphology and calls in the Amazonian frogs *Allobates nidicola* and *A. masniger*. *Herpetological Journal*, 22, 105–114.
- Vargas-Castro, L. E., Sanchez, N. V., & Barrantes, G. (2012). Repertoire size and syllable sharing in the song of the clay-colored thrush (*Turdus grayi*). *Wilson Journal of Ornithology*, 124, 446–453.

- Vaughn-Hirshorn, R. L., Hodge, K. B., Wursig, B., Sappenfield, R. H., Lammers, M. O., et al. (2012). Characterizing dusky dolphin sounds from Argentina and New Zealand. *Journal of the Acoustical Society of America*, 132, 498–506.
- Wang, G., Harpole, C. E., Trivedi, A. K., & Cassone, V. M. (2012). Circadian regulation of bird song, call, and locomotor behavior by pineal melatonin in the zebra finch. *Journal of biological rhythms*, 27, 145–55.
- Woodgate, J. L., Mariette, M. M., Bennett, A. T. D., & Griffith, S. C. (2012). Male song structure predicts reproductive success in a wild zebra finch population. *Animal Behaviour*, 83, 773–781.
- Young, C. M., Browning, L. E., Savage, J. L., Griffith, S. C., & Russell, A. F. (2012). No evidence for deception over allocation to brood care in a cooperative bird. *Behavioral Ecology*.
- Yturalde, K. M., & Hofstetter, R. W. (2012). Efficacy of commercially available ultrasonic pest repellent devices to affect behavior of bed bugs (Hemiptera: Cimicidae). *Journal of economic entomology*, 105, 2107–14.
- Zaccaroni, M., Passilongo, D., Buccianti, A., Dessì-Fulgheri, F., Facchini, C., et al. (2012). Group specific vocal signature in free-ranging wolf packs. *Ethology Ecology & Evolution*, 24, 322–331.
- Zaidan, B. F., & Fortes Leite, F. S. (2012). Advertisement call of the rare, explosive breeding caatinga horned frog *Ceratophrys joazeirensis* Mercadal de Barrio, 1986 (Anura, Ceratophryidae). *Zootaxa*, 65–66.

2011

- Amezquita, A., Flechas, S. V., Lima, A. P., Gasser, H., & Hodl, W. (2011). Acoustic interference and recognition space within a complex assemblage of dendrobatid frogs. *Proceedings of the National Academy of Sciences of the United States of America*, 108, 17058–17063.
- Amorim, M. C. P., Simoes, J. M., Almada, V. C., & Fonseca, P. J. (2011). Stereotypy and variation of the mating call in the Lusitanian toadfish, *Halobatrachus didactylus*. *Behavioral Ecology and Sociobiology*, 65, 707–716.
- Arnold, B. D., & Wilkinson, G. S. (2011). Individual specific contact calls of pallid bats (*Antrozous pallidus*) attract conspecifics at roosting sites. *Behavioral Ecology and Sociobiology*, 65, 1581–1593.
- Bura, V. L., Rohwer, V. G., Martin, P. R., & Yack, J. E. (2011). Whistling in caterpillars (*Amorpha juglandis*, Bombycoidea): sound-producing mechanism and function. *Journal of Experimental Biology*, 214, 30–37.
- Chiu, Y. K., Mankin, R. W., & Lin, C. C. (2011). Context-Dependent Stridulatory Responses of *Leptogenys kitteli* (Hymenoptera: Formicidae) to Social, Prey, and Disturbance Stimuli. *Annals of the Entomological Society of America*, 104, 1012–1020.

- Colombelli-Negrel, D., Robertson, J., & Kleindorfer, S. (2011). Risky revelations: Superb Fairy-wrens *Malurus cyaneus* respond more strongly to their mate's alarm song. *Journal of Ornithology*, 152, 127–135.
- Crothers, L., Gering, E., & Cummings, M. (2011). Aposematic signal variation predicts male-male interactions in a polymorphic poison frog. *Evolution*, 65, 599–605.
- Danner, J. E., Danner, R. M., Bonier, F., Martin, P. R., Small, T. W., et al. (2011). Female, but Not Male, Tropical Sparrows Respond More Strongly to the Local Song Dialect: Implications for Population Divergence. *American Naturalist*, 178, 53–63.
- Eisermann, K., & Howell, S. N. G. (2011). Vocalizations of the guatemalan pygmy-owl (*Glaucidium cobanense*). *Journal of Raptor Research*, 45, 304–314.
- Emmering, Q. C., & Schmidt, K. A. (2011). Nesting songbirds assess spatial heterogeneity of predatory chipmunks by eavesdropping on their vocalizations. *Journal of Animal Ecology*.
- Erdtmann, L. K., Simoes, P. I., Mello, A. C., & Lima, A. P. (2011). Do natural differences in acoustic signals really interfere in conspecific recognition in the pan-Amazonian frog *Allobates femoralis*? *Behaviour*, 148, 485–500.
- Fallow, P. M., Gardner, J. L., & Magrath, R. D. (2011). Sound familiar? Acoustic similarity provokes responses to unfamiliar heterospecific alarm calls. *Behavioral Ecology*, 22, 401–410.
- Fiaboe, K. K. M., Mankin, R. W., Roda, A. L., Kairo, M. T. K., & Johanns, C. (2011). PHEROMONE-FOOD-BAIT TRAP AND ACOUSTIC SURVEYS OF RHYNCHOPHORUS FERRUGINEUS (COLEOPTERA: CURCULIONIDAE) IN CURACAO. *Florida Entomologist*, 94, 766–773.
- Francis, C. D., Ortega, C. P., & Cruz, A. (2011a). Different behavioural responses to anthropogenic noise by two closely related passerine birds. *Biology letters*, 7, 850–2.
- Francis, C. D., Ortega, C. P., & Cruz, A. (2011b). Noise Pollution Filters Bird Communities Based on Vocal Frequency. *Plos One*, 6.
- Francis, C. D., Ortega, C. P., & Cruz, A. (2011c). Vocal frequency change reflects different responses to anthropogenic noise in two suboscine tyrant flycatchers. *Proceedings of the Royal Society B-Biological Sciences*, 278, 2025–2031.
- Gonzalez, C., Ornelas, J. F., & Gutierrez-Rodriguez, C. (2011). Selection and geographic isolation influence hummingbird speciation: genetic, acoustic and morphological divergence in the wedge-tailed sabrewing (*Campylopterus curvipennis*). *Bmc Evolutionary Biology*, 11.
- Goyette, J. L., Howe, R. W., Wolf, A. T., & Robinson, W. D. (2011). Detecting tropical nocturnal birds using automated audio recordings. *Journal of Field Ornithology*, 82, 279–287.
- Hasegawa, A., Soma, M., & Hasegawa, T. (2011). Male traits and female choice in Java Sparrows: preference for large body size. *Ornithological Science*, 10, 73–80.
- Hoskin, C. J., & Aland, K. V. (2011). Two new frog species (Microhylidae: Cophixalus) from boulder habitats on Cape York Peninsula, north-east Australia. *Zootaxa* RavenSOFT, 3027, 39–51.

- Hughes, A. L. (2011). Stereotyped and non-stereotyped features of the temporal patterning of singing sessions in the ovenbird *Seiurus auricapillus*. *Behavioural Processes*, 87, 165–170.
- Ippi, S., Vasquez, R. A., van Dongen, W. F. D., & Lazzoni, I. (2011). Geographical variation in the vocalizations of the suboscine Thorn-tailed Rayadito *Aphrastura spinicauda*. *Ibis*, 153, 789–805.
- Isler, M. L., & Whitney, B. M. (2011). SPECIES LIMITS IN ANT BIRDS (THAMNOPHILIDAE): THE SCALE-BACKED ANT BIRD (WILLISORNIS POECILINOTUS) COMPLEX. *Wilson Journal of Ornithology*, 123, 1–14.
- Janes, S. W., & Ryker, L. (2011). Geographic Variation in Type I Songs of Black-throated Gray Warblers. *Wilson Journal of Ornithology*, 123, 339–346.
- Jang, Y. (2011). Male Responses to Conspecific Advertisement Signals in the Field Cricket *Gryllus rubens* (Orthoptera: Gryllidae). *Plos One*, 6.
- Jang, Y., Hahm, E. H., Lee, H. J., Park, S., Won, Y. J., et al. (2011). Geographic Variation in Advertisement Calls in a Tree Frog Species: Gene Flow and Selection Hypotheses. *Plos One*, 6.
- Juola, F. A., & Searcy, W. A. (2011). Vocalizations reveal body condition and are associated with visual display traits in great frigatebirds (*Fregata minor*). *Behavioral Ecology and Sociobiology*, 65, 2297–2303.
- Kelley, L. A., & Healy, S. D. (2011). The mimetic repertoire of the spotted bowerbird *Ptilonorhynchus maculatus*. *Naturwissenschaften*, 98, 501–507.
- Kirschel, A. N. G., Cody, M. L., Harlow, Z. T., Promponas, V. J., Vallejo, E. E., et al. (2011). Territorial dynamics of Mexican Ant-thrushes *Formicarius moniliger* revealed by individual recognition of their songs. *Ibis*, 153, 255–268.
- Kok, P. J. R., Means, D. B., & Bossuyt, F. (2011). A new highland species of *Pristimantis* Jimenez de la Espada, 1871 (Anura: Strabomantidae) from the Pantepui region, northern South America. *Zootaxa*, 1–19.
- Lehtinen, R. M., Wojtowicz, E. a., & Hailey, A. (2011). Male vocalizations, female discrimination and molecular phylogeny: multiple perspectives on the taxonomic status of a critically endangered Caribbean frog. *Journal of Zoology*, 283, 117–125.
- Łopuch, S., & Popik, P. (2011). Cooperative behavior of laboratory rats (*Rattus norvegicus*) in an instrumental task. *Journal of comparative psychology (Washington, D.C. : 1983)*, 125, 250–3.
- Mankin, R. W. (2011). RECENT DEVELOPMENTS IN THE USE OF ACOUSTIC SENSORS AND SIGNAL PROCESSING TOOLS TO TARGET EARLY INFESTATIONS OF RED PALM WEEVIL IN AGRICULTURAL ENVIRONMENTS. *Florida Entomologist*, 94, 761–765.
- Marcoux, M., Auger-Methe, M., Chmelnitsky, E. G., Ferguson, S. H., & Humphries, M. M. (2011). Local Passive Acoustic Monitoring of Narwhal Presence in the Canadian Arctic: A Pilot Project. *Arctic*, 64, 307–316.

- McDonald, P. G., & Wright, J. (2011). Bell miner provisioning calls are more similar among relatives and are used by helpers at the nest to bias their effort towards kin. *Proceedings of the Royal Society B-Biological Sciences*, 278, 3403–3411.
- Millsap, B. A., Seipke, S. H., & Clark, W. S. (2011). The gray hawk (*Buteo nitidus*) is two species. *Condor*, 113, 326–339.
- Nelson, M., Koenig, C., Coleman, F., & Mann, D. (2011). Sound production of red grouper *Epinephelus morio* on the West Florida Shelf. *Aquatic Biology*, 12, 97–108.
- Parks, S. E., Johnson, M., Nowacek, D., & Tyack, P. L. (2011). Individual right whales call louder in increased environmental noise. *Biology Letters*, 7, 33–35.
- Pasch, B., George, A. S., Hamlin, H. J., Guillette, L. J., & Phelps, S. M. (2011). Androgens modulate song effort and aggression in Neotropical singing mice. *Hormones and behavior*, 59, 90–7.
- Pieplow, N. D., & Francis, C. D. (2011). Song Differences Among Subspecies of Yellow-Eyed Juncos (*Junco phaeonotus*). *Wilson Journal of Ornithology*, 123, 464–471.
- Potvin, D. a, Parris, K. M., & Mulder, R. a. (2011). Geographically pervasive effects of urban noise on frequency and syllable rate of songs and calls in silvereyes (*Zosterops lateralis*). *Proceedings. Biological sciences / The Royal Society*, 278, 2464–9.
- Price, J. J., & Yuan, D. H. (2011). Song-type sharing and matching in a bird with very large song repertoires, the tropical mockingbird. *Behaviour*, 148, 673–689.
- Rehn, N., Filatova, O. A., Durban, J. W., & Foote, A. D. (2011). Cross-cultural and cross-ecotype production of a killer whale “excitement” call suggests universality. *Naturwissenschaften*, 98, 1–6.
- Reichert, M. S. (2011). Aggressive calls improve leading callers’ attractiveness in the treefrog *Dendropsophus ebraccatus*. *Behavioral Ecology*, 22, 951–959.
- Rice, A. N., Land, B. R., & Bass, A. H. (2011). Nonlinear acoustic complexity in a fish “two-voice” system. *Proceedings of the Royal Society B: Biological Sciences*.
- Riesch, R., & Deecke, V. B. (2011). Whistle communication in mammal-eating killer whales (*Orcinus orca*): further evidence for acoustic divergence between ecotypes. *Behavioral Ecology and Sociobiology*, 65, 1377–1387.
- Rivera-Caceres, K., Garcia, C. M., Quiros-Guerrero, E., & Rios-Chelen, A. A. (2011). An Interactive Playback Experiment Shows Song Bout Size Discrimination in the Suboscine Vermilion Flycatcher (*Pyrocephalus rubinus*). *Ethology*, 117, 1120–1127.
- Robin, V. V, Katti, M., Purushotham, C., Sancheti, A., & Sinha, A. (2011). Singing in the sky: song variation in an endemic bird on the sky islands of southern India. *Animal Behaviour*, 82, 513–520.
- Rowley, J. J. L., Duong, T. T. L., Dao, T. A. T., & Huy, D. H. (2011). A new species of *Leptolalax* (Anura: Megophryidae) from southern Vietnam. *Zootaxa*, 15–28.

- Sanders, W. R., Mankin, R. W., Liburd, O. E., & Stelinski, L. L. (2011). ACOUSTIC DETECTION OF ARTHROPOD INFESTATION OF GRAPE ROOTS: SCOUTING FOR GRAPE ROOT BORER (LEPIDOPTERA: SESIIDAE). *Florida Entomologist*, 94, 296–302.
- Sandoval, L. (2011). Male-male vocal interactions in a territorial neotropical quail: which song characteristics predict a territorial male's response? *Behaviour*, 148, 1103–1120.
- Schel, A. M., & Zuberbühler, K. (2011). Dawn chorusing in guereza colobus monkeys. *Behavioral Ecology and Sociobiology*, 66, 361–373.
- Speares, P., Holt, D., & Johnston, C. (2011). The relationship between ambient noise and dominant frequency of vocalizations in two species of darters (Percidae: Etheostoma). *Environmental Biology of Fishes*, 90, 103–110.
- Staaterman, E., Clark, C., Gallagher, A., DeVries, M., Claverie, T., et al. (2011). Rumbling in the benthos: acoustic ecology of the California mantis shrimp *Hemisquilla californiensis*. *Aquatic Biology*, 13, 97–105.
- Stafford, K. M., Chapp, E., Bohnenstiel, D. R., & Tolstoy, M. (2011). Seasonal detection of three types of “pygmy” blue whale calls in the Indian Ocean. *Marine Mammal Science*, 27, 828–840.
- Takagi, M. (2011). Vicariance and dispersal in the differentiation of vocalization in the Ryukyu Scops Owl *Otus elegans*. *Ibis*, 153, 779–788.
- Tervo, O. M., Christoffersen, M. F., Parks, S. E., Kristensen, R. M., & Madsen, P. T. (2011a). Evidence for simultaneous sound production in the bowhead whale (*Balaena mysticetus*). *Journal of the Acoustical Society of America*, 130, 2257–2262.
- Tervo, O. M., Parks, S. E., Christoffersen, M. F., Miller, L. a., & Kristensen, R. M. (2011b). Annual changes in the winter song of bowhead whales (*Balaena mysticetus*) in Disko Bay, Western Greenland. *Marine Mammal Science*, 27, E241–E252.
- Ulyshen, M. D., Mankin, R. W., Chen, Y. G., Duan, J. J., Poland, T. M., et al. (2011). Role of Emerald Ash Borer (Coleoptera: Buprestidae) Larval Vibrations in Host-Quality Assessment by *Tetrastichus planipennisi* (Hymenoptera: Eulophidae). *Journal of Economic Entomology*, 104, 81–86.
- Vargas, L. E., Sánchez, N. V., & Avalos, G. (2011). Forest structure and territory size relationship in the neotropical understory insectivore *Henicorhina leucosticta*. *Journal of Tropical Ecology*, 27, 65–72.
- Vasconcelos, R. O., Fonseca, P. J., Amorim, M. C. P., & Ladich, F. (2011). Representation of complex vocalizations in the Lusitanian toadfish auditory system: evidence of fine temporal, frequency and amplitude discrimination. *Proceedings of the Royal Society B-Biological Sciences*, 278, 826–834.
- Watson, M. L., Wells, J. V., & Bavis, R. W. (2011). First Detection of Night Flight Calls by Pine Siskins. *The Wilson Journal of Ornithology*, 123, 161–164.

- Wilson, D. R., & Mennill, D. J. (2011). Duty cycle, not signal structure, explains conspecific and heterospecific responses to the calls of Black-capped Chickadees (*Parus atricapillus*). *Behavioral Ecology*, 22, 784–790.

2010

- Amorim, M. C. P., Simoes, J. M., Mendonca, N., Bandarra, N. M., Almada, V. C., et al. (2010). Lusitanian toadfish song reflects male quality. *Journal of Experimental Biology*, 213, 2997–3004.
- Anderson, M. G., Brunton, D. H., & Hauber, M. E. (2010a). Reliable Information Content and Ontogenetic Shift in Begging Calls of Grey Warbler Nestlings. *Ethology*, 116, 357–365.
- Anderson, M. G., Brunton, D. H., & Hauber, M. E. (2010b). Species specificity of grey warbler begging solicitation and alarm calls revealed by nestling responses to playbacks. *Animal Behaviour*, 79, 401–409.
- Beckett, M. D., & Ritchison, G. (2010). Effects of breeding stage and behavioral context on singing behavior of male indigo buntings. *Wilson Journal of Ornithology*, 122, 655–665.
- Bee, M. A., Cook, J. M., Love, E. K., O'Bryan, L. R., Pettitt, B. A., et al. (2010). Assessing Acoustic Signal Variability and the Potential for Sexual Selection and Social Recognition in Boreal Chorus Frogs (*Pseudacris maculata*). *Ethology*, 116, 564–576.
- Colbeck, G. J., Sillett, T. S., & Webster, M. S. (2010). Asymmetric discrimination of geographical variation in song in a migratory passerine. *Animal Behaviour*, 80, 311–318.
- Colombelli-Negrel, D., Robertson, J., & Kleindorfer, S. (2010a). Nestling presence affects the anti-predator response of adult superb fairy-wrens (*Malurus cyaneus*). *Acta Ethologica*, 13, 69–74.
- Colombelli-Negrel, D., Robertson, J., Sulloway, F. J., & Kleindorfer, S. (2010b). Extended parental care of fledglings: parent birds adjust anti-predator response according to predator type and distance. *Behaviour*, 147, 853–870.
- Courter, J. R., & Ritchison, G. (2010). Alarm calls of tufted titmice convey information about predator size and threat. *Behavioral Ecology*, 21, 936–942.
- Cui, J., Wang, Y., Brauth, S., & Tang, Y. (2010). A novel female call incites male–female interaction and male–male competition in the Emei music frog, *Babina daunchina*. *Animal Behaviour*, 80, 181–187.
- Fallow, P. M., & Magrath, R. D. (2010). Eavesdropping on other species: mutual interspecific understanding of urgency information in avian alarm calls. *Animal Behaviour*, 79, 411–417.
- Feo, T. J., & Clark, C. J. (2010). THE DISPLAYS AND SONATIONS OF THE BLACK-CHINNED HUMMINGBIRD (TROCHILIDAE: ARCHILOCHUS ALEXANDRI). *Auk*, 127, 787–796.

- Frankel, A. S., & Yin, S. (2010). A description of sounds recorded from melon-headed whales (*Peponocephala electra*) off Hawai'i. *Journal of the Acoustical Society of America*, 127, 3248–3255.
- Goodale, E., & Podos, J. (2010). Persistence of song types in Darwin's finches, *Geospiza fortis*, over four decades. *Biology Letters*, 6, 589–592.
- Grant, B. R., & Grant, P. R. (2010). Songs of Darwin's finches diverge when a new species enters the community. *Proceedings of the National Academy of Sciences of the United States of America*, 107, 20156–20163.
- Haff, T. M., & Magrath, R. D. (2010). Vulnerable but not helpless: nestlings are fine-tuned to cues of approaching danger. *Animal Behaviour*, 79, 487–496.
- Jankowski, J. E., Robinson, S. K., & Levey, D. J. (2010). Squeezed at the top: Interspecific aggression may constrain elevational ranges in tropical birds. *Ecology*, 91, 1877–1884.
- Kelley, L. A., & Healy, S. D. (2010). Vocal mimicry in male bowerbirds: who learns from whom? *Biology Letters*, 6, 626–629.
- Lemasson, A., Ouattara, K., Bouchet, H., & Zuberbuhler, K. (2010). Speed of call delivery is related to context and caller identity in Campbell's monkey males. *Naturwissenschaften*, 97, 1023–1027.
- Lima, A. M. X., Garey, M. V., Noleto, R. B., & Verdade, V. K. (2010). Natural History of the Lutz's Frog *Cycloramphus lutzorum* Heyer, 1983 (Anura: Cycloramphidae) in the Brazilian Atlantic Forest: Description of the Advertisement Call, Tadpole, and Karyotype. *Journal of Herpetology*, 44, 360–371.
- Mankin, R. W., Hodges, R. D., Nagle, H. T., Schal, C., Pereira, R. M., et al. (2010). Acoustic Indicators for Targeted Detection of Stored Product and Urban Insect Pests by Inexpensive Infrared, Acoustic, and Vibrational Detection of Movement. *Journal of Economic Entomology*, 103, 1636–1646.
- Mankin, R. W., & Moore, A. (2010). Acoustic Detection of *Oryctes rhinoceros* (Coleoptera: Scarabaeidae: Dynastinae) and *Nasutitermes luzonicus* (Isoptera: Termitidae) in Palm Trees in Urban Guam. *Journal of Economic Entomology*, 103, 1135–1143.
- May-Collado, L. J. (2010). Changes in Whistle Structure of Two Dolphin Species During Interspecific Associations. *Ethology*, 116, 1065–1074.
- Munoz, N. E., Blumstein, D. T., & Foullopoulos, J. (2010). Immune system activation affects song and territorial defense. *Behavioral Ecology*, 21, 788–793.
- Parker, K. A., Hauber, M. E., & Brunton, D. H. (2010). Contemporary cultural evolution of a conspecific recognition signal following serial translocations. *Evolution*, 64, 2431–2441.
- Ranjard, L., Anderson, M. G., Rayner, M. J., Payne, R. B., McLean, I., et al. (2010). Bioacoustic distances between the begging calls of brood parasites and their host species: a comparison of metrics and techniques. *Behavioral Ecology and Sociobiology*, 64, 1915–1926.

- Rice, A. N., Land, B. R., & Bass, A. H. (2010). Novel Toadfish Swimbladder Morphology Creates Nonlinear Acoustic Complexities. *Integrative and Comparative Biology*, 50, E146–E146.
- Rowley, J. J. L., Hoang, D. H., Le, T. T. D., Dau, Q. V., & Cao, T. T. (2010a). A new species of *Leptolalax* (Anura: Megophryidae) from Vietnam and further information on *Leptolalax tuberosus*. *Zootaxa*, 33–45.
- Rowley, J. J. L., Stuart, B. L., Richards, S. J., Phimmachak, S., & Sivongxay, N. (2010b). A new species of *Leptolalax* (Anura: Megophryidae) from Laos. *Zootaxa*, 35–46.
- Rowley, J. J. L., Stuart, B. L., Thy, N., & Emmett, D. A. (2010c). A new species of *Leptolalax* (Anura: Megophryidae) from northeastern Cambodia. *Zootaxa*, 57–68.
- Schel, A. M., Candiotti, A., & Zuberbühler, K. (2010). Predator-detering alarm call sequences in *Guereza colobus* monkeys are meaningful to conspecifics. *Animal Behaviour*, 80, 799–808.
- Simmons, L. W., Tinghitella, R. M., & Zuk, M. (2010). Quantitative genetic variation in courtship song and its covariation with immune function and sperm quality in the field cricket *Teleogryllus oceanicus*. *Behavioral Ecology*, 21, 1330–1336.
- Slocombe, K. E., Kaller, T., Call, J., & Zuberbuhler, K. (2010). Chimpanzees Extract Social Information from Agonistic Screams. *Plos One*, 5.
- Spillmann, B., Dunkel, L. P., van Noordwijk, M. A., Amda, R. N. A., Lameira, A. R., et al. (2010). Acoustic properties of long calls given by flanged male orang-utans (*Pongo pygmaeus wurmbii*) reflect both individual identity and context. *Ethology*, 116, 385–395.
- Vasconcelos, R. O., Simões, J. M., Almada, V. C., Fonseca, P. J., & Amorim, M. C. P. (2010). Vocal Behavior During Territorial Intrusions in the Lusitanian Toadfish: Boatwhistles Also Function as Territorial “Keep-Out” Signals. *Ethology*, 116, 155–165.
- Wieland, M., Jones, A. E., & Renn, S. C. P. (2010). Changing durations of southern resident killer whale (*Orcinus orca*) discrete calls between two periods spanning 28 years. *Marine Mammal Science*, 26, 195–201.
- Wood, J. (2010). Marine Mammal Species Conservation: A Review of Developments in the Uses of Acoustics. *Journal of International Wildlife Law & Policy*, 13, 311–325.

2009

- Acevedo, M. A., Corrada-Bravo, C. J., Corrada-Bravo, H., Villanueva-Rivera, L. J., & Aide, T. M. (2009). Automated classification of bird and amphibian calls using machine learning: A comparison of methods. *Ecological Informatics*, 4, 206–214.
- Anderson, M. G., Ross, H. A., Brunton, D. H., & Hauber, M. E. (2009). Begging call matching between a specialist brood parasite and its host: a comparative approach to detect coevolution. *Biological Journal of the Linnean Society*, 98, 208–216.
- Benedict, L., & Bowie, R. C. K. (2009). Macrogeographical variation in the song of a widely distributed African warbler. *Biology Letters*, 5, 484–487.

- Brown, R. N., Siler, C. D., Diesmos, A. C., & Alcala, A. C. (2009). Philippine frogs of the genus *Leptobrachium* (Anura; Megophryidae): phylogeny-based species delimitation, taxonomic review, and descriptions of three new species. *Herpetological Monographs*, 1–44.
- Bura, V. L., Fleming, A. J., & Yack, J. E. (2009). What's the buzz? Ultrasonic and sonic warning signals in caterpillars of the great peacock moth (*Saturnia pyri*). *Naturwissenschaften*, 96, 713–718.
- Celis-Murillo, A., Deppe, J. L., & Allen, M. F. (2009). Using soundscape recordings to estimate bird species abundance, richness, and composition. *Journal of Field Ornithology*, 80, 64–78.
- Dahlin, C. R., & Wright, T. F. (2009). Duets in Yellow-Naped Amazons: Variation in Syntax, Note Composition and Phonology at Different Levels of Social Organization. *Ethology*, 115, 857–871.
- Dawson, D. K., & Efford, M. G. (2009). Bird population density estimated from acoustic signals. *Journal of Applied Ecology*, 46, 1201–1209.
- Erdtmann, L., & Amezcuita, A. (2009). Differential evolution of advertisement call traits in dart-poison frogs (Anura: Dendrobatidae). *Ethology*, 115, 801–811.
- Fernandez-Juricic, E., del Nevo, A. J., & Poston, R. (2009). Identification of Individual and Population-Level Variation in Vocalizations of the Endangered Southwestern Willow Flycatcher (*Empidonax traillii extimus*). *Auk*, 126, 89–99.
- Grant, P. R., & Grant, B. R. (2009). The secondary contact phase of allopatric speciation in Darwin's finches. *Proceedings of the National Academy of Sciences of the United States of America*, 106, 20141–20148.
- Greig, E. I., & Pruett-Jones, S. (2009). A predator-elicited song in the splendid fairy-wren: warning signal or intraspecific display? *Animal Behaviour*, 78, 45–52.
- Guayasamin, J. M., & Funk, W. C. (2009). The amphibian community at Yanayacu Biological Station, Ecuador, with a comparison of vertical microhabitat use among *Pristimantis* species and the description of a new species of the *Pristimantis myersi* group. *Zootaxa*, 41–66.
- Hardus, M. E., Lameira, A. R., Van Schaik, C. P., & Wich, S. A. (2009). Tool use in wild orang-utans modifies sound production: a functionally deceptive innovation? *Proceedings of the Royal Society B-Biological Sciences*, 276, 3689–3694.
- Herzog, S. K., Ewing, S. R., Evans, K. L., Maccormick, A., Valqui, T., et al. (2009). Vocalizations, Distribution, and Ecology of the Cloud-Forest Screech Owl (*Megascops Marshalli*). *Wilson Journal of Ornithology*, 121, 240–252.
- Heyer, W. R., & Barrio-Amoros, C. L. (2009). The advertisement calls of two sympatric frogs, *Leptodactylus lithonaetes* (Amphibia: Anura: Leptodactylidae) and *Pristimantis vilarsi* (Amphibia: Anura: Strabomantidae). *Proceedings of the Biological Society of Washington*, 122, 282–291.

- Heyer, W. R., & Giaretta, A. A. (2009). Advertisement calls, notes on natural history, and distribution of *Leptodactylus chaquensis* (Amphibia: Anura: Leptodactylidae) in Brasil. *Proceedings of the Biological Society of Washington*, 122, 292–305.
- Hingee, M., & Magrath, R. D. (2009). Flights of fear: a mechanical wing whistle sounds the alarm in a flocking bird. *Proceedings. Biological sciences / The Royal Society*, 276, 4173–9.
- Hochachka, W. M., Winter, M., & Charif, R. A. (2009). Sources of variation in singing probability of Florida grasshopper sparrows, and implications for design and analysis of auditory surveys. *Condor*, 111, 349–360.
- Hutto, R. L., & Stutzman, R. J. (2009). Humans versus autonomous recording units: a comparison of point-count results. *Journal of Field Ornithology*, 80, 387–398.
- Isler, M. L., Isler, P. R., Whitney, B. M., Zimmer, K. J., & Whittaker, A. (2009). Species limits in antbirds (Aves: Passeriformes: Thamnophilidae): an evaluation of *Frederickena unduligera* (Undulated Antshrike) based on vocalizations. *Zootaxa*, 61–68.
- Kennedy, R. A. W., Evans, C. S., & McDonald, P. G. (2009). Individual distinctiveness in the mobbing call of a cooperative bird, the noisy miner *Manorina melanocephala*. *Journal of Avian Biology*, 40, 481–490.
- Kirschel, A. N. G., Blumstein, D. T., Cohen, R. E., Buermann, W., Smith, T. B., et al. (2009a). Birdsong tuned to the environment: green hylia song varies with elevation, tree cover, and noise. *Behavioral Ecology*, 20, 1089–1095.
- Kirschel, A. N. G., Blumstein, D. T., & Smith, T. B. (2009b). Character displacement of song and morphology in African tinkerbirds. *Proceedings of the National Academy of Sciences of the United States of America*, 106, 8256–61.
- Lanzone, M., Deleon, E., Grove, L., & Farnsworth, A. (2009). Revealing undocumented or poorly known flight calls of warblers (Parulidae) using a novel method of recording birds in captivity. *Auk*, 126, 511–519.
- Lattin, C., & Ritchison, G. (2009). Intra- and Intersexual Functions of Singing by Male Blue Grosbeaks: the Role of within-Song Variation. *Wilson Journal of Ornithology*, 121, 714–721.
- De Luca, P. A., & Cocroft, R. B. (2009). Age-related changes in an insect mating signal have no effect on female choice. *Behavioral Ecology and Sociobiology*, 63, 1787–1798.
- Magrath, R. D., Pitcher, B. J., & Gardner, J. L. (2009). An avian eavesdropping network: alarm signal reliability and heterospecific response. *Behavioral Ecology*, 20, 745–752.
- Mankin, R. W., Moore, A., Samson, P. R., & Chandler, K. J. (2009a). Acoustic characteristics of dynastid beetle stridulations. *Florida Entomologist*, 92, 123–133.
- Mankin, R. W., Samson, P. R., & Chandler, K. J. (2009b). Acoustic Detection of Melolonthine Larvae in Australian Sugarcane. *Journal of Economic Entomology*, 102, 1523–1535.
- Marshall, D. C., & Hill, K. B. R. (2009). Versatile aggressive mimicry of cicadas by an Australian predatory katydid. *Plos One*, 4.

- Miller, E. H. (2009). Antiquity of Shorebird Acoustic Displays. *Auk*, 126, 454–459.
- Opazo, D., Velasquez, N., Veloso, A., & Penna, M. (2009). Frequency-Modulated Vocalizations of *Eupsophus queulensis* (Anura: Cycloramphidae). *Journal of Herpetology*, 43, 657–664.
- Ouattara, K., Zuberbuhler, K., N’Goran, E. K., Gombert, J. E., & Lemasson, A. (2009). The alarm call system of female Campbell’s monkeys. *Animal Behaviour*, 78, 35–44.
- Rautio, A., Niemi, M., Kunnasranta, M., Holopainen, I. J., & Hyvarinen, H. (2009). Vocal repertoire of the Saimaa ringed seal (*Phoca hispida saimensis*) during the breeding season. *Marine Mammal Science*, 25, 920–930.
- Rice, A. N., & Bass, A. H. (2009). Novel vocal repertoire and paired swimbladders of the three-spined toadfish, *Batrachomoeus trispinosus*: insights into the diversity of the Batrachoididae. *Journal of Experimental Biology*, 212, 1377–1391.
- Rowley, J. J. L., & Trung, C. T. (2009). A new species of *Leptolalax* (Anura: Megophryidae) from central Vietnam. *Zootaxa*, 51–60.
- Schel, A. M., Tranquilli, S., & Zuberbuhler, K. (2009). The alarm call system of two species of black-and-white colobus monkeys (*Colobus polykomos* and *Colobus guereza*). *Journal of Comparative Psychology*, 123, 136–150.
- Seneviratne, S. S., Jones, I. L., & Miller, E. H. (2009). Vocal repertoires of auklets (Alcidae: Aethiini): structural organization and categorization. *Wilson Journal of Ornithology*, 121, 568–584.
- Slocombe, K. E., Townsend, S. W., & Zuberbühler, K. (2009). Wild chimpanzees (*Pan troglodytes schweinfurthii*) distinguish between different scream types: evidence from a playback study. *Animal cognition*, 12, 441–9.
- Smith, A. S., Birnie, A. K., Lane, K. R., & French, J. A. (2009). Production and Perception of Sex Differences in Vocalizations of Wied’s Black-Tufted-Ear Marmosets (*Callithrix kuhlii*). *American Journal of Primatology*, 71, 324–332.
- Soard, C. M., & Ritchison, G. (2009). “Chick-a-dee” calls of Carolina chickadees convey information about degree of threat posed by avian predators. *Animal Behaviour*, 78, 1447–1453.
- Soma, M., Hiraiwa-Hasegawa, M., & Okanoya, K. (2009). Song-learning strategies in the Bengalese finch: do chicks choose tutors based on song complexity? *Animal Behaviour*, 78, 1107–1113.
- Tervo, O. M., Parks, S. E., & Miller, L. A. (2009). Seasonal changes in the vocal behavior of bowhead whales (*Balaena mysticetus*) in Disko Bay, Western-Greenland. *Journal of the Acoustical Society of America*, 126, 1570–1580.
- Wong, S., Parada, H., & Narins, P. M. (2009). Heterospecific Acoustic Interference: Effects on Calling in the Frog *Oophaga pumilio* in Nicaragua. *Biotropica*, 41, 74–80.
- Yorzinski, J. L., & Vehrencamp, S. L. (2009). The Effect of Predator Type and Danger Level on the Mob Calls of the American Crow. *The Condor*, 111, 159–168.

2008

- Amorim, M. C. P., & Vasconcelos, R. O. (2008). Variability in the mating calls of the Lusitanian toadfish *Halobatrachus didactylus* : cues for potential individual recognition. *Journal of Fish Biology*, 73, 1267–1283.
- Brunton, D. H., Evans, B., Cope, T., & Ji, W. (2008a). A test of the dear enemy hypothesis in female New Zealand bellbirds (*Anthornis melanura*): female neighbors as threats. *Behavioral Ecology*, 19, 791–798.
- Brunton, D. H., Evans, B. A., & Ji, W. H. (2008b). Assessing natural dispersal of New Zealand bellbirds using song type and song playbacks. *New Zealand Journal of Ecology*, 32, 147–154.
- Guerra, J. E., Cruz-Nieto, J., Ortiz-Maciel, S. G., & Wright, T. F. (2008). Limited geographic variation in the vocalizations of the endangered thick-billed parrot: implications for conservation strategies. *Condor*, 110, 639–647.
- Houle, M. E., & Barnett, G. M. (2008). Students' conceptions of sound waves resulting from the enactment of a new technology-enhanced inquiry-based curriculum on urban bird communication. *Journal of Science Education and Technology*, 17, 242–251.
- Isler, M. L., Isler, P. R., & Whitney, B. M. (2008). Species limits in Antbirds (Aves : Passeriformes : *Thamnophilidae*): an evaluation of Plumbeous Antvireo (*Dysithamnus plumbeus*) based on vocalizations. *Zootaxa*, 60–68.
- Macculloch, R. D., Lathrop, A., Kok, P. J. R., Minter, L. R., Khan, S. Z., et al. (2008). A new species of *Adelophryne* (Anura : *Eleutherodactylidae*) from Guyana, with additional data on *A. gutturosa*. *Zootaxa*, 36–50.
- Manno, T. G., Nesterova, A. P., DeBarbieri, L. M., & Dobson, F. S. (2008). Why do female Columbian ground squirrels (*Spermophilus columbianus*) give an estrus call? *Canadian Journal of Zoology-Revue Canadienne De Zoologie*, 86, 900–909.
- May-Collado, L. J., & Wartzok, D. (2008). A comparison of bottlenose dolphin whistles in the Atlantic ocean : factors promoting whistle variation. *Journal of Mammalogy*, 89, 1229–1240.
- Newman, K., & Springer, A. M. (2008). Nocturnal activity by mammal-eating killer whales at a predation hot spot in the Bering Sea. *Marine Mammal Science*, 24, 990–999.
- Riesch, R., Ford, J. K. B., & Thomsen, F. (2008). Whistle sequences in wild killer whales (*Orcinus orca*). *Journal of the Acoustical Society of America*, 124, 1822–1829.
- Soma, M., Hasegawa, T., & Okanoya, K. (2008). Genetic and developmental effects, and morphological influences on the acoustic structure of individual distance calls in female Bengalese finches *Lonchura striata* var. *domestica*. *Journal of Avian Biology*, 39, 101–107.
- Stafford, K. M., Moore, S. E., Laidre, K. L., & Heide-Jorgensen, M. P. (2008). Bowhead whale springtime song off West Greenland. *Journal of the Acoustical Society of America*, 124, 3315–3323.

- Vasconcelos, R. O., & Ladich, F. (2008). Development of vocalization, auditory sensitivity and acoustic communication in the Lusitanian toadfish *Halobatrachus didactylus*. *Journal of Experimental Biology*, 211, 502–509.
- Wright, T. F., Dahlin, C. R., & Salinas-Melgoza, A. (2008). Stability and change in vocal dialects of the yellow-naped amazon. *Animal Behaviour*, 76, 1017–1027.
- Zann, R., & Cash, E. (2008). Developmental stress impairs song complexity but not learning accuracy in non-domesticated zebra finches (*Taeniopygia guttata*). *Behavioral Ecology and Sociobiology*, 62, 391–400.

2007

- Manno, T. G., Nesterova, A. P., DeBarbieri, L. M., Kennedy, S. E., Wright, K. S., et al. (2007). Why do male Columbian ground squirrels give a mating call? *Animal Behaviour*, 74, 1319–1327.
- May-Collado, L. J., & Wartzok, D. (2007). The freshwater dolphin *Inia geoffrensis geoffrensis* produces high frequency whistles. *The Journal of the Acoustical Society of America*, 121, 1203.
- Patricelli, G. L., Dantzker, M. S., & Bradbury, J. W. (2007). Differences in acoustic directionality among vocalizations of the male red-winged blackbird (*Agelaius phoeniceus*) are related to function in communication. *Behavioral Ecology and Sociobiology*, 61, 1099–1110.
- Risch, D., Clark, C. W., Corkeron, P. J., Elepfandt, A., Kovacs, K. M., et al. (2007). Vocalizations of male bearded seals, *Erignathus barbatus*: classification and geographical variation. *Animal Behaviour*, 73, 747–762.
- Stafford, K. M., Moore, S. E., Spillane, M., & Wiggins, S. (2007). Gray whale calls recorded near Barrow, Alaska, throughout the winter of 2003–04. *Arctic*, 60, 167–172.

2006

- Christensen, R., Kleindorfer, S., & Robertson, J. (2006). Song is a reliable signal of bill morphology in Darwin's small tree finch *Camarhynchus parvulus*, and vocal performance predicts male pairing success. *Journal of Avian Biology*, 37, 617–624.
- Soma, M., Takahasi, M., Ikebuchi, M., Yamada, H., Suzuki, M., et al. (2006). Early rearing conditions affect the development of body size and song in Bengalese finches. *Ethology*, 112, 1071–1078.
- Yorzinski, J. L., Vehrencamp, S. L., Clark, A. B., & McGowan, K. J. (2006). The inflected alarm caw of the American Crow: Differences in acoustic structure among individuals and sexes. *Condor*, 108, 518–529.

2005

- Sloan, J. L., Wilson, D. R., & Hare, J. F. (2005). Functional morphology of Richardson's ground squirrel, *Spermophilus richardsonii*, alarm calls: the meaning of chirps, whistles and chucks. *Animal Behaviour*, 70, 937–944.
- Slocombe, K. E., & Zuberbuhler, K. (2005). Agonistic screams in wild chimpanzees (*Pan troglodytes schweinfurthii*) vary as a function of social role. *Journal of Comparative Psychology*, 119, 67–77.