

# **The FreeRTOS™ Reference Manual**

Single user license for jocy@mbari.org

Single user license for jocy@mbari.org

# **The FreeRTOS™ Reference Manual**

## **API Functions and Configuration Options**

Real Time Engineers Ltd.

Single user license for jocy@mbari.org

## Reference Manual for FreeRTOS version 8.2.0

All text, source code and diagrams are the exclusive property of Real Time Engineers Ltd. Distribution, use in presentations, or publication in any form is strictly prohibited without prior written authority from Real Time Engineers Ltd.

© Real Time Engineers Ltd. 2015. All rights reserved.

FreeRTOS™, FreeRTOS.org™ and the FreeRTOS logo are trademarks of Real Time Engineers Ltd.

<http://www.FreeRTOS.org>

<http://www.FreeRTOS.org/plus>

<http://www.FreeRTOS.org/labs>

Single user license for jocy@mbari.org

# Contents

|                                         |    |
|-----------------------------------------|----|
| Contents .....                          | 5  |
| List of Figures .....                   | 8  |
| List of Code Listings .....             | 9  |
| List of Tables .....                    | 13 |
| List of Notation.....                   | 14 |
| Chapter 1 About This Manual.....        | 16 |
| 1.1 Scope.....                          | 17 |
| Chapter 2 Task and Scheduler API .....  | 20 |
| 2.1 portSWITCH_TO_USER_MODE() .....     | 21 |
| 2.2 vTaskAllocateMPURegions() .....     | 22 |
| 2.3 xTaskCallApplicationHook() .....    | 25 |
| 2.4 xTaskCreate() .....                 | 27 |
| 2.5 xTaskCreateRestricted() .....       | 31 |
| 2.6 vTaskDelay().....                   | 36 |
| 2.7 vTaskDelayUntil().....              | 38 |
| 2.8 vTaskDelete().....                  | 41 |
| 2.9 taskDISABLE_INTERRUPTS() .....      | 43 |
| 2.10 taskENABLE_INTERRUPTS() .....      | 45 |
| 2.11 taskENTER_CRITICAL().....          | 46 |
| 2.12 taskEXIT_CRITICAL().....           | 49 |
| 2.13 xTaskGetApplicationTaskTag() ..... | 51 |
| 2.14 xTaskGetCurrentTaskHandle().....   | 53 |
| 2.15 xTaskGetIdleTaskHandle().....      | 54 |
| 2.16 uxTaskGetNumberOfTasks() .....     | 55 |
| 2.17 vTaskGetRunTimeStats().....        | 56 |
| 2.18 xTaskGetSchedulerState() .....     | 60 |
| 2.19 uxTaskGetStackHighWaterMark()..... | 61 |
| 2.20 eTaskGetState().....               | 63 |
| 2.21 uxTaskGetSystemState() .....       | 65 |
| 2.22 pcTaskGetTaskName() .....          | 69 |
| 2.23 xTaskGetTickCount() .....          | 70 |
| 2.24 xTaskGetTickCountFromISR() .....   | 72 |
| 2.25 vTaskList() .....                  | 74 |
| 2.26 xTaskNotify().....                 | 77 |
| 2.27 xTaskNotifyFromISR().....          | 80 |
| 2.28 xTaskNotifyGive().....             | 84 |
| 2.29 xTaskNotifyGiveFromISR() .....     | 86 |

|                         |                                                                                  |     |
|-------------------------|----------------------------------------------------------------------------------|-----|
| 2.30                    | ulTaskNotifyTake()                                                               | 89  |
| 2.31                    | xTaskNotifyWait()                                                                | 92  |
| 2.32                    | uxTaskPriorityGet()                                                              | 95  |
| 2.33                    | vTaskPrioritySet()                                                               | 97  |
| 2.34                    | vTaskResume()                                                                    | 99  |
| 2.35                    | xTaskResumeAll()                                                                 | 101 |
| 2.36                    | xTaskResumeFromISR()                                                             | 103 |
| 2.37                    | vTaskSetApplicationTaskTag()                                                     | 106 |
| 2.38                    | vTaskStartScheduler()                                                            | 108 |
| 2.39                    | vTaskStepTick()                                                                  | 110 |
| 2.40                    | vTaskSuspend()                                                                   | 112 |
| 2.41                    | vTaskSuspendAll()                                                                | 114 |
| 2.42                    | taskYIELD()                                                                      | 116 |
| Chapter 3 Queue API     |                                                                                  | 118 |
| 3.1                     | vQueueAddToRegistry()                                                            | 119 |
| 3.2                     | xQueueAddToSet()                                                                 | 121 |
| 3.3                     | xQueueCreate()                                                                   | 123 |
| 3.4                     | xQueueCreateSet()                                                                | 125 |
| 3.5                     | vQueueDelete()                                                                   | 129 |
| 3.6                     | xQueueIsQueueEmptyFromISR()                                                      | 131 |
| 3.7                     | xQueueIsQueueFullFromISR()                                                       | 132 |
| 3.8                     | uxQueueMessagesWaiting()                                                         | 133 |
| 3.9                     | uxQueueMessagesWaitingFromISR()                                                  | 134 |
| 3.10                    | xQueueOverwrite()                                                                | 136 |
| 3.11                    | xQueueOverwriteFromISR()                                                         | 138 |
| 3.12                    | xQueuePeek()                                                                     | 140 |
| 3.13                    | xQueuePeekFromISR()                                                              | 143 |
| 3.14                    | xQueueReceive()                                                                  | 144 |
| 3.15                    | xQueueReceiveFromISR()                                                           | 147 |
| 3.16                    | xQueueRemoveFromSet()                                                            | 150 |
| 3.17                    | xQueueReset()                                                                    | 152 |
| 3.18                    | xQueueSelectFromSet()                                                            | 153 |
| 3.19                    | xQueueSelectFromSetFromISR()                                                     | 155 |
| 3.20                    | xQueueSend(), xQueueSendToFront(), xQueueSendToBack()                            | 157 |
| 3.21                    | xQueueSendFromISR(),<br>xQueueSendToBackFromISR(),<br>xQueueSendToFrontFromISR() | 160 |
| 3.22                    | uxQueueSpacesAvailable()                                                         | 164 |
| Chapter 4 Semaphore API |                                                                                  | 166 |
| 4.1                     | vSemaphoreCreateBinary()                                                         | 167 |
| 4.2                     | xSemaphoreCreateBinary()                                                         | 170 |
| 4.3                     | xSemaphoreCreateCounting()                                                       | 172 |
| 4.4                     | xSemaphoreCreateMutex()                                                          | 174 |

|                                |                                  |     |
|--------------------------------|----------------------------------|-----|
| 4.5                            | xSemaphoreCreateRecursiveMutex() | 176 |
| 4.6                            | vSemaphoreDelete()               | 178 |
| 4.7                            | xSemaphoreGetMutexHolder()       | 179 |
| 4.8                            | xSemaphoreGive()                 | 180 |
| 4.9                            | xSemaphoreGiveFromISR()          | 182 |
| 4.10                           | xSemaphoreGiveRecursive()        | 185 |
| 4.11                           | xSemaphoreTake()                 | 188 |
| 4.12                           | xSemaphoreTakeFromISR()          | 191 |
| 4.13                           | xSemaphoreTakeRecursive()        | 193 |
| Chapter 5 Software Timer API   |                                  | 196 |
| 5.1                            | xTimerChangePeriod()             | 197 |
| 5.2                            | xTimerChangePeriodFromISR()      | 200 |
| 5.3                            | xTimerCreate()                   | 202 |
| 5.4                            | xTimerDelete()                   | 206 |
| 5.5                            | xTimerGetTimerDaemonTaskHandle() | 208 |
| 5.6                            | pvTimerGetTimerID()              | 209 |
| 5.1                            | pcTimerGetTimerName()            | 210 |
| 5.2                            | xTimerIsTimerActive()            | 211 |
| 5.3                            | xTimerPendFunctionCall()         | 213 |
| 5.4                            | xTimerPendFunctionCallFromISR()  | 215 |
| 5.5                            | xTimerReset()                    | 218 |
| 5.6                            | xTimerResetFromISR()             | 221 |
| 5.7                            | xTimerStart()                    | 223 |
| 5.8                            | xTimerStartFromISR()             | 225 |
| 5.9                            | xTimerStop()                     | 227 |
| 5.10                           | xTimerStopFromISR()              | 229 |
| Chapter 6 Event Groups API     |                                  | 231 |
| 6.1                            | xEventGroupCreate()              | 232 |
| 6.2                            | xEventGroupClearBits()           | 234 |
| 6.3                            | xEventGroupClearBitsFromISR()    | 236 |
| 6.1                            | vEventGroupDelete()              | 238 |
| 6.2                            | xEventGroupGetBits()             | 239 |
| 6.1                            | xEventGroupGetBitsFromISR()      | 240 |
| 6.2                            | xEventGroupSetBits()             | 241 |
| 6.3                            | xEventGroupSetBitsFromISR()      | 243 |
| 6.1                            | xEventGroupSync()                | 246 |
| 6.2                            | xEventGroupWaitBits()            | 250 |
| Chapter 7 Kernel Configuration |                                  | 253 |
| 7.1                            | FreeRTOSConfig.h                 | 254 |
| 7.2                            | Constants that Start "INCLUDE_"  | 255 |
| 7.3                            | Constants that Start "config"    | 259 |

|                                                     |     |
|-----------------------------------------------------|-----|
| APPENDIX 1: Data Types and Coding Style Guide ..... | 278 |
| APPENDIX 2: Licensing Information .....             | 281 |
| INDEX.....                                          | 284 |

## List of Figures

---

|                                                                                                  |     |
|--------------------------------------------------------------------------------------------------|-----|
| Figure 1 An example of the table produced by calling vTaskGetRunTimeStats() .....                | 56  |
| Figure 2 An example of the table produced by calling vTaskList() .....                           | 74  |
| Figure 3 Time line showing the execution of 4 tasks, all of which run at the idle priority ..... | 264 |
| Figure 4 An example interrupt priority configuration .....                                       | 266 |

Single user license for jocy@mbari.org

## List of Code Listings

|                                                                                             |    |
|---------------------------------------------------------------------------------------------|----|
| Listing 1 portSWITCH_TO_USER_MODE() macro prototype .....                                   | 21 |
| Listing 2 vTaskAllocateMPURegions() function prototype .....                                | 22 |
| Listing 3 The data structures used by xTaskCreateRestricted() .....                         | 23 |
| Listing 4 Example use of vTaskAllocateMPURegions().....                                     | 24 |
| Listing 5 xTaskCallApplicationTaskHook() function prototype .....                           | 25 |
| Listing 6 The prototype to which all task hook functions must conform .....                 | 25 |
| Listing 7 Example use of xTaskCallApplicationTaskHook().....                                | 26 |
| Listing 8 xTaskCreate() function prototype.....                                             | 27 |
| Listing 9 Example use of xTaskCreate() .....                                                | 30 |
| Listing 10 xTaskCreateRestricted() function prototype.....                                  | 31 |
| Listing 11 The data structures used by xTaskCreateRestricted() .....                        | 32 |
| Listing 12 Statically declaring a correctly aligned stack for use by a restricted task..... | 33 |
| Listing 13 Example use of xTaskCreateRestricted().....                                      | 35 |
| Listing 14 vTaskDelay() function prototype .....                                            | 36 |
| Listing 15 Example use of vTaskDelay() .....                                                | 37 |
| Listing 16 vTaskDelayUntil() function prototype .....                                       | 38 |
| Listing 17 Example use of vTaskDelayUntil() .....                                           | 40 |
| Listing 18 vTaskDelete() function prototype .....                                           | 41 |
| Listing 19 Example use of the vTaskDelete() .....                                           | 42 |
| Listing 20 taskDISABLE_INTERRUPTS() macro prototype .....                                   | 43 |
| Listing 21 taskENABLE_INTERRUPTS() macro prototype .....                                    | 45 |
| Listing 22 taskENTER_CRITICAL macro prototype .....                                         | 46 |
| Listing 23 Example use of taskENTER_CRITICAL() and taskEXIT_CRITICAL().....                 | 48 |
| Listing 24 taskEXIT_CRITICAL() macro prototype .....                                        | 49 |
| Listing 25 xTaskGetApplicationTaskTag() function prototype.....                             | 51 |
| Listing 26 Example use of xTaskGetApplicationTaskTag() .....                                | 52 |
| Listing 27 xTaskGetCurrentTaskHandle() function prototype .....                             | 53 |
| Listing 28 xTaskGetIdleTaskHandle() function prototype .....                                | 54 |
| Listing 29 uxTaskGetNumberOfTasks() function prototype .....                                | 55 |
| Listing 30 vTaskGetRunTimeStats() function prototype .....                                  | 56 |
| Listing 31 Example macro definitions, taken from the LM3Sxxx Eclipse Demo .....             | 58 |
| Listing 32 Example macro definitions, taken from the LPC17xx Eclipse Demo .....             | 59 |
| Listing 33 Example use of vTaskGetRunTimeStats() .....                                      | 59 |
| Listing 34 xTaskGetSchedulerState() function prototype.....                                 | 60 |
| Listing 35 Example use of uxTaskGetStackHighWaterMark() .....                               | 62 |
| Listing 36 eTaskGetState() function prototype .....                                         | 63 |
| Listing 37 uxTaskGetSystemState() function prototype.....                                   | 65 |
| Listing 38 Example use of uxTaskGetSystemStatus().....                                      | 67 |
| Listing 39 The TaskStatus_t definition .....                                                | 68 |
| Listing 40 pcTaskGetTaskName() function prototype.....                                      | 69 |

|                                                                  |     |
|------------------------------------------------------------------|-----|
| Listing 41 xTaskGetTickCount() function prototype .....          | 70  |
| Listing 42 Example use of xTaskGetTickCount() .....              | 71  |
| Listing 43 xTaskGetTickCountFromISR() function prototype .....   | 72  |
| Listing 44 Example use of xTaskGetTickCountFromISR() .....       | 73  |
| Listing 45 vTaskList() function prototype .....                  | 74  |
| Listing 46 Example use of vTaskList() .....                      | 76  |
| Listing 47 xTaskNotify() function prototype .....                | 77  |
| Listing 48 Example use of xTaskNotify() .....                    | 79  |
| Listing 49 xTaskNotifyFrom() function prototype .....            | 80  |
| Listing 50 Example use of xTaskNotifyFromISR() .....             | 83  |
| Listing 51 xTaskNotifyGive() function prototype .....            | 84  |
| Listing 52 Example use of xTaskNotifyGive() .....                | 85  |
| Listing 53 xTaskNotifyGiveFromISR() function prototype .....     | 86  |
| Listing 54 Example use of xTaskNotifyGiveFromISR() .....         | 88  |
| Listing 55 ulTaskNotifyTake() function prototype .....           | 89  |
| Listing 56 Example use of ulTaskNotifyTake() .....               | 91  |
| Listing 57 xTaskNotifyWait() function prototype .....            | 92  |
| Listing 58 Example use of xTaskNotifyWait() .....                | 94  |
| Listing 59 uxTaskPriorityGet() function prototype .....          | 95  |
| Listing 60 Example use of uxTaskPriorityGet() .....              | 96  |
| Listing 61 vTaskPrioritySet() function prototype .....           | 97  |
| Listing 62 Example use of vTaskPrioritySet() .....               | 98  |
| Listing 63 vTaskResume() function prototype .....                | 99  |
| Listing 64 Example use of vTaskResume() .....                    | 100 |
| Listing 65 xTaskResumeAll() function prototype .....             | 101 |
| Listing 66 Example use of xTaskResumeAll() .....                 | 102 |
| Listing 67 xTaskResumeFromISR() function prototype .....         | 103 |
| Listing 68 Example use of vTaskResumeFromISR() .....             | 105 |
| Listing 69 vTaskSetApplicationTaskTag() function prototype ..... | 106 |
| Listing 70 Example use of vTaskSetApplicationTaskTag() .....     | 107 |
| Listing 71 vTaskStartScheduler() function prototype .....        | 108 |
| Listing 72 Example use of vTaskStartScheduler() .....            | 109 |
| Listing 73 Example use of vTaskStepTick() .....                  | 111 |
| Listing 74 vTaskSuspend() function prototype .....               | 112 |
| Listing 75 Example use of vTaskSuspend() .....                   | 113 |
| Listing 76 vTaskSuspendAll() function prototype .....            | 114 |
| Listing 77 Example use of vTaskSuspendAll() .....                | 115 |
| Listing 78 taskYIELD() macro prototype .....                     | 116 |
| Listing 79 Example use of taskYIELD() .....                      | 117 |
| Listing 80 vQueueAddToRegistry() function prototype .....        | 119 |
| Listing 81 Example use of vQueueAddToRegistry() .....            | 120 |
| Listing 82 xQueueAddToSet() function prototype .....             | 121 |
| Listing 83 xQueueCreate() function prototype .....               | 123 |

|                                                                                                               |     |
|---------------------------------------------------------------------------------------------------------------|-----|
| Listing 84 Example use of xQueueCreate()                                                                      | 124 |
| Listing 85 xQueueCreateSet() function prototype                                                               | 125 |
| Listing 86 Example use of xQueueCreateSet() and other queue set API functions                                 | 128 |
| Listing 87 vQueueDelete() function prototype                                                                  | 129 |
| Listing 88 Example use of vQueueDelete()                                                                      | 130 |
| Listing 89 xQueueIsQueueEmptyFromISR() function prototype                                                     | 131 |
| Listing 90 xQueueIsQueueFullFromISR() function prototype                                                      | 132 |
| Listing 91 uxQueueMessagesWaiting() function prototype                                                        | 133 |
| Listing 92 Example use of uxQueueMessagesWaiting()                                                            | 133 |
| Listing 93 uxQueueMessagesWaitingFromISR() function prototype                                                 | 134 |
| Listing 94 Example use of uxQueueMessagesWaitingFromISR()                                                     | 135 |
| Listing 95 xQueueOverwrite() function prototype                                                               | 136 |
| Listing 96 Example use of xQueueOverwrite()                                                                   | 137 |
| Listing 97 xQueueOverwriteFromISR() function prototype                                                        | 138 |
| Listing 98 Example use of xQueueOverwriteFromISR()                                                            | 139 |
| Listing 99 xQueuePeek() function prototype                                                                    | 140 |
| Listing 100 Example use of xQueuePeek()                                                                       | 142 |
| Listing 101 xQueuePeekFromISR() function prototype                                                            | 143 |
| Listing 102 xQueueReceive() function prototype                                                                | 144 |
| Listing 103 Example use of xQueueReceive()                                                                    | 146 |
| Listing 104 xQueueReceiveFromISR() function prototype                                                         | 147 |
| Listing 105 Example use of xQueueReceiveFromISR()                                                             | 149 |
| Listing 106 xQueueRemoveFromSet() function prototype                                                          | 150 |
| Listing 107 Example use of xQueueRemoveFromSet()                                                              | 151 |
| Listing 108 xQueueReset() function prototype                                                                  | 152 |
| Listing 109 xQueueSelectFromSet() function prototype                                                          | 153 |
| Listing 110 xQueueSelectFromSetFromISR() function prototype                                                   | 155 |
| Listing 111 Example use of xQueueSelectFromSetFromISR()                                                       | 156 |
| Listing 112 xQueueSend(), xQueueSendToFront() and xQueueSendToBack() function prototypes                      | 157 |
| Listing 113 Example use of xQueueSendToBack()                                                                 | 159 |
| Listing 114 xQueueSendFromISR(), xQueueSendToBackFromISR() and xQueueSendToFrontFromISR() function prototypes | 160 |
| Listing 115 Example use of xQueueSendToBackFromISR()                                                          | 163 |
| Listing 116 uxQueueSpacesAvailable() function prototype                                                       | 164 |
| Listing 117 Example use of uxQueueSpacesAvailable()                                                           | 164 |
| Listing 118 vSemaphoreCreateBinary() macro prototype                                                          | 167 |
| Listing 119 Example use of vSemaphoreCreateBinary()                                                           | 169 |
| Listing 120 xSemaphoreCreateBinary() function prototype                                                       | 170 |
| Listing 121 Example use of xSemaphoreCreateBinary()                                                           | 171 |
| Listing 122 xSemaphoreCreateCounting() function prototype                                                     | 172 |
| Listing 123 Example use of xSemaphoreCreateCounting()                                                         | 173 |
| Listing 124 xSemaphoreCreateMutex() function prototype                                                        | 174 |
| Listing 125 Example use of xSemaphoreCreateMutex()                                                            | 175 |

|                                                                                                                     |     |
|---------------------------------------------------------------------------------------------------------------------|-----|
| Listing 126 xSemaphoreCreateRecursiveMutex() function prototype .....                                               | 176 |
| Listing 127 Example use of xSemaphoreCreateRecursiveMutex() .....                                                   | 177 |
| Listing 128 vSemaphoreDelete() function prototype .....                                                             | 178 |
| Listing 129 xSemaphoreGetMutexHolder() function prototype .....                                                     | 179 |
| Listing 130 xSemaphoreGive() function prototype .....                                                               | 180 |
| Listing 131 Example use of xSemaphoreGive() .....                                                                   | 181 |
| Listing 132 xSemaphoreGiveFromISR() function prototype .....                                                        | 182 |
| Listing 133 Example use of xSemaphoreGiveFromISR() .....                                                            | 184 |
| Listing 134 xSemaphoreGiveRecursive() function prototype .....                                                      | 185 |
| Listing 135 Example use of xSemaphoreGiveRecursive() .....                                                          | 187 |
| Listing 136 xSemaphoreTake() function prototype .....                                                               | 188 |
| Listing 137 Example use of xSemaphoreTake() .....                                                                   | 190 |
| Listing 138 xSemaphoreTakeFromISR() function prototype .....                                                        | 191 |
| Listing 139 xSemaphoreTakeRecursive() function prototype .....                                                      | 193 |
| Listing 140 Example use of xSemaphoreTakeRecursive() .....                                                          | 195 |
| Listing 141 xTimerChangePeriod() function prototype .....                                                           | 197 |
| Listing 142 Example use of xTimerChangePeriod() .....                                                               | 199 |
| Listing 143 xTimerChangePeriodFromISR() function prototype .....                                                    | 200 |
| Listing 144 Example use of xTimerChangePeriodFromISR() .....                                                        | 201 |
| Listing 145 xTimerCreate() function prototype .....                                                                 | 202 |
| Listing 146 The timer callback function prototype .....                                                             | 203 |
| Listing 147 Definition of the callback function used in the calls to xTimerCreate() in<br>Listing 148 .....         | 204 |
| Listing 148 Example use of xTimerCreate() .....                                                                     | 205 |
| Listing 149 xTimerDelete() macro prototype .....                                                                    | 206 |
| Listing 150 xTimerGetTimerDaemonTaskHandle() function prototype .....                                               | 208 |
| Listing 151 pvTimerGetTimerID() function prototype .....                                                            | 209 |
| Listing 152 pcTimerGetTimerName() function prototype .....                                                          | 210 |
| Listing 153 xTimerIsTimerActive() function prototype .....                                                          | 211 |
| Listing 154 Example use of xTimerIsTimerActive() .....                                                              | 212 |
| Listing 155 xTimerPendFunctionCall() function prototype .....                                                       | 213 |
| Listing 156 The prototype of a function that can be pended using a call to<br>xTimerPendFunctionCall() .....        | 213 |
| Listing 157 xTimerPendFunctionCallFromISR() function prototype .....                                                | 215 |
| Listing 158 The prototype of a function that can be pended using a call to<br>xTimerPendFunctionCallFromISR() ..... | 215 |
| Listing 159 Example use of xTimerPendFunctionCallFromISR() .....                                                    | 217 |
| Listing 160 xTimerReset() function prototype .....                                                                  | 218 |
| Listing 161 Example use of xTimerReset() .....                                                                      | 220 |
| Listing 162 xTimerResetFromISR() function prototype .....                                                           | 221 |
| Listing 163 Example use of xTimerResetFromISR() .....                                                               | 222 |
| Listing 164 xTimerStart() function prototype .....                                                                  | 223 |
| Listing 165 xTimerStartFromISR() macro prototype .....                                                              | 225 |
| Listing 166 Example use of xTimerStartFromISR() .....                                                               | 226 |

|                                                                                     |     |
|-------------------------------------------------------------------------------------|-----|
| Listing 167 xTimerStop() function prototype.....                                    | 227 |
| Listing 168 xTimerStopFromISR() function prototype.....                             | 229 |
| Listing 169 Example use of xTimerStopFromISR() .....                                | 230 |
| Listing 170 xEventGroupCreate() function prototype.....                             | 232 |
| Listing 171 Example use of xEventGroupCreate() .....                                | 233 |
| Listing 172 xEventGroupClearBits() function prototype .....                         | 234 |
| Listing 173 Example use of xEventGroupClearBits().....                              | 235 |
| Listing 174 xEventGroupClearBitsFromISR() function prototype.....                   | 236 |
| Listing 175 Example use of xEventGroupClearBitsFromISR().....                       | 237 |
| Listing 176 xEventGroupDelete() function prototype .....                            | 238 |
| Listing 177 xEventGroupGetBits() function prototype.....                            | 239 |
| Listing 178 xEventGroupGetBitsFromISR() function prototype.....                     | 240 |
| Listing 179 xEventGroupSetBits() function prototype .....                           | 241 |
| Listing 180 Example use of xEventGroupSetBits().....                                | 242 |
| Listing 181 xEventGroupSetBitsFromISR() function prototype .....                    | 243 |
| Listing 182 Example use of xEventGroupSetBitsFromISR().....                         | 245 |
| Listing 183 xEventGroupSync() function prototype .....                              | 246 |
| Listing 184 Example use of xEventGroupSync() .....                                  | 249 |
| Listing 185 xEventGroupWaitBits() function prototype .....                          | 250 |
| Listing 186 Example use of xEventGroupWaitBits().....                               | 252 |
| Listing 187 An example configASSERT() definition.....                               | 259 |
| Listing 188 The stack overflow hook function prototype.....                         | 260 |
| Listing 189 An example of saving and restoring the processors privilege state ..... | 265 |
| Listing 190 The idle task hook function name and prototype.....                     | 271 |
| Listing 191 The malloc() failed hook function name and prototype.....               | 272 |
| Listing 192 The tick hook function name and prototype.....                          | 275 |

## List of Tables

---

|                                                                              |     |
|------------------------------------------------------------------------------|-----|
| Table 1. eTaskGetState() return values .....                                 | 63  |
| Table 2. Additional macros that are required if .....                        | 262 |
| Table 3. Special data types used by FreeRTOS .....                           | 278 |
| Table 4. Macro prefixes .....                                                | 280 |
| Table 5. Common macro definitions.....                                       | 280 |
| Table 6. Comparing the open source license with the commercial license ..... | 282 |

## List of Notation

---

|      |                                   |
|------|-----------------------------------|
| API  | Application Programming Interface |
| ISR  | Interrupt Service Routine         |
| MPU  | Memory Protection Unit            |
| RTOS | Real-time Operating System        |

Single user license for jocy@mbari.org

Single user license for jocy@mbari.org

# **Chapter 1**

## **About This Manual**

---

Single user license for jocy@mbari.org

## 1.1 Scope

---

This document provides a technical reference to both the primary FreeRTOS API<sup>1</sup>, and the FreeRTOS kernel configuration options. It is assumed the reader is already familiar with the concepts of writing multi tasking applications, and the primitives provided by real time kernels. Readers that are not familiar with these fundamental concepts are recommended to read the book “**Using the FreeRTOS Real Time Kernel – A Practical Guide**” for a much more descriptive, hands on, and tutorial style text. The book can be obtained from <http://www.FreeRTOS.org/Documentation>.

### The Order in Which Functions Appear in This Manual

Within this document, the API functions have been split into five groups – task and scheduler related functions, queue related functions, semaphore related functions, software timer related functions and event group related functions. Each group is documented in its own chapter, and within each chapter, the API functions are listed in alphabetical order. Note however that the name of each API function is prefixed with one or more letters that specify the function’s return type, and the alphabetical ordering of API functions within each chapter ignores the function return type prefix. APPENDIX 1: describes the prefixes in more detail.

As an example, consider the API function that is used to create a FreeRTOS task. Its name is `vTaskCreate()`. The ‘v’ prefix specifies that `vTaskCreate()` is a void function (it does not return a value). The secondary ‘Task’ prefix specifies that the function is a task related function, and, as such, will be documented in the chapter that contains task and scheduler related functions. The ‘v’ is not considered in the alphabetical ordering, so `vTaskCreate()` will appear in the task and scheduler chapter ordered as if its name was just `TaskCreate()`.

### API Usage Restrictions

The following rules apply when using the FreeRTOS API:

1. API functions that do not end in “FromISR” must not be used in an interrupt service routine (ISR). Some FreeRTOS ports make a further restriction that even API functions that do end in “FromISR” cannot be used in an interrupt service routine that has a

---

<sup>1</sup> The ‘alternative’ API is not included as its use is no longer recommended. The co-routine API is also omitted as co-routines are only useful to a small subset of applications.

(hardware) priority above the priority set by the configMAX\_SYSCALL\_INTERRUPT\_PRIORITY (or configMAX\_API\_CALL\_INTERRUPT\_PRIORITY, depending on the port) kernel configuration constant, which is described in section 7.1 of this document. The second restriction is to ensure that the timing, determinism and latency of interrupts that have a priority above that set by configMAX\_SYSCALL\_INTERRUPT\_PRIORITY are not affected by FreeRTOS.

2. API functions that can potentially cause a context switch must not be called while the scheduler is suspended.
3. API functions that can potentially cause a context switch must not be called from within a critical section.

Single user license for jocy@mbari.org

Single user license for jocy@mbari.org

# **Chapter 2**

## **Task and Scheduler API**

---

Single user license for jocy@mbari.org

## 2.1 portSWITCH\_TO\_USER\_MODE()

---

```
#include "FreeRTOS.h"
#include "task.h"

void portSWITCH_TO_USER_MODE( void );
```

---

Listing 1 portSWITCH\_TO\_USER\_MODE() macro prototype

### Summary

This function is intended for advanced users only and is only relevant to FreeRTOS MPU ports (FreeRTOS ports that make use of a Memory Protection Unit).

MPU restricted tasks are created using `xTaskCreateRestricted()`. The parameters supplied to `xTaskCreateRestricted()` specify whether the task being created should be a User (un-privileged) mode task, or a Supervisor (privileged) mode task. A Supervisor mode task can call `portSWITCH_TO_USER_MODE()` to convert itself from a Supervisor mode task into a User mode task.

Single user license for jocy@mbari.org

### Parameters

None.

### Return Values

None.

### Notes

There is no reciprocal equivalent to `portSWITCH_TO_USER_MODE()` that permits a task to convert itself from a User mode into a Supervisor mode task.

## 2.2 vTaskAllocateMPURegions()

---

---

```
#include "FreeRTOS.h"
#include "task.h"

void vTaskAllocateMPURegions( TaskHandle_t xTaskToModify,
                             const MemoryRegion_t * const xRegions );
```

---

Listing 2 vTaskAllocateMPURegions() function prototype

### Summary

Define a set of Memory Protection Unit (MPU) regions for use by an MPU restricted task.

This function is intended for advanced users only and is only relevant to FreeRTOS MPU ports (FreeRTOS ports that make use of a Memory Protection Unit).

MPU controlled memory regions can be assigned to an MPU restricted task when the task is created using the xTaskCreateRestricted() function. They can then be redefined (or reassigned) at run time using the xTaskAllocateMPURegions() function.

Single user license for jocy@mbari.org

### Parameters

**xTaskToModify** The handle of the restricted task being modified (the task that is being given access to the memory regions defined by the xRegions parameter).

The handle of a task is obtained using the pxCreatedTask parameter of the xTaskCreateRestricted() API function.

A task can modify its own memory region access definitions by passing NULL in place of a valid task handle.

**xRegions** An array of MemoryRegion\_t structures. The number of positions in the array is defined by the port specific portNUM\_CONFIGURABLE\_REGIONS constant. On a Cortex-M3 portNUM\_CONFIGURABLE\_REGIONS is defined as three.

Each MemoryRegion\_t structure in the array defines a single MPU memory region for use by the task referenced by the xTaskToModify parameter.

## Notes

MPU memory regions are defined using the `MemoryRegion_t` structure shown in Listing 3.

---

```
typedef struct xMEMORY_REGION
{
    void *pvBaseAddress;
    unsigned long ulLengthInBytes;
    unsigned long ulParameters;
} MemoryRegion_t;
```

---

**Listing 3 The data structures used by `xTaskCreateRestricted()`**

The `pvBaseAddress` and `ulLengthInBytes` members are self explanatory as the start of the memory region and the length of the memory region respectively. These must comply with the size and alignment restrictions imposed by the MPU. In particular, the size and alignment of each region must both be equal to the same power of two value.

`ulParameters` defines how the task is permitted to access the memory region being defined, and can take the bitwise OR of the following values:

- `portMPU_REGION_READ_WRITE`
- `portMPU_REGION_PRIVILEGED_READ_ONLY`
- `portMPU_REGION_READ_ONLY`
- `portMPU_REGION_PRIVILEGED_READ_WRITE`
- `portMPU_REGION_CACHEABLE_BUFFERABLE`
- `portMPU_REGION_EXECUTE_NEVER`

## Example

---

```
/* Define an array that the task will both read from and write to. Make sure the
size and alignment are appropriate for an MPU region (note this uses GCC syntax). */
static unsigned char ucOneKByte[ 1024 ] __attribute__((align( 1024 )));

/* Define an array of MemoryRegion_t structures that configures an MPU region
allowing
read/write access for 1024 bytes starting at the beginning of the ucOneKByte array.
The other two of the maximum three definable regions are unused, so set to zero. */
static const MemoryRegion_t xAltRegions[ portNUM_CONFIGURABLE_REGIONS ] =
{
    /* Base address    Length    Parameters */
    { ucOneKByte,      1024,      portMPU_REGION_READ_WRITE },
    { 0,               0,         0 },
    { 0,               0,         0 }
};

void vATask( void *pvParameters )
{
    /* This task was created using xTaskCreateRestricted() to have access to a
    maximum of three MPU controlled memory regions. At some point it is required
    that these MPU regions are replaced with those defined in the xAltRegions const
    structure defined above. Use a call to vTaskAllocateMPURegions() for this
    purpose. NULL is used as the task handle to indicate that the change should be
    applied to the calling task. */
    vTaskAllocateMPURegions( NULL, xAltRegions );

    /* Now the task can continue its function, but from this point on can only access
    its stack and the ucOneKByte array (unless any other statically defined or shared
    regions have been declared elsewhere). */
}
```

---

Listing 4 Example use of vTaskAllocateMPURegions()

## 2.3 xTaskCallApplicationHook()

---

---

```
#include "FreeRTOS.h"
#include "task.h"

BaseType_t xTaskCallApplicationTaskHook( TaskHandle_t xTask, void *pvParameters );
```

---

**Listing 5 xTaskCallApplicationTaskHook() function prototype**

### Summary

This function is intended for advanced users only.

The vTaskSetApplicationTaskTag() function can be used to assign a ‘tag’ value to a task. The meaning and use of the tag value is defined by the application writer. The kernel itself will not normally access the tag value.

As a special case, the tag value can be used to associate a ‘task hook’ (or callback) function to a task. When this is done, the hook function is called using xTaskCallApplicationTaskHook().

Task hook functions can be used for any purpose. The example shown in this section demonstrates a task hook being used to output debug trace information.

Task hook functions must have the prototype demonstrated by Listing 6.

---

```
BaseType_t xAnExampleTaskHookFunction( void *pvParameters );
```

---

**Listing 6 The prototype to which all task hook functions must conform**

xTaskCallApplicationTaskHook() is only available when configUSE\_APPLICATION\_TASK\_TAG is set to 1 in FreeRTOSConfig.h.

### Parameters

**xTask**            The handle of the task whose associated hook function is being called. See the pxCreatedTask parameter of the xTaskCreate() API function for information on obtaining handles to tasks.

A task can call its own hook function by passing NULL in place of a valid task handle.

pvParameters    The value used as the parameter to the task hook function itself.

This parameter has the type 'pointer to void' to allow the task hook function parameter to effectively, and indirectly by means of casting, receive a parameter of any type. For example, integer types can be passed into a hook function by casting the integer to a void pointer at the point the hook function is called, then by casting the void pointer parameter back to an integer within the hook function itself.

## Example

---

```
/* Define a hook (callback) function - using the required prototype as
demonstrated by Listing 6 */
static BaseType_t prvExampleTaskHook( void * pvParameter )
{
    /* Perform an action - this could be anything. In this example the hook
    is used to output debug trace information. pxCurrentTCB is the handle
    of the currently executing task. (vWriteTrace() is not an API function,
    its just used as an example.) */
    vWriteTrace( pxCurrentTCB );

    /* This example does not make use of the hook return value so just returns
    0 in every case. */
    return 0;
}

/* Define an example task that makes use of its tag value. */
void vAnotherTask( void *pvParameters )
{
    /* vTaskSetApplicationTaskTag() sets the 'tag' value associated with a task.
    NULL is used in place of a valid task handle to indicate that it should be
    the tag value of the calling task that gets set. In this example the 'value'
    being set is the hook function. */
    vTaskSetApplicationTaskTag( NULL, prvExampleTaskHook );

    for( ;; )
    {
        /* The rest of the task code goes here. */
    }
}

/* Define the traceTASK_SWITCHED_OUT() macro to call the hook function of each
task that is switched out. pxCurrentTCB points to the handle of the currently
running task. */
#define traceTASK_SWITCHED_OUT() xTaskCallApplicationTaskHook( pxCurrentTCB, 0 )
```

---

Listing 7 Example use of xTaskCallApplicationTaskHook()

## 2.4 xTaskCreate()

---

```
#include "FreeRTOS.h"
#include "task.h"

BaseType_t xTaskCreate( TaskFunction_t pvTaskCode,
                        const char * const pcName,
                        unsigned short usStackDepth,
                        void *pvParameters,
                        UBaseType_t uxPriority,
                        TaskHandle_t *pvCreatedTask );
```

---

Listing 8 xTaskCreate() function prototype

### Summary

Creates a new instance of a task.

Newly created tasks are initially placed in the Ready state, but will immediately become the Running state task if there are no higher priority tasks that are able to run.

Tasks can be created both before and after the scheduler has been started.

Single user license for jocy@mbari.org

### Parameters

**pvTaskCode** Tasks are simply C functions that never exit and, as such, are normally implemented as an infinite loop. The pvTaskCode parameter is simply a pointer to the function (in effect, just the function name) that implements the task.

**pcName** A descriptive name for the task. This is not used by FreeRTOS in any way. It is included purely as a debugging aid. Identifying a task by a human readable name is much simpler than attempting to identify it by its handle.

The application-defined constant configMAX\_TASK\_NAME\_LEN defines the maximum length a task name can take – including the NULL terminator. Supplying a string longer than this maximum will result in the string being silently truncated.

**usStackDepth** Each task has its own unique stack that is allocated by the kernel to the task when the task is created. The usStackDepth value tells the kernel how large

to make the stack.

The value specifies the number of words the stack can hold, not the number of bytes. For example, on an architecture with a 4 byte stack width, if `usStackDepth` is passed in as 100, then 400 bytes of stack space will be allocated (100 \* 4 bytes). The stack depth multiplied by the stack width must not exceed the maximum value that can be contained in a variable of type `size_t`.

The size of the stack used by the idle task is defined by the application-defined constant `configMINIMAL_STACK_SIZE`. The value assigned to this constant in the demo application provided for the chosen microcontroller architecture is the minimum recommended for any task on that architecture. If your task uses a lot of stack space, then you must assign a larger value.

**pvParameters** Task functions accept a parameter of type 'pointer to void' ( `void*` ). The value assigned to `pvParameters` will be the value passed into the task.

This parameter has the type 'pointer to void' to allow the task parameter to effectively, and indirectly by means of casting, receive a parameter of any type. For example, integer types can be passed into a task function by casting the integer to a void pointer at the point the task is created, then by casting the void pointer parameter back to an integer in the task function definition itself.

**uxPriority** Defines the priority at which the task will execute. Priorities can be assigned from 0, which is the lowest priority, to (`configMAX_PRIORITIES - 1`), which is the highest priority.

`configMAX_PRIORITIES` is a user defined constant. There is no upper limit to the number of priorities that can be available (other than the limit of the data types used and the RAM available in your microcontroller), but you should use the lowest number of priorities required, to avoid wasting RAM.

Passing a `uxPriority` value above (`configMAX_PRIORITIES - 1`) will result in the priority assigned to the task being capped silently to the maximum legitimate value.

**pxCreatedTask** `pxCreatedTask` can be used to pass out a handle to the task being created.

This handle can then be used to reference the task in API calls that, for example, change the task priority or delete the task.

If your application has no use for the task handle, then `pxCreatedTask` can be set to `NULL`.

## Return Values

|                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|----------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>pdPASS</code>                                | Indicates that the task has been created successfully.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <code>errCOULD_NOT_ALLOCATE_REQUIRED_MEMORY</code> | <p>Indicates that the task could not be created because there was insufficient heap memory available for FreeRTOS to allocate the task data structures and stack.</p> <p>If <code>heap_1.c</code>, <code>heap_2.c</code> or <code>heap_4.c</code> are included in the project then the total amount of heap available is defined by <code>configTOTAL_HEAP_SIZE</code> in <code>FreeRTOSConfig.h</code>, and failure to allocate memory can be trapped using the <code>vApplicationMallocFailedHook()</code> callback (or 'hook') function, and the amount of free heap memory remaining can be queried using the <code>xPortGetFreeHeapSize()</code> API function.</p> <p>If <code>heap_3.c</code> is included in the project then the total heap size is defined by the linker configuration.</p> |

Single user license for jocy@mban.org

## Example

---

```
/* Define a structure called xStruct and a variable of type xStruct. These are just used to
demonstrate a parameter being passed into a task function. */
typedef struct A_STRUCT
{
    char cStructMember1;
    char cStructMember2;
} xStruct;

/* Define a variable of the type xStruct to pass as the task parameter. */
xStruct xParameter = { 1, 2 };

/* Define the task that will be created. Note the name of the function that implements the task
is used as the first parameter in the call to xTaskCreate() below. */
void vTaskCode( void * pvParameters )
{
    xStruct *pxParameters;

    /* Cast the void * parameter back to the required type. */
    pxParameters = ( xStruct * ) pvParameters;

    /* The parameter can now be accessed as expected. */
    if( pxParameters->cStructMember1 != 1 )
    {
        /* Etc. */
    }

    /* Enter an infinite loop to perform the task processing. */
    for( ;; )
    {
        /* Task code goes here. */
    }
}

/* Define a function that creates a task. This could be called either before or after the
scheduler has been started. */
void vAnotherFunction( void )
{
    TaskHandle_t xHandle;

    /* Create the task. */
    if( xTaskCreate(
        vTaskCode,          /* Pointer to the function that implements the task. */
        "Demo task",        /* Text name given to the task. */
        STACK_SIZE,         /* The size of the stack that should be created for the task.
                             This is defined in words, not bytes. */
        (void*) &xParameter, /* A reference to xParameters is used as the task parameter.
                             This is cast to a void * to prevent compiler warnings. */
        TASK_PRIORITY,      /* The priority to assign to the newly created task. */
        &xHandle            /* The handle to the task being created will be placed in
                             xHandle. */
    ) != pdPASS )
    {
        /* The task could not be created as there was insufficient heap memory remaining. If
        heap_1.c, heap_2.c or heap_4.c are included in the project then this situation can be
        trapped using the vApplicationMallocFailedHook() callback (or 'hook') function, and the
        amount of FreeRTOS heap memory that remains unallocated can be queried using the
        xPortGetFreeHeapSize() API function.*/
    }
    else
    {
        /* The task was created successfully. The handle can now be used in other API functions,
        for example to change the priority of the task.*/
        vTaskPrioritySet( xHandle, 2 );
    }
}
```

---

Listing 9 Example use of xTaskCreate()

## 2.5 xTaskCreateRestricted()

---

```
#include "FreeRTOS.h"
#include "task.h"

BaseType_t xTaskCreateRestricted( TaskParameters_t *pxTaskDefinition,
                                TaskHandle_t *pxCreatedTask );
```

---

Listing 10 xTaskCreateRestricted() function prototype

### Summary

This function is intended for advanced users only and is only relevant to FreeRTOS MPU ports (FreeRTOS ports that make use of a Memory Protection Unit).

Create a new Memory Protection Unit (MPU) restricted task.

Newly created tasks are initially placed in the Ready state, but will immediately become the Running state task if there are no higher priority tasks that are able to run.

Tasks can be created both before and after the scheduler has been started.

Single user license for jocy@mbari.org

### Parameters

**pxTaskDefinition**    Pointer to a structure that defines the task. The structure is described under the notes heading in this section of the reference manual.

**pxCreatedTask**      pxCreatedTask can be used to pass out a handle to the task being created. This handle can then be used to reference the task in API calls that, for example, change the task priority or delete the task.

If your application has no use for the task handle, then pxCreatedTask can be set to NULL.

### Return Values

**pdPASS**             Indicates that the task has been created successfully.

**Any other value**    Indicates that the task could not be created as specified, probably because there is insufficient FreeRTOS heap memory available to allocate the task data structures.

If heap\_1.c, heap\_2.c or heap\_4.c are included in the project then the total amount of heap available is defined by configTOTAL\_HEAP\_SIZE in FreeRTOSConfig.h, and failure to allocate memory can be trapped using the vApplicationMallocFailedHook() callback (or 'hook') function, and the amount of free heap memory remaining can be queried using the xPortGetFreeHeapSize() API function.

If heap\_3.c is included in the project then the total heap size is defined by the linker configuration.

## Notes

xTaskCreateRestricted() makes use of the two data structures shown in Listing 11.

---

```
typedef struct xTASK_PARAMETERS
{
    TaskFunction_t pvTaskCode;
    const signed char * const pcName;
    unsigned short usStackDepth;
    void *pvParameters;
    UBaseType_t uxPriority;
    portSTACK_TYPE *puxStackBuffer;
    MemoryRegion_t xRegions[ portNUM_CONFIGURABLE_REGIONS ];
} TaskParameters_t;

/* ....where MemoryRegion_t is defined as: */

typedef struct xMEMORY_REGION
{
    void *pvBaseAddress;
    unsigned long ulLengthInBytes;
    unsigned long ulParameters;
} MemoryRegion_t;
```

---

**Listing 11 The data structures used by xTaskCreateRestricted()**

A description of the Listing 11 structure members is given below.

|                                |                                                                                                                                                                                                                                                                                                                                                          |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| pvTaskCode<br>to<br>uxPriority | <p>These structure members are equivalent to the xTaskCreate() API function parameters that have the same names.</p> <p>Unlike standard FreeRTOS tasks, protected tasks can be created in either User (un-privileged) or Supervisor (privileged) modes, and the uxPriority structure member is used to control this option. To create a task in User</p> |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

mode, uxPriority is set to equal the priority at which the task is to be created. To create a task in Supervisor mode, uxPriority is set to equal the priority at which the task is to be created *and* to have its most significant bit set. The macro portPRIVILEGE\_BIT is provided for this purpose.

For example, to create a User mode task at priority three, set uxPriority to equal 3. To create a Supervisor mode task at priority three, set uxPriority to equal ( 3 | portPRIVILEGE\_BIT ).

puxStackBuffer      The xTaskCreate() API function will automatically allocate a stack for use by the task being created. The restrictions imposed by using an MPU means that the xTaskCreateRestricted() function cannot do the same, and instead, the stack used by the task being created must be statically allocated and passed into the xTaskCreateRestricted() function using the puxStackBuffer parameter.

Each time a restricted task is switched in (transitioned to the Running state) the MPU is dynamically re-configured to define an MPU region that provides the task read and write access to its own stack. Therefore, the statically allocated task stack must comply with the size and alignment restrictions imposed by the MPU. In particular, the size and alignment of each region must both be equal to the same power of two value.

Statically declaring a stack buffer allows the alignment to be managed using compiler extensions, and allows the linker to take care of stack placement, which it will do as efficiently as possible. For example, if using GCC, a stack can be declared and correctly aligned using the following syntax:

---

```
char cTaskStack[ 1024 ] __attribute__((align(1024)));
```

---

**Listing 12 Statically declaring a correctly aligned stack for use by a restricted task**

MemoryRegion\_ts      An array of MemoryRegion\_t structures. Each MemoryRegion\_t structure

defines a single MPU memory region for use by the task being created. The Cortex-M3 FreeRTOS-MPU port defines `portNUM_CONFIGURABLE_REGIONS` to be 3. Three regions can be defined when the task is created. The regions can be redefined at run time using the `vTaskAllocateMPURegions()` function.

The `pvBaseAddress` and `ulLengthInBytes` members are self explanatory as the start of the memory region and the length of the memory region respectively. `ulParameters` defines how the task is permitted to access the memory region being defined, and can take the bitwise OR of the following values:

- `portMPU_REGION_READ_WRITE`
- `portMPU_REGION_PRIVILEGED_READ_ONLY`
- `portMPU_REGION_READ_ONLY`
- `portMPU_REGION_PRIVILEGED_READ_WRITE`
- `portMPU_REGION_CACHEABLE_BUFFERABLE`
- `portMPU_REGION_EXECUTE_NEVER`

## Example

---

```
/* Declare the stack that will be used by the protected task being created. The stack alignment
must match its size, and be a power of 2. So, if 128 words are reserved for the stack then it
must be aligned on a ( 128 * 4 ) byte boundary. This example uses GCC syntax. */
static portSTACK_TYPE xTaskStack[ 128 ] __attribute__((aligned(128*4)));

/* Declare an array that will be accessed by the protected task being created. The task should
only be able to read from the array, and not write to it. */
char cReadOnlyArray[ 512 ] __attribute__((aligned(512)));

/* Fill in a TaskParameters_t structure to define the task - this is the structure passed to the
xTaskCreateRestricted() function. */
static const TaskParameters_t xTaskDefinition =
{
    vTaskFunction,    /* pvTaskCode */
    "A task",         /* pcName */
    128,              /* usStackDepth - defined in words, not bytes. */
    NULL,             /* pvParameters */
    1,                /* uxPriority - priority 1, start in User mode. */
    xTaskStack,       /* puxStackBuffer - the array to use as the task stack. */

    /* xRegions - In this case only one of the three user definable regions is actually used.
    The parameters are used to set the region to read only. */
    {
        /* Base address    Length    Parameters */
        { cReadOnlyArray, 512,      portMPU_REGION_READ_ONLY },
        { 0,              0,        0 },
        { 0,              0,        0 }
    }
};

void main( void )
{
    /* Create the task defined by xTaskDefinition. NULL is used as the second parameter as a
    task handle is not required. */
    xTaskCreateRestricted( &xTaskDefinition, NULL );

    /* Start the scheduler. */
    vTaskStartScheduler();

    /* Should not reach here! */
}
```

---

Listing 13 Example use of xTaskCreateRestricted()

## 2.6 vTaskDelay()

---

```
#include "FreeRTOS.h"
#include "task.h"

void vTaskDelay( TickType_t xTicksToDelay );
```

---

Listing 14 vTaskDelay() function prototype

### Summary

Places the task that calls vTaskDelay() into the Blocked state for a fixed number of tick interrupts.

Specifying a delay period of zero ticks will not result in the calling task being placed into the Blocked state, but will result in the calling task yielding to any Ready state tasks that share its priority. Calling vTaskDelay( 0 ) is equivalent to calling taskYIELD().

### Parameters

**xTicksToDelay** The number of tick interrupts that the calling task will remain in the Blocked state before being transitioned back into the Ready state. For example, if a task called vTaskDelay( 100 ) when the tick count was 10,000, then it would immediately enter the Blocked state and remain in the Blocked state until the tick count reached 10,100.

Any time that remains between vTaskDelay() being called, and the next tick interrupt occurring, counts as one complete tick period. Therefore, the highest time resolution that can be achieved when specifying a delay period is, in the worst case, equal to one complete tick interrupt period.

The constant portTICK\_PERIOD\_MS can be used to convert milliseconds into ticks. This is demonstrated in the example in this section.

### Return Values

None.

## Notes

INCLUDE\_vTaskDelay must be set to 1 in FreeRTOSConfig.h for the vTaskDelay() API function to be available.

## Example

---

```
void vAnotherTask( void * pvParameters )
{
    for( ;; )
    {
        /* Perform some processing here. */

        ...

        /* Enter the Blocked state for 20 tick interrupts - the actual time spent
        in the Blocked state is dependent on the tick frequency. */
        vTaskDelay( 20 );

        /* 20 ticks will have passed since the first call to vTaskDelay() was
        executed. */

        /* Enter the Blocked state for 20 milliseconds. Using the
        portTICK_PERIOD_MS constant means the tick frequency can change without
        effecting the time spent in the blocked state (other than due to the
        resolution of the tick frequency). */
        vTaskDelay( 20 / portTICK_PERIOD_MS );
    }
}
```

Single user license for jocy@mbari.org

---

**Listing 15 Example use of vTaskDelay()**

## 2.7 vTaskDelayUntil()

---

```
#include "FreeRTOS.h"
#include "task.h"

void vTaskDelayUntil( TickType_t *pxPreviousWakeTime, TickType_t xTimeIncrement );
```

---

Listing 16 vTaskDelayUntil() function prototype

### Summary

Places the task that calls vTaskDelayUntil() into the Blocked state until an absolute time is reached.

Periodic tasks can use vTaskDelayUntil() to achieve a constant execution frequency.

### Differences Between vTaskDelay() and vTaskDelayUntil()

vTaskDelay() results in the calling task entering into the Blocked state, and then remaining in the Blocked state, for the specified number of ticks from the time vTaskDelay() was called. The time at which the task that called vTaskDelay() exits the Blocked state is *relative* to when vTaskDelay() was called.

vTaskDelayUntil() results in the calling task entering into the Blocked state, and then remaining in the Blocked state, until an *absolute* time has been reached. The task that called vTaskDelayUntil() exits the Blocked state exactly at the specified time, not at a time that is relative to when vTaskDelayUntil() was called.

### Parameters

**pxPreviousWakeTime** This parameter is named on the assumption that vTaskDelayUntil() is being used to implement a task that executes periodically and with a fixed frequency. In this case pxPreviousWakeTime holds the time at which the task last left the Blocked state (was 'woken' up). This time is used as a reference point to calculate the time at which the task should next leave the Blocked state.

The variable pointed to by pxPreviousWakeTime is updated automatically within the vTaskDelayUntil() function; it would not

normally be modified by the application code, other than when the variable is first initialized. The example in this section demonstrates how the initialization is performed.

#### **xTimeIncrement**

This parameter is also named on the assumption that `vTaskDelayUntil()` is being used to implement a task that executes periodically and with a fixed frequency – the frequency being set by the `xTimeIncrement` value.

`xTimeIncrement` is specified in ‘ticks’. The constant `portTICK_PERIOD_MS` can be used to convert milliseconds to ticks.

#### **Return Values**

None.

#### **Notes**

`INCLUDE_vTaskDelayUntil` must be set to 1 in `FreeRTOSConfig.h` for the `vTaskDelay()` API function to be available.

Single user license for jocy@mbari.org

## Example

---

```
/* Define a task that performs an action every 50 milliseconds. */
void vCyclicTaskFunction( void * pvParameters )
{
    TickType_t xLastWakeTime;
    const TickType_t xPeriod = ( 50 / portTICK_PERIOD_MS );

    /* The xLastWakeTime variable needs to be initialized with the current tick
    count. Note that this is the only time the variable is written to explicitly.
    After this assignment, xLastWakeTime is updated automatically internally within
    vTaskDelayUntil(). */
    xLastWakeTime = xTaskGetTickCount();

    /* Enter the loop that defines the task behavior. */
    for( ;; )
    {
        /* This task should execute every 50 milliseconds. Time is measured
        in ticks. The portTICK_PERIOD_MS constant is used to convert milliseconds
        into ticks. xLastWakeTime is automatically updated within vTaskDelayUntil()
        so is not explicitly updated by the task. */
        vTaskDelayUntil( &xLastWakeTime, xPeriod );

        /* Perform the periodic actions here. */
    }
}
```

---

**Listing 17 Example use of vTaskDelayUntil()**

Single user license for jocy@mbari.org

## 2.8 vTaskDelete()

---

```
#include "FreeRTOS.h"
#include "task.h"

void vTaskDelete( TaskHandle_t pxTask );
```

---

Listing 18 vTaskDelete() function prototype

### Summary

Deletes an instance of a task that was previously created using a call to xTaskCreate().

Deleted tasks no longer exist so cannot enter the Running state.

Do not attempt to use a task handle to reference a task that has been deleted.

When a task is deleted, it is the responsibility of the idle task to free the memory that had been used to hold the deleted task's stack and data structures (task control block). Therefore, if an application makes use of the vTaskDelete() API function, it is vital that the application also ensures the idle task is not starved of processing time (the idle task must be allocated time in the Running state).

Single user license for jocy@mbari.org

Only memory that is allocated to a task by the kernel itself is automatically freed when a task is deleted. Memory, or any other resource, that the application (rather than the kernel) allocates to a task must be explicitly freed by the application when the task is deleted.

### Parameters

**pxTask** The handle of the task being deleted (the subject task) – see the pxCreatedTask parameter of the xTaskCreate() API function for information on obtaining handles to tasks.

A task can delete itself by passing NULL in place of a valid task handle.

### Return Values

None.

## Example

---

```
void vAnotherFunction( void )
{
    TaskHandle_t xHandle;

    /* Create a task, storing the handle to the created task in xHandle. */
    if(
        xTaskCreate(
            vTaskCode,
            "Demo task",
            STACK_SIZE,
            NULL,
            PRIORITY,
            &xHandle /* The address of xHandle is passed in as the
                    last parameter to xTaskCreate() to obtain a handle
                    to the task being created. */
        )
        != pdPASS )
    {
        /* The task could not be created because there was not enough FreeRTOS heap
        memory available for the task data structures and stack to be allocated. */
    }
    else
    {
        /* Delete the task just created. Use the handle passed out of xTaskCreate()
        to reference the subject task. */
        vTaskDelete( xHandle );
    }

    /* Delete the task that called this function by passing NULL in as the
    vTaskDelete() parameter. The same task (this task) could also be deleted by
    passing in a valid handle to itself. */
    vTaskDelete( NULL );
}
```

---

Listing 19 Example use of the vTaskDelete()

## 2.9 taskDISABLE\_INTERRUPTS()

---

```
#include "FreeRTOS.h"
#include "task.h"

void taskDISABLE_INTERRUPTS( void );
```

---

**Listing 20 taskDISABLE\_INTERRUPTS() macro prototype**

### Summary

If the FreeRTOS port being used does not make use of the configMAX\_SYSCALL\_INTERRUPT\_PRIORITY (or configMAX\_API\_CALL\_INTERRUPT\_PRIORITY, depending on the port) kernel configuration constant, then calling taskDISABLE\_INTERRUPTS() will leave interrupts globally disabled.

If the FreeRTOS port being used does make use of the configMAX\_SYSCALL\_INTERRUPT\_PRIORITY kernel configuration constant, then calling taskDISABLE\_INTERRUPTS() will leave interrupts at and below the interrupt priority set by configMAX\_SYSCALL\_INTERRUPT\_PRIORITY disabled, and all higher priority interrupt enabled.

configMAX\_SYSCALL\_INTERRUPT\_PRIORITY is normally defined in FreeRTOSConfig.h.

Calls to taskDISABLE\_INTERRUPTS() and taskENABLE\_INTERRUPTS() are not designed to nest. For example, if taskDISABLE\_INTERRUPTS() is called twice, a single call to taskENABLE\_INTERRUPTS() will still result in interrupts becoming enabled. If nesting is required then use taskENTER\_CRITICAL() and taskEXIT\_CRITICAL() in place of taskDISABLE\_INTERRUPTS() and taskENABLE\_INTERRUPTS() respectively.

Some FreeRTOS API functions use critical sections that will re-enable interrupts if the critical section nesting count is zero – even if interrupts were disabled by a call to taskDISABLE\_INTERRUPTS() before the API function was called. It is not recommended to call FreeRTOS API functions when interrupts have already been disabled.

### Parameters

None.

## **Return Values**

None.

Single user license for jocy@mbari.org

## 2.10 taskENABLE\_INTERRUPTS()

---

```
#include "FreeRTOS.h"
#include "task.h"

void taskENABLE_INTERRUPTS( void );
```

---

Listing 21 taskENABLE\_INTERRUPTS() macro prototype

### Summary

Calling taskENABLE\_INTERRUPTS() will result in all interrupt priorities being enabled.

Calls to taskDISABLE\_INTERRUPTS() and taskENABLE\_INTERRUPTS() are not designed to nest. For example, if taskDISABLE\_INTERRUPTS() is called twice a single call to taskENABLE\_INTERRUPTS() will still result in interrupts becoming enabled. If nesting is required then use taskENTER\_CRITICAL() and taskEXIT\_CRITICAL() in place of taskDISABLE\_INTERRUPTS() and taskENABLE\_INTERRUPTS() respectively.

Some FreeRTOS API functions use critical sections that will re-enable interrupts if the critical section nesting count is zero – even if interrupts were disabled by a call to taskDISABLE\_INTERRUPTS() before the API function was called. It is not recommended to call FreeRTOS API functions when interrupts have already been disabled.

### Parameters

None.

### Return Values

None.

## 2.11 taskENTER\_CRITICAL()

---

```
#include "FreeRTOS.h"
#include "task.h"

void taskENTER_CRITICAL( void );
```

---

**Listing 22 taskENTER\_CRITICAL macro prototype**

### Summary

Critical sections are entered by calling taskENTER\_CRITICAL(), and subsequently exited by calling taskEXIT\_CRITICAL().

The taskENTER\_CRITICAL() and taskEXIT\_CRITICAL() macros provide a basic critical section implementation that works by simply disabling interrupts, either globally or up to a specific interrupt priority level.

If the FreeRTOS port being used does not make use of the configMAX\_SYSCALL\_INTERRUPT\_PRIORITY kernel configuration constant, then calling taskENTER\_CRITICAL() will leave interrupts globally disabled.

If the FreeRTOS port being used does make use of the configMAX\_SYSCALL\_INTERRUPT\_PRIORITY (or configMAX\_API\_CALL\_INTERRUPT\_PRIORITY, depending on the port) kernel configuration constant, then calling taskENTER\_CRITICAL() will leave interrupts at and below the interrupt priority set by configMAX\_SYSCALL\_INTERRUPT\_PRIORITY disabled, and all higher priority interrupt enabled.

Preemptive context switches only occur inside an interrupt, so will not occur when interrupts are disabled. Therefore, the task that called taskENTER\_CRITICAL() is guaranteed to remain in the Running state until the critical section is exited, unless the task explicitly attempts to block or yield (which it should not do from inside a critical section).

Calls to taskENTER\_CRITICAL() and taskEXIT\_CRITICAL() are designed to nest. Therefore, a critical section will only be exited when one call to taskEXIT\_CRITICAL() has been executed for every preceding call to taskENTER\_CRITICAL().

Critical sections must be kept very short, otherwise they will adversely affect interrupt response times. Every call to `taskENTER_CRITICAL()` must be closely paired with a call to `taskEXIT_CRITICAL()`.

FreeRTOS API functions must not be called from within a critical section.

### **Parameters**

None.

### **Return Values**

None.

Single user license for jocy@mbari.org

## Example

---

```
/* A function that makes use of a critical section. */
void vDemoFunction( void )
{
    /* Enter the critical section - in this example, this function is itself called
    from within a critical section, so entering this critical section will result
    in a nesting depth of 2. */
    taskENTER_CRITICAL();

    /* Perform the action that is being protected by the critical section here. */

    /* Exit the critical section - in this example, this function is itself called
    from a critical section, so this call to taskEXIT_CRITICAL() will decrement the
    nesting count by one, but not result in interrupts becoming enabled. */
    taskEXIT_CRITICAL();
}

/* A task that calls vDemoFunction() from within a critical section. */
void vTask1( void * pvParameters )
{
    for( ;; )
    {
        /* Perform some functionality here. */

        /* Call taskENTER_CRITICAL() to create a critical section. */
        taskENTER_CRITICAL();

        /* Execute the code that requires the critical section here. */

        Single user license for jocy@mbari.org

        /* Calls to taskENTER_CRITICAL() can be nested so it is safe to call a
        function that includes its own calls to taskENTER_CRITICAL() and
        taskEXIT_CRITICAL(). */
        vDemoFunction();

        /* The operation that required the critical section is complete so exit the
        critical section. After this call to taskEXIT_CRITICAL(), the nesting depth
        will be zero, so interrupts will have been re-enabled. */
        taskEXIT_CRITICAL();
    }
}
```

---

Listing 23 Example use of taskENTER\_CRITICAL() and taskEXIT\_CRITICAL()

## 2.12 taskEXIT\_CRITICAL()

---

```
#include "FreeRTOS.h"
#include "task.h"

void taskEXIT_CRITICAL( void );
```

---

Listing 24 taskEXIT\_CRITICAL() macro prototype

### Summary

Critical sections are entered by calling taskENTER\_CRITICAL(), and subsequently exited by calling taskEXIT\_CRITICAL().

The taskENTER\_CRITICAL() and taskEXIT\_CRITICAL() macros provide a basic critical section implementation that works by simply disabling interrupts, either globally or up to a specific interrupt priority level.

If the FreeRTOS port being used does not make use of the configMAX\_SYSCALL\_INTERRUPT\_PRIORITY kernel configuration constant, then calling taskENTER\_CRITICAL() will leave interrupts globally disabled.

Single user license for jocy@mbari.org

If the FreeRTOS port being used does make use of the configMAX\_SYSCALL\_INTERRUPT\_PRIORITY kernel configuration constant, then calling taskENTER\_CRITICAL() will leave interrupts at and below the interrupt priority set by configMAX\_SYSCALL\_INTERRUPT\_PRIORITY disabled, and all higher priority interrupt enabled.

Preemptive context switches only occur inside an interrupt, so will not occur when interrupts are disabled. Therefore, the task that called taskENTER\_CRITICAL() is guaranteed to remain in the Running state until the critical section is exited, unless the task explicitly attempts to block or yield (which it should not do from inside a critical section).

Calls to taskENTER\_CRITICAL() and taskEXIT\_CRITICAL() are designed to nest. Therefore, a critical section will only be exited when one call to taskEXIT\_CRITICAL() has been executed for every preceding call to taskENTER\_CRITICAL().

Critical sections must be kept very short otherwise they will adversely affect interrupt response times. Every call to taskENTER\_CRITICAL() must be closely paired with a call to taskEXIT\_CRITICAL().

FreeRTOS API functions must not be called from within a critical section.

**Parameters**

None.

**Return Values**

None.

**Example**

See Listing 23.

Single user license for jocy@mbari.org

## 2.13 xTaskGetApplicationTaskTag()

---

```
#include "FreeRTOS.h"
#include "task.h"

TaskHookFunction_t xTaskGetApplicationTaskTag( TaskHandle_t xTask );
```

---

**Listing 25 xTaskGetApplicationTaskTag() function prototype**

### Summary

Returns the 'tag' value associated with a task. The meaning and use of the tag value is defined by the application writer. The kernel itself will not normally access the tag value.

This function is intended for advanced users only.

### Parameters

**xTask** The handle of the task being queried. This is the subject task.

A task can obtain its own tag value by either using its own task handle, or by using NULL in place of a valid task handle.

### Return Values

The 'tag' value of the task being queried.

### Notes

The tag value can be used to hold a function pointer. When this is done the function assigned to the tag value can be called using the xTaskCallApplicationTaskHook() API function. This technique is in effect assigning a callback function to the task. It is common for such a callback to be used in combination with the traceTASK\_SWITCHED\_IN() macro to implement an execution trace feature.

configUSE\_APPLICATION\_TASK\_TAG must be set to 1 in FreeRTOSConfig.h for vTaskGetApplicationTaskTag() to be available.

## Example

---

```
/* In this example, an integer is set as the task tag value. */
void vATask( void *pvParameters )
{
    /* Assign a tag value of 1 to the currently executing task. The (void *) cast
    is used to prevent compiler warnings. */
    vTaskSetApplicationTaskTag( NULL, ( void * ) 1 );

    for( ;; )
    {
        /* Rest of task code goes here. */
    }
}

void vAFunction( void )
{
    TaskHandle_t xHandle;
    long lReturnedTaskHandle;

    /* Create a task from the vATask() function, storing the handle to the created
    task in the xTask variable. */

    /* Create the task. */
    if( xTaskCreate(
        vATask,                /* Pointer to the function that implements the task. */
        "Demo task",          /* Text name given to the task. */
        STACK_SIZE,           /* The size of the stack that should be created for the task.
                               This is defined in words, not bytes. */
        NULL,                 /* The task does not use the parameter. */
        TASK_PRIORITY,        /* The priority to assign to the newly created task. */
        &xHandle              /* The handle to the task being created will be placed in
                               xHandle. */
    ) == pdPASS )
    {
        /* The task was created successfully. Delay for a short period to allow
        the task to run. */
        vTaskDelay( 100 );

        /* What tag value is assigned to the task? The returned tag value is
        stored in an integer, so cast to an integer to prevent compiler warnings. */
        lReturnedTaskHandle = ( long ) xTaskGetApplicationTaskTag( xHandle );
    }
}
```

---

Listing 26 Example use of xTaskGetApplicationTaskTag()

## 2.14 xTaskGetCurrentTaskHandle()

---

```
#include "FreeRTOS.h"
#include "task.h"

TaskHandle_t xTaskGetCurrentTaskHandle( void );
```

---

**Listing 27 xTaskGetCurrentTaskHandle() function prototype**

### Summary

Returns the handle of the task that is in the Running state – which will be the handle of the task that called xTaskGetCurrentTaskHandle().

### Parameters

None.

### Return Values

The handle of the task that called xTaskGetCurrentTaskHandle().

### Notes

INCLUDE\_xTaskGetCurrentTaskHandle must be set to 1 in FreeRTOSConfig.h for xTaskGetCurrentTaskHandle() to be available.

## 2.15 xTaskGetIdleTaskHandle()

---

```
#include "FreeRTOS.h"
#include "task.h"

TaskHandle_t xTaskGetIdleTaskHandle( void );
```

---

**Listing 28 xTaskGetIdleTaskHandle() function prototype**

### Summary

Returns the task handle associated with the Idle task. The Idle task is created automatically when the scheduler is started.

### Parameters

None.

### Return Values

The handle of the Idle task.

Single user license for jocy@mbari.org

### Notes

INCLUDE\_xTaskGetIdleTaskHandle must be set to 1 in FreeRTOSConfig.h for xTaskGetIdleTaskHandle() to be available.

## 2.16 uxTaskGetNumberOfTasks()

---

```
#include "FreeRTOS.h"
#include "task.h"

UBaseType_t uxTaskGetNumberOfTasks( void );
```

---

**Listing 29 uxTaskGetNumberOfTasks() function prototype**

### Summary

Returns the total number of tasks that exist at the time uxTaskGetNumberOfTasks() is called.

### Parameters

None.

### Return Values

The value returned is the total number of tasks that are under the control of the FreeRTOS kernel at the time uxTaskGetNumberOfTasks() is called. This is the number of Suspended state tasks, plus the number of Blocked state tasks, plus the number of Ready state tasks, plus the idle task, plus the Running state task.

## 2.17 vTaskGetRunTimeStats()

```
#include "FreeRTOS.h"
#include "task.h"

void vTaskGetRunTimeStats( char *pcWriteBuffer );
```

Listing 30 vTaskGetRunTimeStats() function prototype

### Summary

FreeRTOS can be configured to collect task run time statistics. Task run time statistics provide information on the amount of processing time each task has received. Figures are provided as both an absolute time and a percentage of the total application run time. The vTaskGetRunTimeStats() API function formats the collected run time statistics into a human readable table. Columns are generated for the task name, the absolute time allocated to that task, and the percentage of the total application run time allocated to that task. A row is generated for each task in the system, including the Idle task. An example output is shown in Figure 1.

| Task    | Abs Time | % Time |
|---------|----------|--------|
| uIP     | 12050    | <1%    |
| IDLE    | 587724   | 24%    |
| QProdB2 | 2172     | <1%    |
| QProdB3 | 10002    | <1%    |
| QProdB5 | 11504    | <1%    |
| QConsB6 | 11671    | <1%    |
| PolSEM1 | 60033    | 2%     |
| PolSEM2 | 59957    | 2%     |
| IntMath | 349246   | 14%    |
| MuLow   | 36619    | 1%     |
| GenO    | 579715   | 24%    |

Figure 1 An example of the table produced by calling vTaskGetRunTimeStats()

### Parameters

**pcWriteBuffer** A pointer to a character buffer into which the formatted and human readable table is written. The buffer must be large enough to hold the entire table, as no boundary checking is performed.

## Return Values

None.

## Notes

`vTaskGetRunTimeStats()` is a utility function that is provided for convenience only. It is not considered part of the kernel. `vTaskGetRunTimeStats()` obtains its raw data using the `xTaskGetSystemState()` API function.

`configGENERATE_RUN_TIME_STATS` and `configUSE_STATS_FORMATTING_FUNCTIONS` must both be set to 1 in `FreeRTOSConfig.h` for `vTaskGetRunTimeStats()` to be available. Setting `configGENERATE_RUN_TIME_STATS` will also require the application to define the following macros:

|                                                       |                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>portCONFIGURE_TIMER_FOR_RUN_TIME_STATS()</code> | This macro must be provided to initialize whichever peripheral is used to generate the time base. The time base used by the run time stats must have a higher resolution than the tick interrupt, otherwise the gathered statistics may be too inaccurate to be truly useful. It is recommended to make the time base between 10 and 20 times faster than the tick interrupt |
|-------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Single user license for jocy@mba.ru

portGET\_RUN\_TIME\_COUNTER\_VALUE(), or  
portALT\_GET\_RUN\_TIME\_COUNTER\_VALUE(Time)

One of these two macros must be provided to return the current time base value – which is the total time that the application has been running in the chosen time base units. If the first macro is used it must be defined to evaluate to the current time base value. If the second macro is used it must be defined to set its 'Time' parameter to the current time base value.

These macros can be defined in FreeRTOSConfig.h.

## Example

---

```
/* The LM3Sxxx Eclipse demo application already includes a 20KHz timer interrupt.
The interrupt handler was updated to simply increment a variable called
ulHighFrequencyTimerTicks each time it executed.
portCONFIGURE_TIMER_FOR_RUN_TIME_STATS() then sets this variable to 0 and
portGET_RUN_TIME_COUNTER_VALUE() returns its value. To implement this the following
few lines are added to FreeRTOSConfig.h. */

extern volatile unsigned long ulHighFrequencyTimerTicks;

/* ulHighFrequencyTimerTicks is already being incremented at 20KHz. Just set
its value back to 0. */
#define portCONFIGURE_TIMER_FOR_RUN_TIME_STATS() ( ulHighFrequencyTimerTicks = 0UL )

/* Simply return the high frequency counter value. */
#define portGET_RUN_TIME_COUNTER_VALUE()      ulHighFrequencyTimerTicks
```

---

Listing 31 Example macro definitions, taken from the LM3Sxxx Eclipse Demo

---

```

/* The LPC17xx demo application does not include the high frequency interrupt test,
so portCONFIGURE_TIMER_FOR_RUN_TIME_STATS() is used to configure the timer 0
peripheral to generate the time base. portGET_RUN_TIME_COUNTER_VALUE() simply returns
the current timer 0 counter value. This was implemented using the following functions
and macros. */

```

```

/* Defined in main.c. */
void vConfigureTimerForRunTimeStats( void )
{
    const unsigned long TCR_COUNT_RESET = 2,
                        CTCR_CTM_TIMER = 0x00,
                        TCR_COUNT_ENABLE = 0x01;

    /* Power up and feed the timer with a clock. */
    PCONP |= 0x02UL;
    PCLKSEL0 = (PCLKSEL0 & ~(0x3<<2)) | (0x01 << 2);

    /* Reset Timer 0 */
    T0TCR = TCR_COUNT_RESET;

    /* Just count up. */
    T0CTCR = CTCR_CTM_TIMER;

    /* Prescale to a frequency that is good enough to get a decent resolution,
but not too fast so as to overflow all the time. */
    T0PR = ( configCPU_CLOCK_HZ / 10000UL ) - 1UL;

    /* Start the counter. */
    T0TCR = TCR_COUNT_ENABLE;
}

/* Defined in FreeRTOSConfig.h. Single user license for jocy@mbari.org
extern void vConfigureTimerForRunTimeStats( void );
#define portCONFIGURE_TIMER_FOR_RUN_TIME_STATS() vConfigureTimerForRunTimeStats()
#define portGET_RUN_TIME_COUNTER_VALUE() T0TC

```

---

**Listing 32 Example macro definitions, taken from the LPC17xx Eclipse Demo**

---

```

void vAFunction( void )
{
    /* Define a buffer that is large enough to hold the generated table. In most cases
the buffer will be too large to allocate on the stack, hence in this example it is
declared static. */
    static char cBuffer[ BUFFER_SIZE ];

    /* Pass the buffer into vTaskGetRunTimeStats() to generate the table of data. */
    vTaskGetRunTimeStats( cBuffer );

    /* The generated information can be saved or viewed here. */
}

```

---

**Listing 33 Example use of vTaskGetRunTimeStats()**

---

## 2.18 xTaskGetSchedulerState()

---

```
#include "FreeRTOS.h"
#include "task.h"

BaseType_t xTaskGetSchedulerState( void );
```

---

**Listing 34 xTaskGetSchedulerState() function prototype**

### Summary

Returns a value that indicates the state the scheduler is in at the time xTaskGetSchedulerState() is called.

### Parameters

None.

### Return Values

taskSCHEDULER\_NOT\_STARTED This value will only be returned when xTaskGetSchedulerState() is called before vTaskStartScheduler() has been called.

taskSCHEDULER\_RUNNING Returned if vTaskStartScheduler() has already been called, provided the scheduler is not in the Suspended state.

taskSCHEDULER\_SUSPENDED Returned when the scheduler is in the Suspended state because vTaskSuspendAll() was called.

### Notes

INCLUDE\_xTaskGetSchedulerState must be set to 1 in FreeRTOSConfig.h for xTaskGetSchedulerState() to be available.

## 2.19 uxTaskGetStackHighWaterMark()

---

```
#include "FreeRTOS.h"
#include "task.h"

UBaseType_t uxTaskGetStackHighWaterMark( TaskHandle_t xTask );
```

---

### Summary

Each task maintains its own stack, the total size of which is specified when the task is created. `uxTaskGetStackHighWaterMark()` is used to query how close a task has come to overflowing the stack space allocated to it. This value is called the stack 'high water mark'.

### Parameters

**xTask** The handle of the task whose stack high water mark is being queried (the subject task). See the `pxCreatedTask` parameter of the `xTaskCreate()` API function for information on obtaining handles to tasks.

Single user license for jocy@mbari.org

A task can query its own stack high water mark by passing `NULL` in place of a valid task handle.

### Return Values

The amount of stack used by a task grows and shrinks as the task executes and interrupts are processed. `uxTaskGetStackHighWaterMark()` returns the minimum amount of remaining stack space that has been available since the task started executing. This is the amount of stack that remained unused when stack usage was at its greatest (or deepest) value. The closer the high water mark is to zero, the closer the task has come to overflowing its stack.

### Notes

`uxTaskGetStackHighWaterMark()` can take a relatively long time to execute. It is therefore recommended that its use is limited to test and debug builds.

`INCLUDE_uxTaskGetStackHighWaterMark` must be set to 1 in `FreeRTOSConfig.h` for `uxTaskGetStackHighWaterMark()` to be available.

## Example

---

```
void vTask1( void * pvParameters )
{
    UBaseType_t uxHighWaterMark;

    /* Inspect the high water mark of the calling task when the task starts to
    execute. */
    uxHighWaterMark = uxTaskGetStackHighWaterMark( NULL );

    for( ;; )
    {
        /* Call any function. */
        vTaskDelay( 1000 );

        /* Calling a function will have used some stack space, so it will be
        expected that uxTaskGetStackHighWaterMark() will return a lower value
        at this point than when it was called on entry to the task function. */
        uxHighWaterMark = uxTaskGetStackHighWaterMark( NULL );
    }
}
```

---

**Listing 35** Example use of `uxTaskGetStackHighWaterMark()`

Single user license for jocy@mbari.org

## 2.20 eTaskGetState()

---

```
#include "FreeRTOS.h"
#include "task.h"

eTaskState eTaskGetState( TaskHandle_t pxTask );
```

---

**Listing 36 eTaskGetState() function prototype**

### Summary

Returns as an enumerated type the state in which a task existed at the time eTaskGetState() was executed.

### Parameters

**pxTask** The handle of the subject task.

The handle of a task is obtained using the `pxCreatedTask` parameter of the `xTaskCreate()` API function.

Single user license for jocy@mbari.org

### Return Values

Table 1 lists the value that eTaskGetState() will return for each possible state that the task referenced by the `pxTask` parameter can exist in.

**Table 1. eTaskGetState() return values**

| State     | Return Value                                                  |
|-----------|---------------------------------------------------------------|
| Running   | eRunning (the task is querying its own state)                 |
| Ready     | eReady                                                        |
| Blocked   | eBlocked                                                      |
| Suspended | eSuspended                                                    |
| Deleted   | eDeleted (the task's structures are waiting to be cleaned up) |

## Notes

INCLUDE\_eTaskGetState must be set to 1 in FreeRTOSConfig.h for the eTaskGetState() API function to be available.

Single user license for jocy@mbari.org

## 2.21 uxTaskGetSystemState()

---

```
#include "FreeRTOS.h"
#include "task.h"

UBaseType_t uxTaskGetSystemState( TaskStatus_t * const pxTaskStatusArray,
                                   const UBaseType_t uxArraySize,
                                   unsigned long * const pulTotalRunTime );
```

---

Listing 37 uxTaskGetSystemState() function prototype

### Summary

uxTaskGetSystemState() populates an TaskStatus\_t structure for each task in the system. TaskStatus\_t structures contain, among other things, members for the task handle, task name, task priority, task state, and total amount of run time consumed by the task.

The TaskStatus\_t structure is defined in Listing 39.

### Parameters

- |                   |                                                                                                                                                                                                                                                                                        |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| pxTaskStatusArray | A pointer to an array of TaskStatus_t structures. The array must contain at least one TaskStatus_t structure for each task that is under the control of the RTOS. The number of tasks under the control of the RTOS can be determined using the uxTaskGetNumberOfTasks() API function. |
| uxArraySize       | The size of the array pointed to by the pxTaskStatusArray parameter. The size is specified as the number of indexes in the array (the number of TaskStatus_t structures contained in the array), not by the number of bytes in the array.                                              |
| pulTotalRunTime   | If configGENERATE_RUN_TIME_STATS is set to 1 in FreeRTOSConfig.h then *pulTotalRunTime is set by uxTaskGetSystemState() to the total run time (as defined by the run time stats clock) since the target booted. pulTotalRunTime can be set to NULL to omit the total run time value.   |

## Return Values

The number of `TaskStatus_t` structures that were populated by `uxTaskGetSystemState()`. This should equal the number returned by the `uxTaskGetNumberOfTasks()` API function, but will be zero if the value passed in the `uxArraySize` parameter was too small.

## Notes

This function is intended for debugging use only as its use results in the scheduler remaining suspended for an extended period.

`configUSE_TRACE_FACILITY` must be defined as 1 in `FreeRTOSConfig.h` for `uxTaskGetSystemState()` to be available.

Single user license for jocy@mbari.org

## Example

---

```
/* This example demonstrates how a human readable table of run time stats
information is generated from raw data provided by uxTaskGetSystemState().
The human readable table is written to pcWriteBuffer. (see the vTaskList()
API function which actually does just this). */
void vTaskGetRunTimeStats( signed char *pcWriteBuffer )
{
    TaskStatus_t *pxTaskStatusArray;
    volatile UBaseType_t uxArraySize, x;
    unsigned long ulTotalRunTime, ulStatsAsPercentage;

    /* Make sure the write buffer does not contain a string. */
    *pcWriteBuffer = 0x00;

    /* Take a snapshot of the number of tasks in case it changes while this
    function is executing. */
    uxArraySize = uxCurrentNumberOfTasks();

    /* Allocate a TaskStatus_t structure for each task. An array could be
    allocated statically at compile time. */
    pxTaskStatusArray = pvPortMalloc( uxCurrentNumberOfTasks * sizeof( TaskStatus_t ) );

    if( pxTaskStatusArray != NULL )
    {
        /* Generate raw status information about each task. */
        uxArraySize = uxTaskGetSystemState( pxTaskStatusArray, uxArraySize, &ulTotalRunTime );

        /* For percentage calculations. */
        ulTotalRunTime /= 100UL;

        /* Avoid divide by zero errors. */
        if( ulTotalRunTime > 0 )
        {
            /* For each populated position in the pxTaskStatusArray array,
            format the raw data as human readable ASCII data. */
            for( x = 0; x < uxArraySize; x++ )
            {
                /* What percentage of the total run time has the task used?
                This will always be rounded down to the nearest integer.
                ulTotalRunTimeDiv100 has already been divided by 100. */
                ulStatsAsPercentage = pxTaskStatusArray[ x ].ulRunTimeCounter / ulTotalRunTime;

                if( ulStatsAsPercentage > 0UL )
                {
                    sprintf( pcWriteBuffer, "%s\t\t%lu\t\t%lu%%\r\n",
                        pxTaskStatusArray[ x ].pcTaskName,
                        pxTaskStatusArray[ x ].ulRunTimeCounter,
                        ulStatsAsPercentage );
                }
                else
                {
                    /* If the percentage is zero here then the task has
                    consumed less than 1% of the total run time. */
                    sprintf( pcWriteBuffer, "%s\t\t%lu\t\t<1%\r\n",
                        pxTaskStatusArray[ x ].pcTaskName,
                        pxTaskStatusArray[ x ].ulRunTimeCounter );
                }

                pcWriteBuffer += strlen( ( char * ) pcWriteBuffer );
            }
        }

        /* The array is no longer needed, free the memory it consumes. */
        vPortFree( pxTaskStatusArray );
    }
}
```

---

Listing 38 Example use of uxTaskGetSystemStatus()

---

```

typedef struct xTASK_STATUS
{
    /* The handle of the task to which the rest of the information in the structure
    relates. */
    TaskHandle_t xHandle;

    /* A pointer to the task's name. This value will be invalid if the task was deleted
    since the structure was populated! */
    const signed char *pcTaskName;

    /* A number unique to the task. */
    UBaseType_t xTaskNumber;

    /* The state in which the task existed when the structure was populated. */
    eTaskState eCurrentState;

    /* The priority at which the task was running (may be inherited) when the structure
    was populated. */
    UBaseType_t uxCurrentPriority;

    /* The priority to which the task will return if the task's current priority has been
    inherited to avoid unbounded priority inversion when obtaining a mutex. Only valid
    if configUSE_MUTEXES is defined as 1 in FreeRTOSConfig.h. */
    UBaseType_t uxBasePriority;

    /* The total run time allocated to the task so far, as defined by the run time stats
    clock. Only valid when configGENERATE_RUN_TIME_STATS is defined as 1 in
    FreeRTOSConfig.h. */
    unsigned long ulRunTimeCounter;

    /* The minimum amount of stack space that has remained for the task since the task was
    created. The closer this value is to zero the closer the task has come to overflowing
    its stack. */
    unsigned short usStackHighWaterMark;
} TaskStatus_t;

```

Single user license for jocy@mbari.org

---

**Listing 39 The TaskStatus\_t definition**

## 2.22 pcTaskGetTaskName()

---

```
#include "FreeRTOS.h"
#include "task.h"

char * pcTaskGetTaskName( TaskHandle_t xTaskToQuery );
```

---

**Listing 40 pcTaskGetTaskName() function prototype**

### Summary

Queries the human readable text name of a task. A text name is assigned to a task using the pcName parameter of the xTaskCreate() API function call used to create the task.

### Parameters

xTaskToQuery The handle of the task being queried (the subject task).

The handle to a task is obtained using the pxCreatedTask parameter of the xTaskCreate() API function call used to create the task.

A task may query its own name by passing NULL in place of a valid task handle.

### Return Values

Task names are standard NULL terminated C strings. The value returned is a pointer to the subject tasks name.

### Notes

INCLUDE\_pcTaskGetTaskName must be set to 1 in FreeRTOSConfig.h for pcTaskGetTaskName() to be available.

## 2.23 xTaskGetTickCount()

---

```
#include "FreeRTOS.h"
#include "task.h"

TickType_t xTaskGetTickCount( void );
```

---

**Listing 41 xTaskGetTickCount() function prototype**

### Summary

The tick count is the total number of tick interrupts that have occurred since the scheduler was started. xTaskGetTickCount() returns the current tick count value.

### Parameters

None.

### Return Values

xTaskGetTickCount() always returns the tick count value at the time that xTaskGetTickCount() was called.

### Notes

The actual time one tick period represents depends on the value assigned to configTICK\_RATE\_HZ within FreeRTOSConfig.h. The constant portTICK\_PERIOD\_MS can be used to convert a time in milliseconds to a time in 'ticks'.

The tick count will eventually overflow and return to zero. This will not effect the internal operation of the kernel – for example, tasks will always block for the specified period even if the tick count overflows while the task is in the Blocked state. Overflows must however be considered by host applications if the application makes direct use of the tick count value.

The frequency at which the tick count overflows depends on both the tick frequency and the data type used to hold the count value. If configUSE\_16\_BIT\_TICKS is set to 1, then the tick count will be held in a 16-bit variable. If configUSE\_16\_BIT\_TICKS is set to 0, then the tick count will be held in a 32-bit variable.

## Example

---

```
void vAFunction( void )
{
TickType_t xTime1, xTime2, xExecutionTime;

    /* Get the time the function started. */
    xTime1 = xTaskGetTickCount();

    /* Perform some operation. */

    /* Get the time following the execution of the operation. */
    xTime2 = xTaskGetTickCount();

    /* Approximately how long did the operation take? */
    xExecutionTime = xTime2 - xTime1;
}
```

---

**Listing 42 Example use of xTaskGetTickCount()**

Single user license for jocy@mbari.org

## 2.24 xTaskGetTickCountFromISR()

---

```
#include "FreeRTOS.h"
#include "task.h"

TickType_t xTaskGetTickCountFromISR( void );
```

---

**Listing 43 xTaskGetTickCountFromISR() function prototype**

### Summary

A version of xTaskGetTickCount() that can be called from an ISR.

The tick count is the total number of tick interrupts that have occurred since the scheduler was started.

### Parameters

None.

### Return Values

Single user license for jocy@mbari.org

xTaskGetTickCountFromISR() always returns the tick count value at the time xTaskGetTickCountFromISR() is called.

### Notes

The actual time one tick period represents depends on the value assigned to configTICK\_RATE\_HZ within FreeRTOSConfig.h. The constant portTICK\_PERIOD\_MS can be used to convert a time in milliseconds to a time in 'ticks'.

The tick count will eventually overflow and return to zero. This will not effect the internal operation of the kernel – for example, tasks will always block for the specified period even if the tick count overflows while the task is in the Blocked state. Overflows must however be considered by host applications if the application makes direct use of the tick count value.

The frequency at which the tick count overflows depends on both the tick frequency and the data type used to hold the count value. If configUSE\_16\_BIT\_TICKS is set to 1, then the tick count will be held in a 16-bit variable. If configUSE\_16\_BIT\_TICKS is set to 0, then the tick count will be held in a 32-bit variable.

## Example

---

```
void vAnISR( void )
{
static TickType_t xTimeISRLastExecuted = 0;
TickType_t xTimeNow, xTimeBetweenInterrupts;

    /* Store the time at which this interrupt was entered. */
    xTimeNow = xTaskGetTickCountFromISR();

    /* Perform some operation. */

    /* How many ticks occurred between this and the previous interrupt? */
    xTimeBetweenInterrupts = xTimeISRLastExecuted - xTimeNow;

    /* If more than 200 ticks occurred between this and the previous interrupt then
    do something. */
    if( xTimeBetweenInterrupts > 200 )
    {
        /* Take appropriate action here. */
    }

    /* Remember the time at which this interrupt was entered. */
    xTimeISRLastExecuted = xTimeNow;
}
```

---

Listing 44 Example use of xTaskGetTickCountFromISR()

Single user license for jocy@mbari.org

## 2.25 vTaskList()

---

```
#include "FreeRTOS.h"
#include "task.h"

void vTaskList( char *pcWriteBuffer );
```

---

**Listing 45 vTaskList() function prototype**

### Summary

Creates a human readable table in a character buffer that describes the state of each task at the time vTaskList() was called. An example is shown in Figure 2.

| Name    | State | Priority | Stack | Num |
|---------|-------|----------|-------|-----|
| Print   | R     | 4        | 331   | 29  |
| Math7   | R     | 0        | 417   | 7   |
| Math8   | R     | 0        | 407   | 8   |
| QConsB2 | R     | 0        | 53    | 14  |
| QProdB5 | R     | 0        | 52    | 17  |
| QConsB4 | R     | 0        | 53    | 16  |
| SEM1    | R     | 0        | 50    | 27  |
| SEM1    | R     | 0        | 50    | 28  |
| IDLE    | R     | 0        | 64    | 0   |
| Math1   | R     | 0        | 436   | 1   |
| Math2   | R     | 0        | 436   | 2   |

**Figure 2 An example of the table produced by calling vTaskList()**

The table includes the following information:

- Name – This is the name given to the task when the task was created.
- State – The state of the task at the time vTaskList() was called, as follows:
  - 'B' if the task is in the Blocked state.
  - 'R' if the task is in the Ready state.
  - 'S' if the task is in the Suspended state, or in the Blocked state without a timeout.
  - 'D' if the task has been deleted, but the idle task has not yet freed the memory that was being used by the task to hold its data structures and stack.
- Priority – The priority assigned to the task at the time vTaskList() was called.

- **Stack** – Shows the ‘high water mark’ of the task’s stack. This is the minimum amount of free stack that has been available during the lifetime of the task. The closer this value is to zero, the closer the task has come to overflowing its stack.
- **Num** – This is a unique number that is assigned to each task. It has no purpose other than to help identify tasks when more than one task has been assigned the same name.

## Parameters

**pcWriteBuffer** The buffer into which the table text is written. This must be large enough to hold the entire table as no boundary checking is performed.

## Return Values

None.

## Notes

`vTaskList()` is a utility function that is provided for convenience only. It is not considered part of the kernel. `vTaskList()` obtains its raw data using the `xTaskGetSystemState()` API function.

`vTaskList()` will disable interrupts for the duration of its execution. This might not be acceptable for applications that include hard real time functionality.

`configUSE_TRACE_FACILITY` and `configUSE_STATS_FORMATTING_FUNCTIONS` must both be set to 1 within `FreeRTOSConfig.h` for `vTaskList()` to be available.

By default, `vTaskList()` makes use of the standard library `sprintf()` function. This can result in a marked increase in the compiled image size, and in stack usage. The FreeRTOS download includes an open source cut down version of `sprintf()` in a file called `printf-stdarg.c`. This can be used in place of the standard library `sprintf()` to help minimise the code size impact. Note that `printf-stdarg.c` is licensed separately to FreeRTOS. Its license terms are contained in the file itself.

## Example

---

```
void vAFunction( void )
{
    /* Define a buffer that is large enough to hold the generated table. In most cases
    the buffer will be too large to allocate on the stack, hence in this example it is
    declared static. */
    static char cBuffer[ BUFFER_SIZE ];

    /* Pass the buffer into vTaskList() to generate the table of information. */
    vTaskList( cBuffer );

    /* The generated information can be saved or viewed here. */
}
```

---

**Listing 46 Example use of vTaskList()**

Single user license for jocy@mbari.org

## 2.26 xTaskNotify()

---

```
#include "FreeRTOS.h"
#include "task.h"

BaseType_t xTaskNotify( TaskHandle_t xTaskToNotify,
                        uint32_t ulValue,
                        eNotifyAction eAction );
```

---

Listing 47 xTaskNotify() function prototype

### Summary

Each task has a 32-bit notification value that is initialised to zero when the task is created. xTaskNotify() is used to send an event directly to and potentially unblock a task, and optionally update the receiving task's notification value in one of the following ways:

- Write a 32-bit number to the notification value
- Add one (increment) the notification value
- Set one or more bits in the notification value
- Leave the notification value unchanged

Single user license for jocy@mbari.org

### Parameters

**xTaskToNotify** The handle of the RTOS task being notified.

Task handles are obtained using the pxCreatedTask parameter of the xTaskCreate() call used to create the task.

**ulValue** Used to update the notification value of the task being notified. How ulValue is interpreted depends on the value of the eAction parameter.

**eAction** The action to perform when notifying the task.

eAction is an enumerated type and can take one of the following values:

- **eNoAction** – The task is notified but its notification value is not changed. In this case ulValue is not used.

- **eSetBits** – The task's notification value is bitwise ORed with ulValue. For example, if ulValue is set to 0x01, then bit 0 will be set within the task's notification value. If ulValue is 0x04 then bit 2 will be set in the task's notification value. Using eSetBits allows task notifications to be used as a faster and light weight alternative to an event group.
- **eIncrement** – The task's notification value is incremented by one. In this case ulValue is not used.
- **eSetValueWithOverwrite** – The task's notification value is unconditionally set to the value of ulValue, even if the task already had a notification pending when xTaskNotify() was called.
- **eSetValueWithoutOverwrite** – If the task already has a notification pending then its notification value is not changed and xTaskNotify() returns pdFAIL. If the task did not already have a notification pending then its notification value is set to ulValue.

## Return Values

Single user license for jocy@mbari.org

If eAction is set to eSetValueWithoutOverwrite and the task's notification value is not updated then pdFAIL is returned. In all other cases pdPASS is returned.

## Notes

If the task's notification value is being used as a light weight and faster alternative to a binary or counting semaphore then use the simpler xTaskNotifyGive() API function instead of xTaskNotify().

RTOS task notification functionality is enabled by default, and can be excluded from a build (saving 8 bytes per task) by setting configUSE\_TASK\_NOTIFICATIONS to 0 in FreeRTOSConfig.h.

## Example

Listing 48 demonstrates xTaskNotify() being used to perform various different actions.

---

```
/* Set bit 8 in the notification value of the task referenced by xTask1Handle. */
xTaskNotify( xTask1Handle, ( 1UL << 8UL ), eSetBits );

/* Send a notification to the task referenced by xTask2Handle, potentially
removing the task from the Blocked state, but without updating the task's
notification value. */
xTaskNotify( xTask2Handle, 0, eNoAction );

/* Set the notification value of the task referenced by xTask3Handle to 0x50,
even if the task had not read its previous notification value. */
xTaskNotify( xTask3Handle, 0x50, eSetValueWithOverwrite );

/* Set the notification value of the task referenced by xTask4Handle to 0xffff,
but only if to do so would not overwrite the task's existing notification
value before the task had obtained it (by a call to xTaskNotificationWait()
or ulTaskNotifyTake()). */
if( xTaskNotify( xTask4Handle, 0xffff, eSetValueWithoutOverwrite ) == pdPASS )
{
    /* The task's notification value was updated. */
}
else
{
    /* The task's notification value was not updated. */
}
```

---

Listing 48 Example use of xTaskNotify()

## 2.27 xTaskNotifyFromISR()

---

```
#include "FreeRTOS.h"
#include "task.h"

BaseType_t xTaskNotifyFromISR( TaskHandle_t xTaskToNotify,
                               uint32_t ulValue,
                               eNotifyAction eAction
                               BaseType_t *pxHigherPriorityTaskWoken );
```

---

**Listing 49 xTaskNotifyFrom() function prototype**

### Summary

A version of xTaskNotify() that can be called from an interrupt service routine (ISR).

Each task has a 32-bit notification value that is initialised to zero when the task is created. xTaskNotifyFromISR() is used to send an event directly to and potentially unblock a task, and optionally update the receiving task's notification value in one of the following ways:

- Write a 32-bit number to the notification value
- Add one (increment) the notification value
- Set one or more bits in the notification value
- Leave the notification value unchanged

### Parameters

|               |                                                                                                                                                                   |
|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| xTaskToNotify | The handle of the RTOS task being notified.<br><br>Task handles are obtained using the pxCreatedTask parameter of the xTaskCreate() call used to create the task. |
| ulValue       | Used to update the notification value of the task being notified.<br>How ulValue is interpreted depends on the value of the eAction parameter.                    |
| eAction       | The action to perform when notifying the task.<br><br>eAction is an enumerated type and can take one of the following values:                                     |

- **eNoAction** – The task is notified but its notification value is not changed. In this case `ulValue` is not used.
- **eSetBits** – The task's notification value is bitwise ORed with `ulValue`. For example, if `ulValue` is set to `0x01`, then bit 0 will be set within the task's notification value. If `ulValue` is `0x04` then bit 2 will be set in the task's notification value. Using **eSetBits** allows task notifications to be used as a faster and light weight alternative to an event group.
- **eIncrement** – The task's notification value is incremented by one. In this case `ulValue` is not used.
- **eSetValueWithOverwrite** – The task's notification value is unconditionally set to the value of `ulValue`, even if the task already had a notification pending when `xTaskNotify()` was called.

Single user license for jocy@mbari.org

- **eSetValueWithoutOverwrite** – If the task already has a notification pending then its notification value is not changed and `xTaskNotify()` returns `pdFAIL`. If the task did not already have a notification pending then its notification value is set to `ulValue`.

`pxHigherPriorityTaskWoken` `*pxHigherPriorityTaskWoken` must be initialised to `pdFALSE`. `xTaskNotifyFromISR()` will then set `*pxHigherPriorityTaskWoken` to `pdTRUE` if sending the notification caused the task being notified to leave the Blocked state, and the unblocked task has a priority above that of the currently running task.

If `xTaskNotifyFromISR()` sets this value to `pdTRUE` then a context switch should be requested before the interrupt is exited. See Listing 50 for an example.

`pxHigherPriorityTaskWoken` is an optional parameter and can be set to `NULL`.

## Return Values

If eAction is set to eSetValueWithoutOverwrite and the task's notification value is not updated then pdFAIL is returned. In all other cases pdPASS is returned.

## Notes

If the task's notification value is being used as a light weight and faster alternative to a binary or counting semaphore then use the simpler xTaskNotifyGiveFromISR() API function instead of xTaskNotifyFromISR().

RTOS task notification functionality is enabled by default, and can be excluded from a build (saving 8 bytes per task) by setting configUSE\_TASK\_NOTIFICATIONS to 0 in FreeRTOSConfig.h.

## Example

This example demonstrates a single RTOS task being used to process events that originate from two separate interrupt service routines - a transmit interrupt and a receive interrupt. Many peripherals will use the same handler for both, in which case the peripheral's interrupt status register can simply be bitwise ORed with the receiving task's notification value.

---

```
/* First bits are defined to represent each interrupt source. */
#define TX_BIT    0x01
#define RX_BIT    0x02

/* The handle of the task that will receive notifications from the interrupts. The
handle was obtained when the task was created. */
static TaskHandle_t xHandlingTask;

/* The implementation of the transmit interrupt service routine. */
void vTxISR( void )
{
    BaseType_t xHigherPriorityTaskWoken = pdFALSE;

    /* Clear the interrupt source. */
    prvClearInterrupt();

    /* Notify the task that the transmission is complete by setting the TX_BIT in the
    task's notification value. */
    xTaskNotifyFromISR( xHandlingTask, TX_BIT, eSetBits, &xHigherPriorityTaskWoken );

    /* If xHigherPriorityTaskWoken is now set to pdTRUE then a context switch should
    be performed to ensure the interrupt returns directly to the highest priority
    task. The macro used for this purpose is dependent on the port in use and may be
    called portEND_SWITCHING_ISR(). */
    portYIELD_FROM_ISR( xHigherPriorityTaskWoken );
}
/*-----*/
```

---

---

```

/* The implementation of the receive interrupt service routine is identical except
for the bit that gets set in the receiving task's notification value. */
void vRxISR( void )
{
    BaseType_t xHigherPriorityTaskWoken = pdFALSE;

    /* Clear the interrupt source. */
    prvClearInterrupt();

    /* Notify the task that the reception is complete by setting the RX_BIT in the
    task's notification value. */
    xTaskNotifyFromISR( xHandlingTask, RX_BIT, eSetBits, &xHigherPriorityTaskWoken );

    /* If xHigherPriorityTaskWoken is now set to pdTRUE then a context switch should
    be performed to ensure the interrupt returns directly to the highest priority
    task. The macro used for this purpose is dependent on the port in use and may be
    called portEND_SWITCHING_ISR(). */
    portYIELD_FROM_ISR( xHigherPriorityTaskWoken );
}
/*-----*/

/* The implementation of the task that is notified by the interrupt service
routines. */
static void prvHandlingTask( void *pvParameter )
{
    const TickType_t xMaxBlockTime = pdMS_TO_TICKS( 500 );
    BaseType_t xResult;

    for( ;; )
    {
        /* Wait to be notified of an interrupt. */
        xResult = xTaskNotifyWait( pdFALSE,          /* Don't clear bits on entry. */
                                  ULONG_MAX,         /* Clear all bits on exit. */
                                  &ulNotifiedValue, /* Stores the notified value. */
                                  xMaxBlockTime );

        if( xResult == pdPASS )
        {
            /* A notification was received. See which bits were set. */
            if( ( ulNotifiedValue & TX_BIT ) != 0 )
            {
                /* The TX ISR has set a bit. */
                prvProcessTx();
            }

            if( ( ulNotifiedValue & RX_BIT ) != 0 )
            {
                /* The RX ISR has set a bit. */
                prvProcessRx();
            }
        }
        else
        {
            /* Did not receive a notification within the expected time. */
            prvCheckForErrors();
        }
    }
}

```

---

Listing 50 Example use of xTaskNotifyFromISR()

## 2.28 xTaskNotifyGive()

---

```
#include "FreeRTOS.h"
#include "task.h"

BaseType_t xTaskNotifyGive( TaskHandle_t xTaskToNotify );
```

---

**Listing 51 xTaskNotifyGive() function prototype**

### Summary

Each task has a 32-bit notification value that is initialised to zero when the task is created. A task notification is an event sent directly to a task that can unblock the receiving task, and optionally update the receiving task's notification value.

xTaskNotifyGive() is a macro intended for use when a task notification value is being used as a lighter weight and faster alternative to a binary semaphore or a counting semaphore. FreeRTOS semaphores are given using the xSemaphoreGive() API function, and xTaskNotifyGive() is the equivalent that uses the receiving task's notification value instead of a separate semaphore object.

Single user license for jocy@mbari.org

### Parameters

**xTaskToNotify** The handle of the task being notified and having its notification value incremented.

Task handles are obtained using the pxCreatedTask parameter of the xTaskCreate() call used to create the task.

### Return Values

xTaskNotifyGive() is a macro that calls xTaskNotify() with the eAction parameter set to eIncrement. Therefore pdPASS is always returned.

### Notes

When a task notification value is being used as a binary or counting semaphore then the task being notified should wait for the notification using the simpler ulTaskNotifyTake() API function rather than the xTaskNotifyWait() API function.

RTOS task notification functionality is enabled by default, and can be excluded from a build (saving 8 bytes per task) by setting `configUSE_TASK_NOTIFICATIONS` to 0 in `FreeRTOSConfig.h`.

## Example

---

```
/* Prototypes of the two tasks created by main(). */
static void prvTask1( void *pvParameters );
static void prvTask2( void *pvParameters );

/* Handles for the tasks create by main(). */
static TaskHandle_t xTask1 = NULL, xTask2 = NULL;

/* Create two tasks that send notifications back and forth to each other, then
start the RTOS scheduler. */
void main( void )
{
    xTaskCreate( prvTask1, "Task1", 200, NULL, tskIDLE_PRIORITY, &xTask1 );
    xTaskCreate( prvTask2, "Task2", 200, NULL, tskIDLE_PRIORITY, &xTask2 );
    vTaskStartScheduler();
}
/*-----*/

static void prvTask1( void *pvParameters )
{
    for( ;; )
    {
        /* Send a notification to prvTask2(), bringing it out of the Blocked
        state. */
        xTaskNotifyGive( xTask2 );

        /* Block to wait for prvTask2() to notify this task. */
        ulTaskNotifyTake( pdTRUE, portMAX_DELAY );
    }
}
/*-----*/

static void prvTask2( void *pvParameters )
{
    for( ;; )
    {
        /* Block to wait for prvTask1() to notify this task. */
        ulTaskNotifyTake( pdTRUE, portMAX_DELAY );

        /* Send a notification to prvTask1(), bringing it out of the Blocked
        state. */
        xTaskNotifyGive( xTask1 );
    }
}
```

---

Listing 52 Example use of `xTaskNotifyGive()`

## 2.29 xTaskNotifyGiveFromISR()

---

```
#include "FreeRTOS.h"
#include "task.h"

void vTaskNotifyGiveFromISR( TaskHandle_t xTaskToNotify,
                             BaseType_t *pxHigherPriorityTaskWoken );
```

---

Listing 53 xTaskNotifyGiveFromISR() function prototype

### Summary

A version of xTaskNotifyGive() that can be called from an interrupt service routine (ISR).

Each task has a 32-bit notification value that is initialised to zero when the task is created. A task notification is an event sent directly to a task that can unblock the receiving task, and optionally update the receiving task's notification value.

xTaskNotifyGiveFromISR() is intended for use when a task notification value is being used as a lighter weight and faster alternative to a binary semaphore or a counting semaphore. FreeRTOS semaphores are given using the xSemaphoreGiveFromISR() API function, and xTaskNotifyGiveFromISR() is the equivalent that uses the receiving task's notification value instead of a separate semaphore object.

### Parameters

|                           |                                                                                                                                                                                                                                                                                                                                                                                          |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| xTaskToNotify             | The handle of the RTOS task being notified and having its notification value incremented.                                                                                                                                                                                                                                                                                                |
|                           | Task handles are obtained using the pxCreatedTask parameter of the xTaskCreate() call used to create the task.                                                                                                                                                                                                                                                                           |
| pxHigherPriorityTaskWoken | <p>*pxHigherPriorityTaskWoken must be initialised to pdFALSE. xTaskNotifyGiveFromISR() will then set *pxHigherPriorityTaskWoken to pdTRUE if sending the notification caused the task being notified to leave the Blocked state, and the unblocked task has a priority above that of the currently running task.</p> <p>If xTaskNotifyGiveFromISR() sets this value to pdTRUE then a</p> |

context switch should be requested before the interrupt is exited. See Listing 54 for an example.

pxHigherPriorityTaskWoken is an optional parameter and can be set to NULL.

## Notes

When a task notification value is being used as a binary or counting semaphore then the task being notified should wait for the notification using the `ulTaskNotifyTake()` API function rather than the `xTaskNotifyWait()` API function.

RTOS task notification functionality is enabled by default, and can be excluded from a build (saving 8 bytes per task) by setting `configUSE_TASK_NOTIFICATIONS` to 0 in `FreeRTOSConfig.h`.

## Example

This is an example of a transmit function in a generic peripheral driver. An task calls the transmit function, then waits in the Blocked state (so not using an CPU time) until it is notified that the transmission is complete. The transmission is performed by a DMA, and the DMA end interrupt is used to notify the task.

---

```
static TaskHandle_t xTaskToNotify = NULL;

/* The peripheral driver's transmit function. */
void StartTransmission( uint8_t *pcData, size_t xDataLength )
{
    /* At this point xTaskToNotify should be NULL as no transmission is in progress.
    A mutex can be used to guard access to the peripheral if necessary. */
    configASSERT( xTaskToNotify == NULL );

    /* Store the handle of the calling task. */
    xTaskToNotify = xTaskGetCurrentTaskHandle();

    /* Start the transmission - an interrupt is generated when the transmission
    is complete. */
    vStartTransmit( pcData, xDataLength );
}
/*-----*/
```

---

---

```

/* The transmit end interrupt. */
void vTransmitEndISR( void )
{
    BaseType_t xHigherPriorityTaskWoken = pdFALSE;

    /* At this point xTaskToNotify should not be NULL as a transmission was in
    progress. */
    configASSERT( xTaskToNotify != NULL );

    /* Notify the task that the transmission is complete. */
    vTaskNotifyGiveFromISR( xTaskToNotify, &xHigherPriorityTaskWoken );

    /* There are no transmissions in progress, so no tasks to notify. */
    xTaskToNotify = NULL;

    /* If xHigherPriorityTaskWoken is now set to pdTRUE then a context switch
    should be performed to ensure the interrupt returns directly to the highest
    priority task. The macro used for this purpose is dependent on the port in
    use and may be called portEND_SWITCHING_ISR(). */
    portYIELD_FROM_ISR( xHigherPriorityTaskWoken );
}
/*-----*/

/* The task that initiates the transmission, then enters the Blocked state (so
not consuming any CPU time) to wait for it to complete. */
void vAFunctionCalledFromATask( uint8_t ucDataToTransmit, size_t xDataLength )
{
    uint32_t ulNotificationValue;
    const TickType_t xMaxBlockTime = pdMS_TO_TICKS( 200 );

    /* Start the transmission by calling the function shown above. */
    StartTransmission( ucDataToTransmit, xDataLength );
    /* Wait for the transmission to complete. */
    ulNotificationValue = ulTaskNotifyTake( pdFALSE, xMaxBlockTime );

    if( ulNotificationValue == 1 )
    {
        /* The transmission ended as expected. */
    }
    else
    {
        /* The call to ulTaskNotifyTake() timed out. */
    }
}

```

---

Listing 54 Example use of xTaskNotifyGiveFromISR()

## 2.30 ulTaskNotifyTake()

---

```
#include "FreeRTOS.h"
#include "task.h"

uint32_t ulTaskNotifyTake( BaseType_t xClearCountOnExit, TickType_t xTicksToWait );
```

---

**Listing 55 ulTaskNotifyTake() function prototype**

### Summary

Each task has a 32-bit notification value that is initialised to zero when the task is created. A task notification is an event sent directly to a task that can unblock the receiving task, and optionally update the receiving task's notification value.

ulTaskNotifyTake() is intended for use when a task notification is used as a faster and lighter weight alternative to a binary semaphore or a counting semaphore. FreeRTOS semaphores are taken using the xSemaphoreTake() API function, ulTaskNotifyTake() is the equivalent that uses a task notification value instead of a separate semaphore object.

Where as xTaskNotifyWait() will return when a notification is pending, ulTaskNotifyTake() will return when the task's notification value is not zero, decrementing the task's notification value before it returns.

A task can use ulTaskNotifyTake() to optionally block to wait for a the task's notification value to be non-zero. The task does not consume any CPU time while it is in the Blocked state.

ulTaskNotifyTake() can either clear the task's notification value to zero on exit, in which case the notification value acts like a binary semaphore, or decrement the task's notification value on exit, in which case the notification value acts more like a counting semaphore.

### Parameters

**xClearCountOnExit** If xClearCountOnExit is set to pdFALSE then the task's notification value is decremented before ulTaskNotifyTake() exits. This is equivalent to the value of a counting semaphore being decremented by a successful call to xSemaphoreTake().

If xClearCountOnExit is set to pdTRUE then the task's notification value is reset to 0 before ulTaskNotifyTake() exits. This is equivalent to the

value of a binary semaphore being left at zero (or empty, or 'not available') after a successful call to xSemaphoreTake().

**xTicksToWait**      The maximum time to wait in the Blocked state for a notification to be received if a notification is not already pending when ulTaskNotifyTake() is called.

The RTOS task does not consume any CPU time when it is in the Blocked state.

The time is specified in RTOS tick periods. The pdMS\_TO\_TICKS() macro can be used to convert a time specified in milliseconds into a time specified in ticks.

## Return Values

The value of the task's notification value before it is decremented or cleared (see the description of xClearCountOnExit).

## Notes

Single user license for jocy@mbari.org

When a task is using its notification value as a binary or counting semaphore other tasks and interrupts should send notifications to it using either the xTaskNotifyGive() macro, or the xTaskNotify() function with the function's eAction parameter set to eIncrement (the two are equivalent).

RTOS task notification functionality is enabled by default, and can be excluded from a build (saving 8 bytes per task) by setting configUSE\_TASK\_NOTIFICATIONS to 0 in FreeRTOSConfig.h.

## Example

---

```
/* An interrupt handler that unblocks a high priority task in which the event that
generated the interrupt is processed. If the priority of the task is high enough
then the interrupt will return directly to the task (so it will interrupt one task
then return to a different task), so the processing will occur contiguously in time -
just as if all the processing had been done in the interrupt handler itself. */
void vANInterruptHandler( void )
{
    BaseType_t xHigherPriorityTaskWoken = pdFALSE;

    /* Clear the interrupt. */
    prvClearInterruptSource();

    /* Unblock the handling task so the task can perform any processing necessitated
    by the interrupt. xHandlingTask is the task's handle, which was obtained
    when the task was created. */
    vTaskNotifyGiveFromISR( xHandlingTask, &xHigherPriorityTaskWoken );

    /* Force a context switch if xHigherPriorityTaskWoken is now set to pdTRUE.
    The macro used to do this is dependent on the port and may be called
    portEND_SWITCHING_ISR(). */
    portYIELD_FROM_ISR( xHigherPriorityTaskWoken );
}
/*-----*/

/* Task that blocks waiting to be notified that the peripheral needs servicing. */
void vHandlingTask( void *pvParameters )
{
    BaseType_t xEvent;

    for( ;; )
    {
        /* Block indefinitely (without a timeout, so no need to check the function's
        return value) to wait for a notification. Here the RTOS task notification
        is being used as a binary semaphore, so the notification value is cleared
        to zero on exit. NOTE! Real applications should not block indefinitely,
        but instead time out occasionally in order to handle error conditions
        that may prevent the interrupt from sending any more notifications. */
        ulTaskNotifyTake( pdTRUE, /* Clear the notification value on exit. */
                         portMAX_DELAY ); /* Block indefinitely. */

        /* The RTOS task notification is used as a binary (as opposed to a counting)
        semaphore, so only go back to wait for further notifications when all events
        pending in the peripheral have been processed. */
        do
        {
            xEvent = xQueryPeripheral();

            if( xEvent != NO_MORE_EVENTS )
            {
                vProcessPeripheralEvent( xEvent );
            }

        } while( xEvent != NO_MORE_EVENTS );
    }
}
```

---

Listing 56 Example use of ulTaskNotifyTake()

## 2.31 xTaskNotifyWait()

---

```
#include "FreeRTOS.h"
#include "task.h"

BaseType_t xTaskNotifyWait( uint32_t ulBitsToClearOnEntry,
                           uint32_t ulBitsToClearOnExit,
                           uint32_t *pulNotificationValue,
                           TickType_t xTicksToWait );
```

---

Listing 57 xTaskNotifyWait() function prototype

### Summary

Each task has a 32-bit notification value that is initialised to zero when the task is created. A task notification is an event sent directly to a task that can unblock the receiving task, and optionally update the receiving task's notification value in a number of different ways. For example, a notification may overwrite the receiving task's notification value, or just set one or more bits in the receiving task's notification value. See the xTaskNotify() API documentation for examples.

xTaskNotifyWait() waits, with an optional timeout, for the calling task to receive a notification.

Single user license for jocy@mbari.org

If the receiving task was already Blocked waiting for a notification when one arrives the receiving task will be removed from the Blocked state and the notification cleared.

### Parameters

**ulBitsToClearOnEntry** Any bits set in ulBitsToClearOnEntry will be cleared in the calling task's notification value on entry to the xTaskNotifyWait() function (before the task waits for a new notification) provided a notification is not already pending when xTaskNotifyWait() is called.

For example, if ulBitsToClearOnEntry is 0x01, then bit 0 of the task's notification value will be cleared on entry to the function.

Setting ulBitsToClearOnEntry to 0xffffffff (ULONG\_MAX) will clear all the bits in the task's notification value, effectively clearing the value to 0.

**ulBitsToClearOnExit** Any bits set in ulBitsToClearOnExit will be cleared in the calling task's

notification value before `xTaskNotifyWait()` function exits if a notification was received.

The bits are cleared after the task's notification value has been saved in `*pulNotificationValue` (see the description of `pulNotificationValue` below).

For example, if `ulBitsToClearOnExit` is `0x03`, then bit 0 and bit 1 of the task's notification value will be cleared before the function exits.

Setting `ulBitsToClearOnExit` to `0xffffffff (ULONG_MAX)` will clear all the bits in the task's notification value, effectively clearing the value to 0.

`pulNotificationValue`      Used to pass out the task's notification value. The value copied to `*pulNotificationValue` is the task's notification value as it was before any bits were cleared due to the `ulBitsToClearOnExit` setting.

`pulNotificationValue` is an optional parameter and can be set to `NULL` if it is not required.

Single user license for jocy@mbari.org

`xTicksToWait`            The maximum time to wait in the Blocked state for a notification to be received if a notification is not already pending when `xTaskNotifyWait()` is called.

The task does not consume any CPU time when it is in the Blocked state.

The time is specified in RTOS tick periods. The `pdMS_TO_TICKS()` macro can be used to convert a time specified in milliseconds into a time specified in ticks.

## Return Values

`pdTRUE` is returned if a notification was received, or if a notification was already pending when `xTaskNotifyWait()` was called.

`pdFALSE` is returned if the call to `xTaskNotifyWait()` timed out before a notification was received.

## Notes

If you are using task notifications to implement binary or counting semaphore type behaviour then use the simpler `ulTaskNotifyTake()` API function instead of `xTaskNotifyWait()`.

RTOS task notification functionality is enabled by default, and can be excluded from a build (saving 8 bytes per task) by setting `configUSE_TASK_NOTIFICATIONS` to 0 in `FreeRTOSConfig.h`.

## Example

---

```
/* This task shows bits within the RTOS task notification value being used to pass different
events to the task in the same way that flags in an event group might be used for the same
purpose. */
void vAnEventProcessingTask( void *pvParameters )
{
    uint32_t ulNotifiedValue;

    for( ;; )
    {
        /* Block indefinitely (without a timeout, so no need to check the function's
        return value) to wait for a notification.

        Bits in this RTOS task's notification value are set by the notifying
        tasks and interrupts to indicate which events have occurred. */
        xTaskNotifyWait( 0x00, /* Don't clear any notification bits on entry. */
                        ULONG_MAX, /* Reset the notification value to 0 on exit. */
                        &ulNotifiedValue, /* Notified value pass out in ulNotifiedValue. */
                        portMAX_DELAY ); /* Block indefinitely. */

        /* Process any events that have been latched in the notified value. */

        if( ( ulNotifiedValue & 0x01 ) != 0 )
        {
            /* Bit 0 was set - process whichever event is represented by bit 0. */
            prvProcessBit0Event();
        }

        if( ( ulNotifiedValue & 0x02 ) != 0 )
        {
            /* Bit 1 was set - process whichever event is represented by bit 1. */
            prvProcessBit1Event();
        }

        if( ( ulNotifiedValue & 0x04 ) != 0 )
        {
            /* Bit 2 was set - process whichever event is represented by bit 2. */
            prvProcessBit2Event();
        }

        /* Etc. */
    }
}
```

---

Listing 58 Example use of `xTaskNotifyWait()`

## 2.32 uxTaskPriorityGet()

---

```
#include "FreeRTOS.h"
#include "task.h"

UBaseType_t uxTaskPriorityGet( TaskHandle_t pxTask );
```

---

**Listing 59 uxTaskPriorityGet() function prototype**

### Summary

Queries the priority assigned to a task at the time uxTaskPriorityGet() is called.

### Parameters

**pxTask** The handle of the task being queried (the subject task).

The handle to a task is obtained using the `pxCreatedTask` parameter to the `xTaskCreate()` API function when the task is created.

A task may query its own priority by passing `NULL` in place of a valid task handle.

Single user license for jocy@mbari.org

### Return Values

The value returned is the priority of the task being queried at the time uxTaskPriorityGet() is called.

## Example

---

```
void vAFunction( void )
{
    TaskHandle_t xHandle;
    UBaseType_t uxCreatedPriority, uxOurPriority;

    /* Create a task, storing the handle of the created task in xHandle. */
    if( xTaskCreate( vTaskCode,
                    "Demo task",
                    STACK_SIZE, NULL, PRIORITY,
                    &xHandle
                    ) != pdPASS )
    {
        /* The task was not created successfully. */
    }
    else
    {
        /* Use the handle to query the priority of the created task. */
        uxCreatedPriority = uxTaskPriorityGet( xHandle );

        /* Query the priority of the calling task by using NULL in place of
        a valid task handle. */
        uxOurPriority = uxTaskPriorityGet( NULL );

        /* Is the priority of this task higher than the priority of the task
        just created? */
        if( uxOurPriority > uxCreatedPriority )
        {
            /* Yes. */
        }
    }
}
```

Single user license for jocy@mbari.org

---

Listing 60 Example use of uxTaskPriorityGet()

## 2.33 vTaskPrioritySet()

---

```
#include "FreeRTOS.h"
#include "task.h"

void vTaskPrioritySet( TaskHandle_t pxTask, UBaseType_t uxNewPriority );
```

---

**Listing 61 vTaskPrioritySet() function prototype**

### Summary

Changes the priority of a task.

### Parameters

- pxTask**            The handle of the task being modified (the subject task).
- The handle of a task is obtained using the `pxCreatedTask` parameter of the `xTaskCreate()` API function.
- A task can change its own priority by passing `NULL` in place of a valid task handle.            Single user license for jocy@mbari.org
- uxNewPriority**    The priority to which the subject task will be set. Priorities can be assigned from 0, which is the lowest priority, to `(configMAX_PRIORITIES – 1)`, which is the highest priority.
- `configMAX_PRIORITIES` is defined in `FreeRTOSConfig.h`. Passing a value above `(configMAX_PRIORITIES – 1)` will result in the priority assigned to the task being capped to the maximum legitimate value.

### Return Values

None.

### Notes

`vTaskPrioritySet()` must only be called from an executing task, and therefore must not be called while the scheduler is in the Initialization state (prior to the scheduler being started).

It is possible to have a set of tasks that are all blocked waiting for the same queue or semaphore event. These tasks will be ordered according to their priority – for example, the first event will unblock the highest priority task that was waiting for the event, the second event will unblock the second highest priority task that was originally waiting for the event, etc. Using `vTaskPrioritySet()` to change the priority of such a blocked task will not cause the order in which the blocked tasks are assessed to be re-evaluated.

## Example

---

```
void vAFunction( void )
{
    TaskHandle_t xHandle;

    /* Create a task, storing the handle of the created task in xHandle. */
    if( xTaskCreate( vTaskCode,
                    "Demo task",
                    STACK_SIZE,
                    NULL,
                    PRIORITY,
                    &xHandle
                  ) != pdPASS )
    {
        /* The task was not created successfully. */
    }
    else
    {
        Single user license for jocy@mbari.org

        /* Use the handle to raise the priority of the created task. */
        vTaskPrioritySet( xHandle, PRIORITY + 1 );

        /* Use NULL in place of a valid task handle to set the priority of the
        calling task to 1. */
        vTaskPrioritySet( NULL, 1 );
    }
}
```

---

Listing 62 Example use of `vTaskPrioritySet()`

## 2.34 vTaskResume()

---

```
#include "FreeRTOS.h"
#include "task.h"

void vTaskResume( TaskHandle_t pxTaskToResume );
```

---

**Listing 63 vTaskResume() function prototype**

### Summary

Transition a task from the Suspended state to the Ready state. The task must have previously been placed into the Suspended state using a call to vTaskSuspend().

### Parameters

**pxTaskToResume** The handle of the task being resumed (transitioned out of the Suspended state). This is the subject task.

The handle of a task is obtained using the pxCreatedTask parameter of the xTaskCreate() API function.

Single user license for jocy@mbari.org

### Return Values

None.

### Notes

A task can be blocked to wait for a queue event, specifying a timeout period. It is legitimate to move such a Blocked task into the Suspended state using a call to vTaskSuspend(), then out of the Suspended state and into the Ready state using a call to vTaskResume(). Following this scenario, the next time the task enters the Running state it will check whether or not its timeout period has (in the mean time) expired. If the timeout period has not expired, the task will once again enter the Blocked state to wait for the queue event for the remainder of the originally specified timeout period.

A task can also be blocked to wait for a temporal event using the vTaskDelay() or vTaskDelayUntil() API functions. It is legitimate to move such a Blocked task into the Suspended state using a call to vTaskSuspend(), then out of the Suspended state and into the Ready state using a call to vTaskResume(). Following this scenario, the next time the task

enters the Running state it will exit the `vTaskDelay()` or `vTaskDelayUntil()` function as if the specified delay period had expired, even if this is not actually the case.

`vTaskResume()` must only be called from an executing task and therefore must not be called while the scheduler is in the Initialization state (prior to the scheduler being started).

## Example

---

```
void vAFunction( void )
{
    TaskHandle_t xHandle;

    /* Create a task, storing the handle to the created task in xHandle. */
    if( xTaskCreate( vTaskCode,
                    "Demo task",
                    STACK_SIZE,
                    NULL,
                    PRIORITY,
                    &xHandle
                  ) != pdPASS )
    {
        /* The task was not created successfully. */
    }
    else
    {
        /* Use the handle to suspend the created task. */
        vTaskSuspend( xHandle );

        /* The suspended task will not run during this period, unless another task
        calls vTaskResume( xHandle ). */

        /* Resume the suspended task again. */
        vTaskResume( xHandle );

        /* The created task is again available to the scheduler and can enter
        The Running state. */
    }
}
```

---

Listing 64 Example use of `vTaskResume()`

## 2.35 xTaskResumeAll()

---

```
#include "FreeRTOS.h"
#include "task.h"

BaseType_t xTaskResumeAll( void );
```

---

**Listing 65 xTaskResumeAll() function prototype**

### Summary

Resumes scheduler activity, following a previous call to `vTaskSuspendAll()`, by transitioning the scheduler into the Active state from the Suspended state.

### Parameters

None.

### Return Values

`pdTRUE` The scheduler was transitioned into the Active state. The transition caused a pending context switch to occur.

`pdFALSE` Either the scheduler was transitioned into the Active state and the transition did not cause a context switch to occur, or the scheduler was left in the Suspended state due to nested calls to `vTaskSuspendAll()`.

### Notes

The scheduler can be suspended by calling `vTaskSuspendAll()`. When the scheduler is suspended, interrupts remain enabled, but a context switch will not occur. If a context switch is requested while the scheduler is suspended, then the request will be held pending until such time that the scheduler is resumed (un-suspended).

Calls to `vTaskSuspendAll()` can be nested. The same number of calls must be made to `xTaskResumeAll()` as have previously been made to `vTaskSuspendAll()` before the scheduler will leave the Suspended state and re-enter the Active state.

`xTaskResumeAll()` must only be called from an executing task and therefore must not be called while the scheduler is in the Initialization state (prior to the scheduler being started).

Other FreeRTOS API functions should not be called while the scheduler is suspended.

## Example

---

```
/* A function that suspends then resumes the scheduler. */
void vDemoFunction( void )
{
    /* This function suspends the scheduler. When it is called from vTask1 the
    scheduler is already suspended, so this call creates a nesting depth of 2. */
    vTaskSuspendAll();

    /* Perform an action here. */

    /* As calls to vTaskSuspendAll() are now nested, resuming the scheduler here
    does not cause the scheduler to re-enter the active state. */
    xTaskResumeAll();
}

void vTask1( void * pvParameters )
{
    for( ;; )
    {
        /* Perform some actions here. */

        /* At some point the task wants to perform an operation during which it
        does not want to get swapped out, or it wants to access data which is also
        accessed from another task (but not from an interrupt). It cannot use
        taskENTER_CRITICAL() / taskEXIT_CRITICAL() as the length of the operation may
        cause interrupts to be missed. */

        /* Prevent the scheduler from performing a context switch. */
        vTaskSuspendAll();

        /* Perform the operation here. There is no need to use critical sections
        as the task has all the processing time other than that utilized by interrupt
        service routines.*/

        /* Calls to vTaskSuspendAll() can be nested, so it is safe to call a (non
        API) function that also calls vTaskSuspendAll(). API functions should not
        be called while the scheduler is suspended. */
        vDemoFunction();

        /* The operation is complete. Set the scheduler back into the Active
        state. */
        if( xTaskResumeAll() == pdTRUE )
        {
            /* A context switch occurred within xTaskResumeAll(). */
        }
        else
        {
            /* A context switch did not occur within xTaskResumeAll(). */
        }
    }
}
```

---

Listing 66 Example use of xTaskResumeAll()

## 2.36 xTaskResumeFromISR()

---

```
#include "FreeRTOS.h"
#include "task.h"

BaseType_t xTaskResumeFromISR( TaskHandle_t pxTaskToResume );
```

---

Listing 67 xTaskResumeFromISR() function prototype

### Summary

A version of vTaskResume() that can be called from an interrupt service routine.

### Parameters

**pxTaskToResume** The handle of the task being resumed (transitioned out of the Suspended state). This is the subject task.

The handle of a task is obtained using the pxCreatedTask parameter of the xTaskCreate() API function.

Single user license for jocy@mbari.org

### Return Values

**pdTRUE** Returned if the task being resumed (unblocked) has a priority equal to or higher than the currently executing task (the task that was interrupted) – meaning a context switch should be performed before exiting the interrupt.

**pdFALSE** Returned if the task being resumed has a priority lower than the currently executing task (the task that was interrupted) – meaning it is not necessary to perform a context switch before exiting the interrupt.

### Notes

A task can be suspended by calling vTaskSuspend(). While in the Suspended state the task will not be selected to enter the Running state. vTaskResume() and xTaskResumeFromISR() can be used to resume (un-suspend) a suspended task. xTaskResumeFromISR() can be called from an interrupt, but vTaskResume() cannot.

Calls to `vTaskSuspend()` do not maintain a nesting count. A task that has been suspended by one or more calls to `vTaskSuspend()` will always be un-suspended by a single call to `vTaskResume()` or `xTaskResumeFromISR()`.

*`xTaskResumeFromISR()` must not be used to synchronize a task with an interrupt. Doing so will result in interrupt events being missed if the interrupt events occur faster than the execution of its associated task level handling functions. Task and interrupt synchronization can be achieved safely using a binary or counting semaphore because the semaphore will latch events.*

Single user license for jocy@mbari.org

## Example

---

```
TaskHandle_t xHandle;

void vAFunction( void )
{
    /* Create a task, storing the handle of the created task in xHandle. */
    xTaskCreate( vTaskCode, "NAME", STACK_SIZE, NULL, tskIDLE_PRIORITY, &xHandle );

    /* ... Rest of code. */
}

void vTaskCode( void *pvParameters )
{
    /* The task being suspended and resumed. */
    for( ;; )
    {
        /* ... Perform some function here. */

        /* The task suspends itself by using NULL as the parameter to vTaskSuspend()
        in place of a valid task handle. */
        vTaskSuspend( NULL );

        /* The task is now suspended, so will not reach here until the ISR resumes
        (un-suspends) it. */
    }
}

void vAnExampleISR( void )
{
    BaseType_t xYieldRequired;
    /* Resume the suspended task. */
    xYieldRequired = xTaskResumeFromISR( xHandle );

    if( xYieldRequired == pdTRUE )
    {
        /* A context switch should now be performed so the ISR returns directly to
        the resumed task. This is because the resumed task had a priority that was
        equal to or higher than the task that is currently in the Running state.
        NOTE: The syntax required to perform a context switch from an ISR varies
        from port to port, and from compiler to compiler. Check the documentation and
        examples for the port being used to find the syntax required by your
        application. It is likely that this if() statement can be replaced by a
        single call to portYIELD_FROM_ISR() [or portEND_SWITCHING_ISR()] using
        xYieldRequired as the macro parameter:
        portYIELD_FROM_ISR( xYieldRequired );*/
        portYIELD_FROM_ISR();
    }
}
```

---

Listing 68 Example use of vTaskResumeFromISR()

## 2.37 vTaskSetApplicationTaskTag()

---

```
#include "FreeRTOS.h"
#include "task.h"

void vTaskSetApplicationTaskTag( TaskHandle_t xTask, TaskHookFunction_t pxTagValue );
```

---

**Listing 69 vTaskSetApplicationTaskTag() function prototype**

### Summary

This function is intended for advanced users only.

The vTaskSetApplicationTaskTag() API function can be used to assign a 'tag' value to a task. The meaning and use of the tag value is defined by the application writer. The kernel itself will not normally access the tag value.

### Parameters

- xTask**            The handle of the task to which a tag value is being assigned. This is the subject task.
- Single user license for jocy@mbari.org
- A task can assign a tag value to itself by either using its own task handle or by using NULL in place of a valid task handle.
- pxTagValue**    The value being assigned as the tag value of the subject task. This is of type TaskHookFunction\_t to permit a function pointer to be assigned to the tag, although, indirectly by casting, tag values can be of any type.

### Return Values

None.

### Notes

The tag value can be used to hold a function pointer. When this is done the function assigned to the tag value can be called using the xTaskCallApplicationTaskHook() API function. This technique is in effect assigning a callback function to the task. It is common for such a callback to be used in combination with the traceTASK\_SWITCHED\_IN() macro to implement an execution trace feature.

configUSE\_APPLICATION\_TASK\_TAG must be set to 1 in FreeRTOSConfig.h for vTaskSetApplicationTaskTag() to be available.

## Example

---

```
/* In this example, an integer is set as the task tag value. */
void vATask( void *pvParameters )
{
    /* Assign a tag value of 1 to the currently executing task. The (void *) cast
    is used to prevent compiler warnings. */
    vTaskSetApplicationTaskTag( NULL, ( void * ) 1 );

    for( ;; )
    {
        /* Rest of task code goes here. */
    }
}

/* In this example a callback function is assigned as the task tag. First define the
callback function - this must have type TaskHookFunction_t, as per this example. */
static BaseType_t prvExampleTaskHook( void * pvParameter )
{
    /* Perform some action - this could be anything from logging a value, updating
    the task state, outputting a value, etc. */

    return 0;
}

/* Now define the task that sets prvExampleTaskHook() as its hook/tag value. This is
in effect registering the task callback function. */
void vAnotherTask( void *pvParameters )
{
    /* Register a callback function for the currently running (calling) task. */
    vTaskSetApplicationTaskTag( NULL, prvExampleTaskHook );

    for( ;; )
    {
        /* Rest of task code goes here. */
    }
}

/* [As an example use of the hook (callback)] Define the traceTASK_SWITCHED_OUT()
macro to call the hook function. The kernel will then automatically call the task
hook each time the task is switched out. This technique can be used to generate
an execution trace. pxCurrentTCB references the currently executing task. */
#define traceTASK_SWITCHED_OUT() xTaskCallApplicationTaskHook( pxCurrentTCB, 0 )
```

---

Listing 70 Example use of vTaskSetApplicationTaskTag()

## 2.38 vTaskStartScheduler()

---

```
#include "FreeRTOS.h"
#include "task.h"

void vTaskStartScheduler( void );
```

---

**Listing 71 vTaskStartScheduler() function prototype**

### Summary

Starts the FreeRTOS scheduler running.

Typically, before the scheduler has been started, main() (or a function called by main()) will be executing. After the scheduler has been started, only tasks and interrupts will ever execute.

Starting the scheduler causes the highest priority task that was created while the scheduler was in the Initialization state to enter the Running state.

### Parameters

Single user license for jocy@mbari.org

None.

### Return Values

The Idle task is created automatically when the scheduler is started. vTaskStartScheduler() will only return if there is not enough FreeRTOS heap memory available for the Idle task to be created.

### Notes

Ports that execute on ARM7 and ARM9 microcontrollers require the processor to be in Supervisor mode before vTaskStartScheduler() is called.

## Example

---

```
TaskHandle_t xHandle;

/* Define a task function. */
void vATask( void )
{
    for( ;; )
    {
        /* Task code goes here. */
    }
}

void main( void )
{
    /* Create at least one task, in this case the task function defined above is
    created. Calling vTaskStartScheduler() before any tasks have been created
    will cause the idle task to enter the Running state. */
    xTaskCreate( vTaskCode, "task name", STACK_SIZE, NULL, TASK_PRIORITY, NULL );

    /* Start the scheduler. */
    vTaskStartScheduler();

    /* This code will only be reached if the idle task could not be created inside
    vTaskStartScheduler(). An infinite loop is used to assist debugging by
    ensuring this scenario does not result in main() exiting. */
    for( ;; );
}
```

---

Listing 72 Example use of vTaskStartScheduler()

## 2.39 vTaskStepTick()

---

```
#include "FreeRTOS.h"
#include "task.h"

void vTaskStepTick( TickType_t xTicksToJump );
```

---

### Summary

If the RTOS is configured to use tickless idle functionality then the tick interrupt will be stopped, and the microcontroller placed into a low power state, whenever the Idle task is the only task able to execute. Upon exiting the low power state the tick count value must be corrected to account for the time that passed while it was stopped.

If a FreeRTOS port includes a default `portSUPPRESS_TICKS_AND_SLEEP()` implementation, then `vTaskStepTick()` is used internally to ensure the correct tick count value is maintained. `vTaskStepTick()` is a public API function to allow the default `portSUPPRESS_TICKS_AND_SLEEP()` implementation to be overridden, and for a `portSUPPRESS_TICKS_AND_SLEEP()` to be provided if the port being used does not provide a default.

Single user license for jocy@mbari.org

### Parameters

**xTicksToJump** The number of RTOS tick periods that passed between the tick interrupt being stopped and restarted (how long the tick interrupt was suppressed for). For correct operation the parameter must be less than or equal to the `portSUPPRESS_TICKS_AND_SLEEP()` parameter.

### Return Values

None.

### Notes

`configUSE_TICKLESS_IDLE` must be set to 1 in `FreeRTOSConfig.h` for `vTaskStepTick()` to be available.

## Example

---

/\* This is an example of how portSUPPRESS\_TICKS\_AND\_SLEEP() might be implemented by an application writer. This basic implementation will introduce inaccuracies in the tracking of the time maintained by the kernel in relation to calendar time. Official FreeRTOS implementations account for these inaccuracies as much as possible.

Only vTaskStepTick() is part of the FreeRTOS API. The other function calls are for demonstration only. \*/

/\* First define the portSUPPRESS\_TICKS\_AND\_SLEEP() macro. The parameter is the time, in ticks, until the kernel next needs to execute. \*/

```
#define portSUPPRESS_TICKS_AND_SLEEP( xIdleTime ) vApplicationSleep( xIdleTime )
```

/\* Define the function that is called by portSUPPRESS\_TICKS\_AND\_SLEEP(). \*/

```
void vApplicationSleep( TickType_t xExpectedIdleTime )
```

```
{
```

```
    unsigned long ulLowPowerTimeBeforeSleep, ulLowPowerTimeAfterSleep;
```

```
    /* Read the current time from a time source that will remain operational when
       the microcontroller is in a low power state. */
    ulLowPowerTimeBeforeSleep = ulGetExternalTime();
```

```
    /* Stop the timer that is generating the tick interrupt. */
    prvStopTickInterruptTimer();
```

```
    /* Configure an interrupt to bring the microcontroller out of its low power state
       at the time the kernel next needs to execute. The interrupt must be generated
       from a source that remains operational when the microcontroller is in a low
       power state. */
```

```
    vSetWakeTimeInterrupt( xExpectedIdleTime );
```

```
    /* Enter the low power state. */
    prvSleep();
```

```
    /* Determine how long the microcontroller was actually in a low power state for,
       which will be less than xExpectedIdleTime if the microcontroller was brought out
       of low power mode by an interrupt other than that configured by the
       vSetWakeTimeInterrupt() call. Note that the scheduler is suspended before
       portSUPPRESS_TICKS_AND_SLEEP() is called, and resumed when
       portSUPPRESS_TICKS_AND_SLEEP() returns. Therefore no other tasks will execute
       until this function completes. */
```

```
    ulLowPowerTimeAfterSleep = ulGetExternalTime();
```

```
    /* Correct the kernels tick count to account for the time the microcontroller
       spent in its low power state. */
```

```
    vTaskStepTick( ulLowPowerTimeAfterSleep - ulLowPowerTimeBeforeSleep );
```

```
    /* Restart the timer that is generating the tick interrupt. */
    prvStartTickInterruptTimer();
```

```
}
```

---

Listing 73 Example use of vTaskStepTick()

## 2.40 vTaskSuspend()

---

```
#include "FreeRTOS.h"
#include "task.h"

void vTaskSuspend( TaskHandle_t pxTaskToSuspend );
```

---

**Listing 74 vTaskSuspend() function prototype**

### Summary

Places a task into the Suspended state. A task that is in the Suspended state will never be selected to enter the Running state.

The only way of removing a task from the Suspended state is to make it the subject of a call to vTaskResume().

### Parameters

pxTaskToSuspend    The handle of the task being suspended.

Single user license for jocy@mbari.org

The handle of a task is obtained using the pxCreatedTask parameter of the xTaskCreate() API function.

A task may suspend itself by passing NULL in place of a valid task handle.

### Return Values

None.

### Notes

If FreeRTOS version 6.1.0 or later is being used, then vTaskSuspend() can be called to place a task into the Suspended state before the scheduler has been started (before vTaskStartScheduler() has been called). This will result in the task (effectively) starting in the Suspended state.

## Example

---

```
void vAFunction( void )
{
    TaskHandle_t xHandle;

    /* Create a task, storing the handle of the created task in xHandle. */
    if( xTaskCreate( vTaskCode,
                    "Demo task",
                    STACK_SIZE,
                    NULL,
                    PRIORITY,
                    &xHandle
                  ) != pdPASS )
    {
        /* The task was not created successfully. */
    }
    else
    {
        /* Use the handle of the created task to place the task in the Suspended
        state. From FreeRTOS version 6.1.0, this can be done before the Scheduler
        has been started. */
        vTaskSuspend( xHandle );

        /* The created task will not run during this period, unless another task
        calls vTaskResume( xHandle ). */

        /* Use a NULL parameter to suspend the calling task. */
        vTaskSuspend( NULL );

        /* This task can only execute past the call to vTaskSuspend( NULL ) if
        another task has resumed (un-suspended) it using a call to vTaskResume(). */
    }
}
```

---

Listing 75 Example use of vTaskSuspend()

## 2.41 vTaskSuspendAll()

---

```
#include "FreeRTOS.h"
#include "task.h"

void vTaskSuspendAll( void );
```

---

**Listing 76 vTaskSuspendAll() function prototype**

### Summary

Suspends the scheduler. Suspending the scheduler prevents a context switch from occurring but leaves interrupts enabled. If an interrupt requests a context switch while the scheduler is suspended, then the request is held pending and is performed only when the scheduler is resumed (un-suspended).

### Parameters

None.

### Return Values

Single user license for jocy@mbari.org

None.

### Notes

Calls to xTaskResumeAll() transition the scheduler out of the Suspended state following a previous call to vTaskSuspendAll().

Calls to vTaskSuspendAll() can be nested. The same number of calls must be made to xTaskResumeAll() as have previously been made to vTaskSuspendAll() before the scheduler will leave the Suspended state and re-enter the Active state.

xTaskResumeAll() must only be called from an executing task and therefore must not be called while the scheduler is in the Initialization state (prior to the scheduler being started).

Other FreeRTOS API functions must not be called while the scheduler is suspended.

## Example

---

```
/* A function that suspends then resumes the scheduler. */
void vDemoFunction( void )
{
    /* This function suspends the scheduler. When it is called from vTask1 the
    scheduler is already suspended, so this call creates a nesting depth of 2. */
    vTaskSuspendAll();

    /* Perform an action here. */

    /* As calls to vTaskSuspendAll() are nested, resuming the scheduler here will
    not cause the scheduler to re-enter the active state. */
    xTaskResumeAll();
}

void vTask1( void * pvParameters )
{
    for( ;; )
    {
        /* Perform some actions here. */

        /* At some point the task wants to perform an operation during which it does
        not want to get swapped out, or it wants to access data which is also
        accessed from another task (but not from an interrupt). It cannot use
        taskENTER_CRITICAL()/taskEXIT_CRITICAL() as the length of the operation may
        cause interrupts to be missed. */

        /* Prevent the scheduler from performing a context switch. */
        vTaskSuspendAll();

        /* Perform the operation here. There is no need to use critical sections as
        the task has all the processing time other than that utilized by interrupt
        service routines.*/

        /* Calls to vTaskSuspendAll() can be nested so it is safe to call a (non API)
        function which also contains calls to vTaskSuspendAll(). API functions
        should not be called while the scheduler is suspended. */
        vDemoFunction();

        /* The operation is complete. Set the scheduler back into the Active
        state. */
        if( xTaskResumeAll() == pdTRUE )
        {
            /* A context switch occurred within xTaskResumeAll(). */
        }
        else
        {
            /* A context switch did not occur within xTaskResumeAll(). */
        }
    }
}
```

---

Listing 77 Example use of vTaskSuspendAll()

## 2.42 taskYIELD()

---

```
#include "FreeRTOS.h"
#include "task.h"

void taskYIELD( void );
```

---

**Listing 78 taskYIELD() macro prototype**

### Summary

Yield to another task of equal priority.

Yielding is where a task volunteers to leave the Running state, without being pre-empted, and before its time slice has been fully utilized.

### Parameters

None.

### Return Values

Single user license for jocy@mbari.org

None.

### Notes

taskYIELD() must only be called from an executing task and therefore must not be called while the scheduler is in the Initialization state (prior to the scheduler being started).

When a task calls taskYIELD(), the scheduler will select another Ready state task of equal priority to enter the Running state in its place. If there are no other Ready state tasks of equal priority then the task that called taskYIELD() will itself be transitioned straight back into the Running state.

The scheduler will only ever select a task of equal priority to the task that called taskYIELD() because, if there were any tasks of higher priority that were in the Ready state, the task that called taskYIELD() would not have been executing in the first place.

## Example

---

```
void vATask( void * pvParameters)
{
    for( ;; )
    {
        /* Perform some actions. */

        /* If there are any tasks of equal priority to this task that are in the
        Ready state then let them execute now - even though this task has not used
        all of its time slice. */
        taskYIELD();

        /* If there were any tasks of equal priority to this task in the Ready state,
        then they will have executed before this task reaches here. */
    }
}
```

---

**Listing 79 Example use of taskYIELD()**

Single user license for jocy@mbari.org

# Chapter 3

## Queue API

---

Single user license for jocy@mbari.org

## 3.1 vQueueAddToRegistry()

---

```
#include "FreeRTOS.h"
#include "queue.h"

void vQueueAddToRegistry( QueueHandle_t xQueue, char *pcQueueName );
```

---

Listing 80 vQueueAddToRegistry() function prototype

### Summary

Assigns a human readable name to a queue, and adds the queue to the queue registry.

### Parameters

- xQueue**            The handle of the queue that will be added to the registry. Semaphore handles can also be used.
- pcQueueName**    A descriptive name for the queue or semaphore. This is not used by FreeRTOS in any way. It is included purely as a debugging aid. Identifying a queue or semaphore by a human readable name is much simpler than attempting to identify it by its handle.

### Return Values

None.

### Notes

The queue registry is used by kernel aware debuggers:

1. It allows a text name to be associated with a queue or semaphore for easy queue and semaphore identification in a debugging interface.
2. It provides a means for a debugger to locate queue and semaphore structures.

The `configQUEUE_REGISTRY_SIZE` kernel configuration constant defines the maximum number of queues and semaphores that can be registered at any one time. Only the queues and semaphores that need to be viewed in a kernel aware debugging interface need to be registered.

The queue registry is only required when a kernel aware debugger is being used. At all other times it has no purpose and can be omitted by setting configQUEUE\_REGISTRY\_SIZE to 0, or by omitting the configQUEUE\_REGISTRY\_SIZE configuration constant definition altogether.

Deleting a registered queue will automatically remove it from the registry.

## Example

---

```
void vAFunction( void )
{
    QueueHandle_t xQueue;

    /* Create a queue big enough to hold 10 chars. */
    xQueue = xQueueCreate( 10, sizeof( char ) );

    /* The created queue needs to be viewable in a kernel aware debugger, so
    add it to the registry. */
    vQueueAddToRegistry( xQueue, "AMeaningfulName" );
}
```

---

**Listing 81 Example use of vQueueAddToRegistry()**

Single user license for jocy@mbari.org

## 3.2 xQueueAddToSet()

---

```
#include "FreeRTOS.h"
#include "queue.h"

BaseType_t xQueueAddToSet( QueueSetMemberHandle_t xQueueOrSemaphore,
                           QueueSetHandle_t xQueueSet );
```

---

Listing 82 xQueueAddToSet() function prototype

### Summary

Adds a queue or semaphore to a queue set that was previously created by a call to xQueueCreateSet().

A receive (in the case of a queue) or take (in the case of a semaphore) operation must not be performed on a member of a queue set unless a call to xQueueSelectFromSet() has first returned a handle to that set member.

### Parameters

Single user license for jocy@mbari.org

**xQueueOrSemaphore** The handle of the queue or semaphore being added to the queue set (cast to an QueueSetMemberHandle\_t type).

**xQueueSet** The handle of the queue set to which the queue or semaphore is being added.

### Return Values

**pdPASS** The queue or semaphore was successfully added to the queue set.

**pdFAIL** The queue or semaphore could not be added to the queue set because it is already a member of a different set.

### Notes

configUSE\_QUEUE\_SETS must be set to 1 in FreeRTOSConfig.h for the xQueueAddToSet() API function to be available.

**Example**

See the example provided for the `xQueueCreateSet()` function in this manual.

Single user license for jocy@mbari.org

## 3.3 xQueueCreate()

---

```
#include "FreeRTOS.h"
#include "queue.h"

QueueHandle_t xQueueCreate( UBaseType_t uxQueueLength,
                           UBaseType_t uxItemSize );
```

---

Listing 83 xQueueCreate() function prototype

### Summary

Creates a queue. A queue must be explicitly created before it can be used.

### Parameters

**uxQueueLength**    The maximum number of items that the queue being created can hold at any one time.

**uxItemSize**        The size, in bytes, of each data item that can be stored in the queue.

Single user license for jocy@mbari.org

### Return Values

**NULL**                The queue cannot be created because there is insufficient heap memory available for FreeRTOS to allocate the queue data structures and storage area.

**Any other value**    The queue was created successfully. The returned value should be stored as the handle to the created queue.

### Notes

Queues are used to pass data between tasks, and between tasks and interrupts.

Queues can be created before or after the scheduler has been started.

## Example

---

```
/* Define the data type that will be queued. */
typedef struct A_Message
{
    char ucMessageID;
    char ucData[ 20 ];
} AMessage;

/* Define the queue parameters. */
#define QUEUE_LENGTH 5
#define QUEUE_ITEM_SIZE sizeof( AMessage )

int main( void )
{
    QueueHandle_t xQueue;

    /* Create the queue, storing the returned handle in the xQueue variable. */
    xQueue = xQueueCreate( QUEUE_LENGTH, QUEUE_ITEM_SIZE );
    if( xQueue == NULL )
    {
        /* The queue could not be created. */
    }

    /* Rest of code goes here. */
}
```

---

**Listing 84 Example use of xQueueCreate()**

Single user license for jocy@mbari.org

## 3.4 xQueueCreateSet()

---

```
#include "FreeRTOS.h"
#include "queue.h"

QueueSetHandle_t xQueueCreateSet( const UBaseType_t uxEventQueueLength );
```

---

Listing 85 xQueueCreateSet() function prototype

### Summary

Queue sets provide a mechanism to allow an RTOS task to block (pend) on a read operation from multiple RTOS queues or semaphores simultaneously. Note that there are simpler alternatives to using queue sets. See the Blocking on Multiple Objects page of the FreeRTOS.org website for more information.

A queue set must be explicitly created using a call to xQueueCreateSet() before it can be used. Once created, standard FreeRTOS queues and semaphores can be added to the set using calls to xQueueAddToSet(). xQueueSelectFromSet() is then used to determine which, if any, of the queues or semaphores contained in the set is in a state where a queue read or semaphore take operation would be successful.

### Parameters

**uxEventQueueLength** Queue sets store events that occur on the queues and semaphores contained in the set. uxEventQueueLength specifies the maximum number of events that can be queued at once.

To be absolutely certain that events are not lost uxEventQueueLength must be set to the sum of the lengths of the queues added to the set, where binary semaphores and mutexes have a length of 1, and counting semaphores have a length set by their maximum count value. For example:

- If a queue set is to hold a queue of length 5, another queue of length 12, and a binary semaphore, then uxEventQueueLength should be set to (5 + 12 + 1), or 18.
- If a queue set is to hold three binary semaphores then

uxEventQueueLength should be set to  $(1 + 1 + 1)$ , or 3.

- If a queue set is to hold a counting semaphore that has a maximum count of 5, and a counting semaphore that has a maximum count of 3, then uxEventQueueLength should be set to  $(5 + 3)$ , or 8.

## Return Values

|                 |                                                                                                                     |
|-----------------|---------------------------------------------------------------------------------------------------------------------|
| NULL            | The queue set could not be created.                                                                                 |
| Any other value | The queue set was created successfully. The returned value should be stored as the handle to the created queue set. |

## Notes

Blocking on a queue set that contains a mutex will not cause the mutex holder to inherit the priority of the blocked task.

An additional 4 bytes of RAM are required for each space in every queue added to a queue set. Therefore a counting semaphore that has a high maximum count value should not be added to a queue set.

A receive (in the case of a queue) or take (in the case of a semaphore) operation must not be performed on a member of a queue set unless a call to xQueueSelectFromSet() has first returned a handle to that set member.

configUSE\_QUEUE\_SETS must be set to 1 in FreeRTOSConfig.h for the xQueueCreateSet() API function to be available.

## Example

---

```
/* Define the lengths of the queues that will be added to the queue set. */
#define QUEUE_LENGTH_1      10
#define QUEUE_LENGTH_2      10

/* Binary semaphores have an effective length of 1. */
#define BINARY_SEMAPHORE_LENGTH  1

/* Define the size of the item to be held by queue 1 and queue 2 respectively. The
values used here are just for demonstration purposes. */
#define ITEM_SIZE_QUEUE_1  sizeof( uint32_t )
#define ITEM_SIZE_QUEUE_2  sizeof( something_else_t )

/* The combined length of the two queues and binary semaphore that will be added to
the queue set. */
#define COMBINED_LENGTH ( QUEUE_LENGTH_1 + QUEUE_LENGTH_2 + BINARY_SEMAPHORE_LENGTH )

void vAFunction( void )
{
    static QueueSetHandle_t xQueueSet;
    QueueHandle_t xQueue1, xQueue2, xSemaphore;
    QueueSetMemberHandle_t xActivatedMember;
    uint32_t xReceivedFromQueue1;
    something_else_t xReceivedFromQueue2;

    /* Create a queue set large enough to hold an event for every space in every
    queue and semaphore that is to be added to the set. */
    xQueueSet = xQueueCreateSet( COMBINED_LENGTH );

    /* Create the queues and semaphores that will be contained in the set. */
    xQueue1 = xQueueCreate( QUEUE_LENGTH_1, ITEM_SIZE_QUEUE_1 );
    xQueue2 = xQueueCreate( QUEUE_LENGTH_2, ITEM_SIZE_QUEUE_2 );

    /* Create the semaphore that is being added to the set. */
    vSemaphoreCreateBinary( xSemaphore );

    /* Take the semaphore, so it starts empty. A block time of zero can be used
    as the semaphore is guaranteed to be available - it has just been created. */
    xSemaphoreTake( xSemaphore, 0 );

    /* Add the queues and semaphores to the set. Reading from these queues and
    semaphore can only be performed after a call to xQueueSelectFromSet() has
    returned the queue or semaphore handle from this point on. */
    xQueueAddToSet( xQueue1, xQueueSet );
    xQueueAddToSet( xQueue2, xQueueSet );
    xQueueAddToSet( xSemaphore, xQueueSet );

    /* CONTINUED ON NEXT PAGE */
}
```

---

---

```

/* CONTINUED FROM PREVIOUS PAGE */

for( ;; )
{
    /* Block to wait for something to be available from the queues or semaphore
    that have been added to the set. Don't block longer than 200ms. */
    xActivatedMember = xQueueSelectFromSet( xQueueSet, 200 / portTICK_PERIOD_MS
);

    /* Which set member was selected? Receives/takes can use a block time of
    zero as they are guaranteed to pass because xQueueSelectFromSet() would not
    have returned the handle unless something was available. */
    if( xActivatedMember == xQueue1 )
    {
        xQueueReceive( xActivatedMember, &xReceivedFromQueue1, 0 );
        vProcessValueFromQueue1( xReceivedFromQueue1 );
    }
    else if( xActivatedQueue == xQueue2 )
    {
        xQueueReceive( xActivatedMember, &xReceivedFromQueue2, 0 );
        vProcessValueFromQueue2( &xReceivedFromQueue2 );
    }
    else if( xActivatedQueue == xSemaphore )
    {
        /* Take the semaphore to make sure it can be "given" again. */
        xSemaphoreTake( xActivatedMember, 0 );
        vProcessEventNotifiedBySemaphore();
        break;
    }
    else
    {
        /* The 200ms block time expired without an RTOS queue or semaphore
        being ready to process. */
    }
}
}

```

---

**Listing 86** Example use of xQueueCreateSet() and other queue set API functions

## 3.5 vQueueDelete()

---

```
#include "FreeRTOS.h"
#include "queue.h"

void vQueueDelete( TaskHandle_t pxQueueToDelete );
```

---

**Listing 87 vQueueDelete() function prototype**

### Summary

Deletes a queue that was previously created using a call to xQueueCreate(). vQueueDelete() can also be used to delete a semaphore.

### Parameters

**pxQueueToDelete** The handle of the queue being deleted. Semaphore handles can also be used.

### Return Values

None

Single user license for jocy@mbari.org

### Notes

Queues are used to pass data between tasks and between tasks and interrupts.

Tasks can opt to block on a queue/semaphore (with an optional timeout) if they attempt to send data to the queue/semaphore and the queue/semaphore is already full, or they attempt to receive data from a queue/semaphore and the queue/semaphore is already empty. A queue/semaphore must *not* be deleted if there are any tasks currently blocked on it.

## Example

---

```
/* Define the data type that will be queued. */
typedef struct A_Message
{
    char ucMessageID;
    char ucData[ 20 ];
} AMessage;

/* Define the queue parameters. */
#define QUEUE_LENGTH 5
#define QUEUE_ITEM_SIZE sizeof( AMessage )

int main( void )
{
    QueueHandle_t xQueue;

    /* Create the queue, storing the returned handle in the xQueue variable. */
    xQueue = xQueueCreate( QUEUE_LENGTH, QUEUE_ITEM_SIZE );
    if( xQueue == NULL )
    {
        /* The queue could not be created. */
    }
    else
    {
        /* Delete the queue again by passing xQueue to vQueueDelete(). */
        vQueueDelete( xQueue );
    }
}
```

---

Listing 88 Example use of vQueueDelete()

## 3.6 xQueueIsQueueEmptyFromISR()

---

```
#include "FreeRTOS.h"
#include "queue.h"

 BaseType_t xQueueIsQueueEmptyFromISR( const QueueHandle_t pxQueue );
```

---

**Listing 89 xQueueIsQueueEmptyFromISR() function prototype**

### Summary

Queries a queue to see if it contains items, or if it is already empty. Items cannot be received from a queue if the queue is empty.

This function should only be used from an ISR.

### Parameters

`pxQueue` The queue being queried.

### Return Values

Single user license for jocy@mbari.org

|                      |                                                                                                                                     |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| <code>pdFALSE</code> | The queue being queried is empty (does not contain any data items) at the time <code>xQueueIsQueueEmptyFromISR()</code> was called. |
| Any other value      | The queue being queried was not empty (contained data items) at the time <code>xQueueIsQueueEmptyFromISR()</code> was called.       |

### Notes

None.

## 3.7 xQueueIsQueueFullFromISR()

---

```
#include "FreeRTOS.h"
#include "queue.h"

BaseType_t xQueueIsQueueFullFromISR( const QueueHandle_t pxQueue );
```

---

**Listing 90 xQueueIsQueueFullFromISR() function prototype**

### Summary

Queries a queue to see if it is already full, or if it has space to receive a new item. A queue can only successfully receive new items when it is not full.

This function should only be used from an ISR.

### Parameters

`pxQueue` The queue being queried.

Single user license for jocy@mbari.org

### Return Values

|                      |                                                                                                     |
|----------------------|-----------------------------------------------------------------------------------------------------|
| <code>pdFALSE</code> | The queue being queried is not full at the time <code>xQueueIsQueueFullFromISR()</code> was called. |
| Any other value      | The queue being queried was full at the time <code>xQueueIsQueueFullFromISR()</code> was called.    |

### Notes

None.

## 3.8 uxQueueMessagesWaiting()

---

```
#include "FreeRTOS.h"
#include "queue.h"

UBaseType_t uxQueueMessagesWaiting( const QueueHandle_t xQueue );
```

---

Listing 91 uxQueueMessagesWaiting() function prototype

### Summary

Returns the number of items that are currently held in a queue.

### Parameters

xQueue The handle of the queue being queried.

### Returned Value

The number of items that are held in the queue being queried at the time that uxQueueMessagesWaiting() is called.

Single user license for jocy@mbari.org

### Example

---

```
void vAFunction( QueueHandle_t xQueue )
{
    UBaseType_t uxNumberOfItems;

    /* How many items are currently in the queue referenced by the xQueue handle? */
    uxNumberOfItems = uxQueueMessagesWaiting( xQueue );
}
```

---

Listing 92 Example use of uxQueueMessagesWaiting()

## 3.9 uxQueueMessagesWaitingFromISR()

---

```
#include "FreeRTOS.h"
#include "queue.h"

UBaseType_t uxQueueMessagesWaitingFromISR( const QueueHandle_t xQueue );
```

---

**Listing 93 uxQueueMessagesWaitingFromISR() function prototype**

### Summary

A version of uxQueueMessagesWaiting() that can be used from inside an interrupt service routine.

### Parameters

**xQueue** The handle of the queue being queried.

### Returned Value

The number of items that are contained in the queue being queried at the time that uxQueueMessagesWaitingFromISR() is called.

Single user license for jocy@mbari.org

## Example

---

```
void vAnInterruptHandler( void )
{
    UBaseType_t uxNumberOfItems;
    BaseType_t xHigherPriorityTaskWoken = pdFALSE;

    /* Check the status of the queue, if it contains more than 10 items then wake the
    task that will drain the queue. */

    /* How many items are currently in the queue referenced by the xQueue handle? */
    uxNumberOfItems = uxQueueMessagesWaitingFromISR( xQueue );

    if( uxNumberOfItems > 10 )
    {
        /* The task being woken is currently blocked on xSemaphore. Giving the
        semaphore will unblock the task. */
        xSemaphoreGiveFromISR( xSemaphore, &xHigherPriorityTaskWoken );
    }

    /* If xHigherPriorityTaskWoken is equal to pdTRUE at this point then the task
    that was unblocked by the call to xSemaphoreGiveFromISR() had a priority either
    equal to or greater than the currently executing task (the task that was in
    the Running state when this interrupt occurred). In that case a context switch
    should be performed before leaving this interrupt service routine to ensure the
    interrupt returns to the highest priority ready state task (the task that was
    unblocked). The syntax required to perform a context switch from inside an
    interrupt varies from port to port, and from compiler to compiler. Check the
    web documentation and examples for the port in use to find the correct syntax
    for your application. */
}
```

Single user license for jocy@mbari.org

---

**Listing 94 Example use of uxQueueMessagesWaitingFromISR()**

## 3.10 xQueueOverwrite()

---

```
#include "FreeRTOS.h"
#include "queue.h"

BaseType_t xQueueOverwrite( QueueHandle_t xQueue, const void *pvItemToQueue );
```

---

**Listing 95 xQueueOverwrite() function prototype**

### Summary

A version of xQueueSendToBack() that will write to the queue even if the queue is full, overwriting data that is already held in the queue.

xQueueOverwrite() is intended for use with queues that have a length of one, meaning the queue is either empty or full.

This function must not be called from an interrupt service routine. See xQueueOverwriteFromISR() for an alternative which may be used in an interrupt service routine.

Single user license for jocy@mbari.org

### Parameters

- |               |                                                                                                                                                                                                                        |
|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| xQueue        | The handle of the queue to which the data is to be sent.                                                                                                                                                               |
| pvItemToQueue | A pointer to the item that is to be placed in the queue. The size of each item the queue can hold is set when the queue is created, and that many bytes will be copied from pvItemToQueue into the queue storage area. |

### Returned Value

xQueueOverwrite() is a macro that calls xQueueGenericSend(), and therefore has the same return values as xQueueSendToFront(). However, pdPASS is the only value that can be returned because xQueueOverwrite() will write to the queue even when the queue is already full.

## Example

---

```
void vFunction( void *pvParameters )
{
    QueueHandle_t xQueue;
    unsigned long ulVarToSend, ulValReceived;

    /* Create a queue to hold one unsigned long value. It is strongly
    recommended *not* to use xQueueOverwrite() on queues that can
    contain more than one value, and doing so will trigger an assertion
    if configASSERT() is defined. */
    xQueue = xQueueCreate( 1, sizeof( unsigned long ) );

    /* Write the value 10 to the queue using xQueueOverwrite(). */
    ulVarToSend = 10;
    xQueueOverwrite( xQueue, &ulVarToSend );

    /* Peeking the queue should now return 10, but leave the value 10 in
    the queue. A block time of zero is used as it is known that the
    queue holds a value. */
    ulValReceived = 0;
    xQueuePeek( xQueue, &ulValReceived, 0 );

    if( ulValReceived != 10 )
    {
        /* Error, unless another task removed the value. */
    }

    /* The queue is still full. Use xQueueOverwrite() to overwrite the
    value held in the queue with 100. */
    ulVarToSend = 100;
    xQueueOverwrite( xQueue, &ulVarToSend );

    /* This time read from the queue, leaving the queue empty once more.
    A block time of 0 is used again. */
    xQueueReceive( xQueue, &ulValReceived, 0 );

    /* The value read should be the last value written, even though the
    queue was already full when the value was written. */
    if( ulValReceived != 100 )
    {
        /* Error unless another task is using the same queue. */
    }

    /* ... */
}
```

---

Listing 96 Example use of xQueueOverwrite()

## 3.11 xQueueOverwriteFromISR()

---

```
#include "FreeRTOS.h"
#include "queue.h"

BaseType_t xQueueOverwriteFromISR( QueueHandle_t xQueue,
                                   const void *pvItemToQueue,
                                   BaseType_t *pxHigherPriorityTaskWoken );
```

---

Listing 97 xQueueOverwriteFromISR() function prototype

### Summary

A version of xQueueOverwrite() that can be used in an ISR. xQueueOverwriteFromISR() is similar to xQueueSendToBackFromISR(), but will write to the queue even if the queue is full, overwriting data that is already held in the queue.

xQueueOverwriteFromISR() is intended for use with queues that have a length of one, meaning the queue is either empty or full.

### Parameters

|                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| xQueue                    | <small>Single user license for jocy@mbari.org</small><br>The handle of the queue to which the data is to be sent.                                                                                                                                                                                                                                                                                                                                            |
| pvItemToQueue             | A pointer to the item that is to be placed in the queue. The size of each item the queue can hold is set when the queue is created, and that many bytes will be copied from pvItemToQueue into the queue storage area.                                                                                                                                                                                                                                       |
| pxHigherPriorityTaskWoken | xQueueOverwriteFromISR() will set *pxHigherPriorityTaskWoken to pdTRUE if sending to the queue caused a task to unblock, and the unblocked task has a priority higher than the currently running task. If xQueueOverwriteFromISR() sets this value to pdTRUE then a context switch should be requested before the interrupt is exited. Refer to the Interrupt Service Routines section of the documentation for the port being used to see how that is done. |

## Returned Value

`xQueueOverwriteFromISR()` is a macro that calls `xQueueGenericSendFromISR()`, and therefore has the same return values as `xQueueSendToFrontFromISR()`. However, `pdPASS` is the only value that can be returned because `xQueueOverwriteFromISR()` will write to the queue even when the queue is already full.

## Example

---

```
QueueHandle_t xQueue;

void vFunction( void *pvParameters )
{
    /* Create a queue to hold one unsigned long value. It is strongly
    recommended not to use xQueueOverwriteFromISR() on queues that can
    contain more than one value, and doing so will trigger an assertion
    if configASSERT() is defined. */
    xQueue = xQueueCreate( 1, sizeof( unsigned long ) );
}

void vAnInterruptHandler( void )
{
    /* xHigherPriorityTaskWoken must be set to pdFALSE before it is used. */
    BaseType_t xHigherPriorityTaskWoken = pdFALSE;
    unsigned long ulVarToSend, ulValReceived;

    /* Write the value 10 to the queue using xQueueOverwriteFromISR(). */
    ulVarToSend = 10;
    xQueueOverwriteFromISR( xQueue, &ulVarToSend, &xHigherPriorityTaskWoken );

    /* The queue is full, but calling xQueueOverwriteFromISR() again will still
    pass because the value held in the queue will be overwritten with the
    new value. */
    ulVarToSend = 100;
    xQueueOverwriteFromISR( xQueue, &ulVarToSend, &xHigherPriorityTaskWoken );

    /* Reading from the queue will now return 100. */

    /* ... */

    if( xHigherPriorityTaskWoken == pdTRUE )
    {
        /* Writing to the queue caused a task to unblock and the unblocked task
        has a priority higher than or equal to the priority of the currently
        executing task (the task this interrupt interrupted). Perform a context
        switch so this interrupt returns directly to the unblocked task. */
        portYIELD_FROM_ISR(); /* or portEND_SWITCHING_ISR() depending on the port.*/
    }
}
```

---

Listing 98 Example use of `xQueueOverwriteFromISR()`

## 3.12 xQueuePeek()

---

```
#include "FreeRTOS.h"
#include "queue.h"

BaseType_t xQueuePeek( QueueHandle_t xQueue,
                      void *pvBuffer, TickType_t
                      xTicksToWait );
```

---

Listing 99 xQueuePeek() function prototype

### Summary

Reads an item from a queue, but without removing the item from the queue. The same item will be returned the next time xQueueReceive() or xQueuePeek() is used to obtain an item from the same queue.

### Parameters

**xQueue**            The handle of the queue from which data is to be read.

**pvBuffer**          A pointer to the memory into which the data read from the queue will be copied.

Single user license for jocy@mbari.org

The length of the buffer must be at least equal to the queue item size. The item size will have been set by the uxItemSize parameter of the call to xQueueCreate() used to create the queue.

**xTicksToWait**    The maximum amount of time the task should remain in the Blocked state to wait for data to become available on the queue, should the queue already be empty.

If xTicksToWait is zero, then xQueuePeek() will return immediately if the queue is already empty.

The block time is specified in tick periods, so the absolute time it represents is dependent on the tick frequency. The constant portTICK\_PERIOD\_MS can be used to convert a time specified in milliseconds to a time specified in ticks.

Setting xTicksToWait to portMAX\_DELAY will cause the task to wait indefinitely (without timing out) provided INCLUDE\_vTaskSuspend is set to 1

in FreeRTOSConfig.h.

## Return Values

**pdPASS**                      Returned if data was successfully read from the queue.

If a block time was specified (xTicksToWait was not zero), then it is possible that the calling task was placed into the Blocked state, to wait for data to become available on the queue, but data was successfully read from the queue before the block time expired.

**errQUEUE\_EMPTY**      Returned if data cannot be read from the queue because the queue is already empty.

If a block time was specified (xTicksToWait was not zero) then the calling task will have been placed into the Blocked state to wait for another task or interrupt to send data to the queue, but the block time expired before this happened.

## Notes

Single user license for jocy@mbari.org

None.

## Example

---

```
struct AMessage
{
    char ucMessageID;
    char ucData[ 20 ];
} xMessage;

QueueHandle_t xQueue;

/* Task that creates a queue and posts a value. */
void vATask( void *pvParameters )
{
    struct AMessage *pxMessage;

    /* Create a queue capable of containing 10 pointers to AMessage structures.
    Store the handle to the created queue in the xQueue variable. */
    xQueue = xQueueCreate( 10, sizeof( struct AMessage * ) );
    if( xQueue == 0 )
    {
        /* The queue was not created because there was not enough FreeRTOS heap
        memory available to allocate the queues data structures or storage area. */
    }
    else
    {
        /* ... */

        /* Send a pointer to a struct AMessage object to the queue referenced by
        the xQueue variable. Don't block if the queue is already full (the third
        parameter to xQueueSend() is zero, so not block time is specified). */
        pxMessage = &xMessage;
        xQueueSend( xQueue, ( void * ) &pxMessage, 0 );
    }

    /* ... Rest of the task code. */
    for( ;; )
    {
        Single user license for jocy@mbari.org
    }
}

/* Task to peek the data from the queue. */
void vADifferentTask( void *pvParameters )
{
    struct AMessage *pxRxdMessage;

    if( xQueue != 0 )
    {
        /* Peek a message on the created queue. Block for 10 ticks if a message is
        not available immediately. */
        if( xQueuePeek( xQueue, &( pxRxdMessage ), 10 ) == pdPASS )
        {
            /* pxRxdMessage now points to the struct AMessage variable posted by
            vATask, but the item still remains on the queue. */
        }
    }
    else
    {
        /* The queue could not or has not been created. */
    }

    /* ... Rest of the task code. */
    for( ;; )
    {
    }
}
}
```

---

Listing 100 Example use of xQueuePeek()

## 3.13 xQueuePeekFromISR()

---

```
#include "FreeRTOS.h"
#include "queue.h"

BaseType_t xQueuePeekFromISR( QueueHandle_t xQueue, void *pvBuffer );
```

---

Listing 101 xQueuePeekFromISR() function prototype

### Summary

A version of xQueuePeek() that can be used from an interrupt service routine (ISR).

Reads an item from a queue, but without removing the item from the queue. The same item will be returned the next time xQueueReceive() or xQueuePeek() is used to obtain an item from the same queue.

### Parameters

**xQueue** The handle of the queue from which data is to be read.

**pvBuffer** A pointer to the memory into which the data read from the queue will be copied.

The length of the buffer must be at least equal to the queue item size. The item size will have been set by the uxItemSize parameter of the call to xQueueCreate() used to create the queue.

### Return Values

**pdPASS** Returned if data was successfully read from the queue.

**errQUEUE\_EMPTY** Returned if data cannot be read from the queue because the queue is already empty.

### Notes

None.

## 3.14 xQueueReceive()

---

```
#include "FreeRTOS.h"
#include "queue.h"

BaseType_t xQueueReceive( QueueHandle_t xQueue,
                          void *pvBuffer,
                          TickType_t xTicksToWait );
```

---

Listing 102 xQueueReceive() function prototype

### Summary

Receive (read) an item from a queue.

### Parameters

**xQueue**            The handle of the queue from which the data is being received (read). The queue handle will have been returned from the call to xQueueCreate() used to create the queue.

**pvBuffer**            A pointer to the memory into which the received data will be copied.

The length of the buffer must be at least equal to the queue item size. The item size will have been set by the uxItemSize parameter of the call to xQueueCreate() used to create the queue.

**xTicksToWait**    The maximum amount of time the task should remain in the Blocked state to wait for data to become available on the queue, should the queue already be empty.

If xTicksToWait is zero, then xQueueReceive() will return immediately if the queue is already empty.

The block time is specified in tick periods, so the absolute time it represents is dependent on the tick frequency. The constant portTICK\_PERIOD\_MS can be used to convert a time specified in milliseconds to a time specified in ticks.

Setting xTicksToWait to portMAX\_DELAY will cause the task to wait indefinitely (without timing out) provided INCLUDE\_vTaskSuspend is set to 1

in FreeRTOSConfig.h.

## Return Values

**pdPASS**                      Returned if data was successfully read from the queue.

If a block time was specified (xTicksToWait was not zero), then it is possible that the calling task was placed into the Blocked state, to wait for data to become available on the queue, but data was successfully read from the queue before the block time expired.

**errQUEUE\_EMPTY**        Returned if data cannot be read from the queue because the queue is already empty.

If a block time was specified (xTicksToWait was not zero) then the calling task will have been placed into the Blocked state to wait for another task or interrupt to send data to the queue, but the block time expired before this happened.

## Notes

Single user license for jocy@mbari.org

None.

## Example

---

```
/* Define the data type that will be queued. */
typedef struct A_Message
{
    char ucMessageID;
    char ucData[ 20 ];
} AMessage;

/* Define the queue parameters. */
#define QUEUE_LENGTH 5
#define QUEUE_ITEM_SIZE sizeof( AMessage )

int main( void )
{
    QueueHandle_t xQueue;

    /* Create the queue, storing the returned handle in the xQueue variable. */
    xQueue = xQueueCreate( QUEUE_LENGTH, QUEUE_ITEM_SIZE );
    if( xQueue == NULL )
    {
        /* The queue could not be created - do something. */
    }

    /* Create a task, passing in the queue handle as the task parameter. */
    xTaskCreate( vAnotherTask,
                "Task",
                STACK_SIZE,
                ( void * ) xQueue, /* The queue handle is used as the task parameter. */
                TASK_PRIORITY,
                NULL );

    /* Start the task executing. */
    vTaskStartScheduler();

    /* Execution will only reach here if there was not enough FreeRTOS heap memory
    remaining for the idle task to be created. */
    for( ;; );
}

void vAnotherTask( void *pvParameters )
{
    QueueHandle_t xQueue;
    AMessage xMessage;

    /* The queue handle is passed into this task as the task parameter. Cast the
    void * parameter back to a queue handle. */
    xQueue = ( QueueHandle_t ) pvParameters;

    for( ;; )
    {
        /* Wait for the maximum period for data to become available on the queue.
        The period will be indefinite if INCLUDE_vTaskSuspend is set to 1 in
        FreeRTOSConfig.h. */
        if( xQueueReceive( xQueue, &xMessage, portMAX_DELAY ) != pdPASS )
        {
            /* Nothing was received from the queue - even after blocking to wait
            for data to arrive. */
        }
        else
        {
            /* xMessage now contains the received data. */
        }
    }
}
```

---

Listing 103 Example use of xQueueReceive()

## 3.15 xQueueReceiveFromISR()

---

```
#include "FreeRTOS.h"
#include "queue.h"

BaseType_t xQueueReceiveFromISR( QueueHandle_t xQueue,
                                void *pvBuffer,
                                BaseType_t *pxHigherPriorityTaskWoken );
```

---

Listing 104 xQueueReceiveFromISR() function prototype

### Summary

A version of xQueueReceive() that can be called from an ISR. Unlike xQueueReceive(), xQueueReceiveFromISR() does not permit a block time to be specified.

### Parameters

|                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| xQueue                    | The handle of the queue from which the data is being received (read). The queue handle will have been returned from the call to xQueueCreate() used to create the queue.                                                                                                                                                                                                                                                                                                                                                           |
| pvBuffer                  | <small>Single user license for jocy@mbari.org</small><br>A pointer to the memory into which the received data will be copied.<br><br>The length of the buffer must be at least equal to the queue item size. The item size will have been set by the uxItemSize parameter of the call to xQueueCreate() used to create the queue.                                                                                                                                                                                                  |
| pxHigherPriorityTaskWoken | It is possible that a single queue will have one or more tasks blocked on it waiting for space to become available on the queue. Calling xQueueReceiveFromISR() can make space available, and so cause such a task to leave the Blocked state. If calling the API function causes a task to leave the Blocked state, and the unblocked task has a priority equal to or higher than the currently executing task (the task that was interrupted), then, internally, the API function will set *pxHigherPriorityTaskWoken to pdTRUE. |

If `xQueueReceiveFromISR()` sets this value to `pdTRUE`, then a context switch should be performed before the interrupt is exited. This will ensure that the interrupt returns directly to the highest priority Ready state task.

From FreeRTOS V7.3.0 `pxHigherPriorityTaskWoken` is an optional parameter and can be set to `NULL`.

## Return Values

`pdPASS` Data was successfully received from the queue.

`pdFAIL` Data was not received from the queue because the queue was already empty.

## Notes

Calling `xQueueReceiveFromISR()` within an interrupt service routine can potentially cause a task that was blocked on a queue to leave the Blocked state. A context switch should be performed if such an unblocked task has a priority higher than or equal to the currently executing task (the task that was interrupted). The context switch will ensure that the interrupt returns directly to the highest priority Ready state task. Unlike the `xQueueReceive()` API function, `xQueueReceiveFromISR()` will not itself perform a context switch. It will instead just indicate whether or not a context switch is required.

`xQueueReceiveFromISR()` must not be called prior to the scheduler being started. Therefore an interrupt that calls `xQueueReceiveFromISR()` must not be allowed to execute prior to the scheduler being started.

## Example

For clarity of demonstration, the example in this section makes multiple calls to `xQueueReceiveFromISR()` to receive multiple small data items. This is inefficient and therefore not recommended for most applications. A preferable approach would be to send the multiple data items in a structure to the queue in a single post, allowing `xQueueReceiveFromISR()` to be called only once. Alternatively, and preferably, processing can be deferred to the task level.

---

```

/* vISR is an interrupt service routine that empties a queue of values, sending each
to a peripheral. It might be that there are multiple tasks blocked on the queue
waiting for space to write more data to the queue. */
void vISR( void )
{
    char cByte;
    BaseType_t xHigherPriorityTaskWoken;

    /* No tasks have yet been unblocked. */
    xHigherPriorityTaskWoken = pdFALSE;

    /* Loop until the queue is empty.

    xHigherPriorityTaskWoken will get set to pdTRUE internally within
    xQueueReceiveFromISR() if calling xQueueReceiveFromISR() caused a task to leave
    the Blocked state, and the unblocked task has a priority equal to or greater than
    the task currently in the Running state (the task this ISR interrupted). */
    while( xQueueReceiveFromISR( xQueue,
                                &cByte,
                                &xHigherPriorityTaskWoken ) == pdPASS )
    {
        /* Write the received byte to the peripheral. */
        OUTPUT_BYTE( TX_REGISTER_ADDRESS, cByte );
    }

    /* Clear the interrupt source. */

    /* Now the queue is empty and we have cleared the interrupt we can perform a
    context switch if one is required (if xHigherPriorityTaskWoken has been set to
    pdTRUE. NOTE: The syntax required to perform a context switch from an ISR varies
    from port to port, and from compiler to compiler. Check the web documentation and
    examples for the port being used to find the correct syntax required for your
    application. */
    portYIELD_FROM_ISR( xHigherPriorityTaskWoken );
}

```

---

Listing 105 Example use of xQueueReceiveFromISR()

## 3.16 xQueueRemoveFromSet()

---

```
#include "FreeRTOS.h"
#include "queue.h"

BaseType_t xQueueRemoveFromSet( QueueSetMemberHandle_t xQueueOrSemaphore,
                                QueueSetHandle_t xQueueSet );
```

---

Listing 106 xQueueRemoveFromSet() function prototype

### Summary

### Summary

Remove a queue or semaphore from a queue set.

A queue or semaphore can only be removed from a queue set if the queue or semaphore is empty.

### Parameters

**xQueueOrSemaphore**    The handle of the queue or semaphore being removed from the queue set (cast to an `QueueSetMemberHandle_t` type).

**xQueueSet**            The handle of the queue set in which the queue or semaphore is included.

### Return Values

**pdPASS**    The queue or semaphore was successfully removed from the queue set.

**pdFAIL**    The queue or semaphore was not removed from the queue set because either the queue or semaphore was not in the queue set, or the queue or semaphore was not empty.

### Notes

`configUSE_QUEUE_SETS` must be set to 1 in `FreeRTOSConfig.h` for the `xQueueRemoveFromSet()` API function to be available.

## Example

This example assumes xQueueSet is a queue set that has already been created, and xQueue is a queue that has already been created and added to xQueueSet.

---

```
if( xQueueRemoveFromSet( xQueue, xQueueSet ) != pdPASS )
{
    /* Either xQueue was not a member of the xQueueSet set, or xQueue is
    not empty and therefore cannot be removed from the set. */
}
else
{
    /* The queue was successfully removed from the set. */
}
```

---

**Listing 107 Example use of xQueueRemoveFromSet()**

Single user license for jocy@mbari.org

## 3.17 xQueueReset()

---

```
#include "FreeRTOS.h"
#include "queue.h"

BaseType_t xQueueReset( QueueHandle_t xQueue );
```

---

**Listing 108 xQueueReset() function prototype**

### Summary

Resets a queue to its original empty state. Any data contained in the queue at the time it is reset is discarded.

### Parameters

**xQueue** The handle of the queue that is being reset. The queue handle will have been returned from the call to `xQueueCreate()` used to create the queue.

### Return Values

Single user license for jocy@mbari.org

Original versions of `xQueueReset()` returned `pdPASS` or `pdFAIL`. Since FreeRTOS V7.2.0 `xQueueReset()` always returns `pdPASS`.

## 3.18 xQueueSelectFromSet()

---

```
#include "FreeRTOS.h"
#include "queue.h"

QueueSetMemberHandle_t xQueueSelectFromSet( QueueSetHandle_t xQueueSet,
                                             const TickType_t xTicksToWait );
```

---

Listing 109 xQueueSelectFromSet() function prototype

### Summary

xQueueSelectFromSet() selects from the members of a queue set a queue or semaphore that either contains data (in the case of a queue) or is available to take (in the case of a semaphore). xQueueSelectFromSet() effectively allows a task to block (pend) on a read operation on all the queues and semaphores in a queue set simultaneously.

### Parameters

- xQueueSet**     The queue set on which the task will (potentially) block.  
Single user license for jocy@mbari.org
- xTicksToWait**   The maximum time, in ticks, that the calling task will remain in the Blocked state (with other tasks executing) to wait for a member of the queue set to be ready for a successful queue read or semaphore take operation.

### Return Values

- NULL**     A queue or semaphore contained in the set did not become available before the block time specified by the xTicksToWait parameter expired.
- Any other value**     The handle of a queue (cast to a QueueSetMemberHandle\_t type) contained in the queue set that contains data, or the handle of a semaphore (cast to a QueueSetMemberHandle\_t type) contained in the queue set that is available.

### Notes

configUSE\_QUEUE\_SETS must be set to 1 in FreeRTOSConfig.h for the xQueueSelectFromSet() API function to be available.

There are simpler alternatives to using queue sets. See the [Blocking on Multiple Objects](#) page on the [FreeRTOS.org](#) website for more information.

Blocking on a queue set that contains a mutex will not cause the mutex holder to inherit the priority of the blocked task.

A receive (in the case of a queue) or take (in the case of a semaphore) operation must not be performed on a member of a queue set unless a call to `xQueueSelectFromSet()` has first returned a handle to that set member.

### **Example**

See the example provided for the `xQueueCreateSet()` function in this manual.

Single user license for jocy@mbari.org

## 3.19 xQueueSelectFromSetFromISR()

---

```
#include "FreeRTOS.h"
#include "queue.h"

QueueSetMemberHandle_t xQueueSelectFromSetFromISR( QueueSetHandle_t xQueueSet );
```

---

Listing 110 xQueueSelectFromSetFromISR() function prototype

### Summary

A version of xQueueSelectFromSet() that can be used from an interrupt service routine.

### Parameters

**xQueueSet** The queue set being queried. It is not possible to block on a read as this function is designed to be used from an interrupt.

### Return Values

**NULL** No members of the queue set were available.

**Any other value** The handle of a queue (cast to a QueueSetMemberHandle\_t type) contained in the queue set that contains data, or the handle of a semaphore (cast to a QueueSetMemberHandle\_t type) contained in the queue set that is available.

### Notes

configUSE\_QUEUE\_SETS must be set to 1 in FreeRTOSConfig.h for the xQueueSelectFromSetFromISR() API function to be available.

## Example

---

```
void vReceiveFromQueueInSetFromISR( void )
{
    QueueSetMemberHandle_t xActivatedQueue;
    unsigned long ulReceived;

    /* See if any of the queues in the set contain data. */
    xActivatedQueue = xQueueSelectFromSetFromISR( xQueueSet );

    if( xActivatedQueue != NULL )
    {
        /* Reading from the queue returned by xQueueSelectFromSetFormISR(). */
        if( xQueueReceiveFromISR( xActivatedQueue, &ulReceived, NULL ) != pdPASS )
        {
            /* Data should have been available as the handle was returned from
            xQueueSelectFromSetFromISR(). */
        }
    }
}
```

---

**Listing 111 Example use of xQueueSelectFromSetFromISR()**

Single user license for jocy@mbari.org

## 3.20 xQueueSend(), xQueueSendToFront(), xQueueSendToBack()

---

```
#include "FreeRTOS.h"
#include "queue.h"

BaseType_t xQueueSend(    QueueHandle_t xQueue,
                          const void * pvItemToQueue,
                          TickType_t xTicksToWait );

BaseType_t xQueueSendToFront(    QueueHandle_t xQueue,
                                const void * pvItemToQueue,
                                TickType_t xTicksToWait );

BaseType_t xQueueSendToBack(    QueueHandle_t xQueue,
                                const void * pvItemToQueue,
                                TickType_t xTicksToWait );
```

---

Listing 112 xQueueSend(), xQueueSendToFront() and xQueueSendToBack() function prototypes

### Summary

Sends (writes) an item to the front or the back of a queue.

xQueueSend() and xQueueSendToBack() perform the same operation so are equivalent. Both send data to the back of a queue. xQueueSend() was the original version, and it is now recommended to use xQueueSendToBack() in its place.

### Parameters

**xQueue**                    The handle of the queue to which the data is being sent (written). The queue handle will have been returned from the call to xQueueCreate() used to create the queue

**pvItemToQueue**    A pointer to the data to be copied into the queue.

The size of each item the queue can hold is set when the queue is created, and that many bytes will be copied from pvItemToQueue into the queue storage area.

**xTicksToWait**        The maximum amount of time the task should remain in the Blocked state to wait for space to become available on the queue, should the queue already be full.

`xQueueSend()`, `xQueueSendToFront()` and `xQueueSendToBack()` will return immediately if `xTicksToWait` is zero and the queue is already full.

The block time is specified in tick periods, so the absolute time it represents is dependent on the tick frequency. The constant `portTICK_PERIOD_MS` can be used to convert a time specified in milliseconds to a time specified in ticks.

Setting `xTicksToWait` to `portMAX_DELAY` will cause the task to wait indefinitely (without timing out), provided `INCLUDE_vTaskSuspend` is set to 1 in `FreeRTOSConfig.h`.

## Return Values

`pdPASS`                      Returned if data was successfully sent to the queue.

If a block time was specified (`xTicksToWait` was not zero), then it is possible that the calling task was placed into the Blocked state, to wait for space to become available in the queue before the function returned, but data was successfully written to the queue before the block time expired.

`errQUEUE_FULL`            Returned if data could not be written to the queue because the queue was already full.

If a block time was specified (`xTicksToWait` was not zero) then the calling task will have been placed into the Blocked state to wait for another task or interrupt to make room in the queue, but the specified block time expired before that happened.

## Notes

None.

## Example

---

```
/* Define the data type that will be queued. */
typedef struct A_Message

    char ucMessageID;
    char ucData[ 20 ];
} AMessage;

/* Define the queue parameters. */
#define QUEUE_LENGTH 5
#define QUEUE_ITEM_SIZE sizeof( AMessage )

int main( void )
{
    QueueHandle_t xQueue;

    /* Create the queue, storing the returned handle in the xQueue variable. */
    xQueue = xQueueCreate( QUEUE_LENGTH, QUEUE_ITEM_SIZE );
    if( xQueue == NULL )
    {
        /* The queue could not be created - do something. */
    }

    /* Create a task, passing in the queue handle as the task parameter. */
    xTaskCreate( vAnotherTask,
                "Task",
                STACK_SIZE,
                ( void * ) xQueue, /* xQueue is used as the task parameter. */
                TASK_PRIORITY,
                NULL );

    /* Start the task executing. */
    vTaskStartScheduler();

    /* Execution will only reach here if there was not enough FreeRTOS heap memory
    remaining for the idle task to be created. */
    for( ;; );
}

void vATask( void *pvParameters )
{
    QueueHandle_t xQueue;
    AMessage xMessage;

    /* The queue handle is passed into this task as the task parameter. Cast
    the parameter back to a queue handle. */
    xQueue = ( QueueHandle_t ) pvParameters;

    for( ;; )
    {
        /* Create a message to send on the queue. */
        xMessage.ucMessageID = SEND_EXAMPLE;

        /* Send the message to the queue, waiting for 10 ticks for space to become
        available if the queue is already full. */
        if( xQueueSendToBack( xQueue, &xMessage, 10 ) != pdPASS )
        {
            /* Data could not be sent to the queue even after waiting 10 ticks. */
        }
    }
}
```

---

Listing 113 Example use of xQueueSendToBack()

## 3.21 xQueueSendFromISR(), xQueueSendToBackFromISR(), xQueueSendToFrontFromISR()

---

```
#include "FreeRTOS.h"
#include "queue.h"

BaseType_t xQueueSendFromISR( QueueHandle_t xQueue,
                             const void *pvItemToQueue,
                             BaseType_t *pxHigherPriorityTaskWoken );

BaseType_t xQueueSendToBackFromISR( QueueHandle_t xQueue,
                                    const void *pvItemToQueue,
                                    BaseType_t *pxHigherPriorityTaskWoken );

BaseType_t xQueueSendToFrontFromISR( QueueHandle_t xQueue,
                                     const void *pvItemToQueue,
                                     BaseType_t *pxHigherPriorityTaskWoken );
```

---

Listing 114 xQueueSendFromISR(), xQueueSendToBackFromISR() and  
xQueueSendToFrontFromISR() function prototypes

### Summary

Versions of the xQueueSend(), xQueueSendToFront() and xQueueSendToBack() API functions that can be called from an ISR. Unlike xQueueSend(), xQueueSendToFront() and xQueueSendToBack(), the ISR safe versions do not permit a block time to be specified.

xQueueSendFromISR() and xQueueSendToBackFromISR() perform the same operation so are equivalent. Both send data to the back of a queue. xQueueSendFromISR() was the original version and it is now recommended to use xQueueSendToBackFromISR() in its place.

### Parameters

|                           |                                                                                                                                                                                                                         |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| xQueue                    | The handle of the queue to which the data is being sent (written). The queue handle will have been returned from the call to xQueueCreate() used to create the queue.                                                   |
| pvItemToQueue             | A pointer to the data to be copied into the queue.<br><br>The size of each item the queue can hold is set when the queue is created, and that many bytes will be copied from pvItemToQueue into the queue storage area. |
| pxHigherPriorityTaskWoken | It is possible that a single queue will have one or more tasks                                                                                                                                                          |

blocked on it waiting for data to become available. Calling `xQueueSendFromISR()`, `xQueueSendToFrontFromISR()` or `xQueueSendToBackFromISR()` can make data available, and so cause such a task to leave the Blocked state. If calling the API function causes a task to leave the Blocked state, and the unblocked task has a priority equal to or higher than the currently executing task (the task that was interrupted), then, internally, the API function will set `*pxHigherPriorityTaskWoken` to `pdTRUE`. If `xQueueSendFromISR()`, `xQueueSendToFrontFromISR()` or `xQueueSendToBackFromISR()` sets this value to `pdTRUE`, then a context switch should be performed before the interrupt is exited. This will ensure that the interrupt returns directly to the highest priority Ready state task.

From FreeRTOS V7.3.0 `pxHigherPriorityTaskWoken` is an optional parameter and can be set to `NULL`.

## Return Values

Single user license for jocy@mbari.org

`pdTRUE` Data was successfully sent to the queue.

`errQUEUE_FULL` Data could not be sent to the queue because the queue was already full.

## Notes

Calling `xQueueSendFromISR()`, `xQueueSendToBackFromISR()` or `xQueueSendToFrontFromISR()` within an interrupt service routine can potentially cause a task that was blocked on a queue to leave the Blocked state. A context switch should be performed if such an unblocked task has a priority higher than or equal to the currently executing task (the task that was interrupted). The context switch will ensure that the interrupt returns directly to the highest priority Ready state task. Unlike the `xQueueSend()`, `xQueueSendToBack()` and `xQueueSendToFront()` API functions, `xQueueSendFromISR()`, `xQueueSendToBackFromISR()` and `xQueueSendToFrontFromISR()` will not themselves perform a context switch. They will instead just indicate whether or not a context switch is required.

`xQueueSendFromISR()`, `xQueueSendToBackFromISR()` and `xQueueSendToFrontFromISR()` must not be called prior to the scheduler being started. Therefore an interrupt that calls any of these functions must not be allowed to execute prior to the scheduler being started.

### **Example**

For clarity of demonstration, the following example makes multiple calls to `xQueueSendToBackFromISR()` to send multiple small data items. This is inefficient and therefore not recommended. Preferable approaches include:

1. Packing the multiple data items into a structure, then using a single call to `xQueueSendToBackFromISR()` to send the entire structure to the queue. This approach is only appropriate if the number of data items is small.
2. Writing the data items into a circular RAM buffer, then using a single call to `xQueueSendToBackFromISR()` to let a task know how many new data items the buffer contains.

Single user license for jocy@mbari.org

---

```

/* vBufferISR() is an interrupt service routine that empties a buffer of values,
writing each value to a queue. It might be that there are multiple tasks blocked
on the queue waiting for the data. */
void vBufferISR( void )
{
    char cIn;
    BaseType_t xHigherPriorityTaskWoken;

    /* No tasks have yet been unblocked. */
    xHigherPriorityTaskWoken = pdFALSE;

    /* Loop until the buffer is empty. */
    do
    {
        /* Obtain a byte from the buffer. */
        cIn = INPUT_BYTE( RX_REGISTER_ADDRESS );

        /* Write the byte to the queue. xHigherPriorityTaskWoken will get set to
        pdTRUE if writing to the queue causes a task to leave the Blocked state,
        and the task leaving the Blocked state has a priority higher than the
        currently executing task (the task that was interrupted). */
        xQueueSendToBackFromISR( xRxQueue, &cIn, &xHigherPriorityTaskWoken );

    } while( INPUT_BYTE( BUFFER_COUNT ) );

    /* Clear the interrupt source here. */

    /* Now the buffer is empty, and the interrupt source has been cleared, a context
    switch should be performed if xHigherPriorityTaskWoken is equal to pdTRUE.
    NOTE: The syntax required to perform a context switch from an ISR varies from
    port to port, and from compiler to compiler. Check the web documentation and
    examples for the port being used to find the syntax required for your
    application. */
    portYIELD_FROM_ISR( xHigherPriorityTaskWoken );
}

```

---

**Listing 115 Example use of xQueueSendToBackFromISR()**

## 3.22 uxQueueSpacesAvailable()

---

```
#include "FreeRTOS.h"
#include "queue.h"

UBaseType_t uxQueueSpacesAvailable( const QueueHandle_t xQueue );
```

---

Listing 116 uxQueueSpacesAvailable() function prototype

### Summary

Returns the number of free spaces that are available in a queue. That is, the number of items that can be posted to the queue before the queue becomes full.

### Parameters

**xQueue** The handle of the queue being queried.

### Returned Value

The number of free spaces that are available in the queue being queried at the time uxQueueSpacesAvailable() is called.

Single user license for jocy@mbari.org

### Example

---

```
void vAFunction( QueueHandle_t xQueue )
{
    UBaseType_t uxNumberOfFreeSpaces;

    /* How many free spaces are currently available in the queue referenced by the
    xQueue handle? */
    uxNumberOfFreeSpaces = uxQueueSpacesAvailable( xQueue );
}
```

---

Listing 117 Example use of uxQueueSpacesAvailable()

Single user license for jocy@mbari.org

# Chapter 4

## Semaphore API

---

Single user license for jocy@mbari.org

## 4.1 vSemaphoreCreateBinary()

---

```
#include "FreeRTOS.h"
#include "semphr.h"

void vSemaphoreCreateBinary( SemaphoreHandle_t xSemaphore );
```

---

Listing 118 vSemaphoreCreateBinary() macro prototype

### Summary

**NOTE:** The vSemaphoreCreateBinary() macro remains in the source code to ensure backward compatibility, but it should not be used in new designs. Use the xSemaphoreCreateBinary() function instead.

A macro that creates a binary semaphore. A semaphore must be explicitly created before it can be used.

### Parameters

xSemaphore Variable of type SemaphoreHandle\_t that will store the handle of the semaphore being created.

### Return Values

None.

If, following a call to vSemaphoreCreateBinary(), xSemaphore is equal to NULL, then the semaphore cannot be created because there is insufficient heap memory available for FreeRTOS to allocate the semaphore data structures. In all other cases, xSemaphore will hold the handle of the created semaphore.

### Notes

Binary semaphores and mutexes are very similar, but do have some subtle differences. Mutexes include a priority inheritance mechanism, binary semaphores do not. This makes binary semaphores the better choice for implementing synchronization (between tasks or between tasks and an interrupt), and mutexes the better choice for implementing simple mutual exclusion.

**Binary Semaphores** – A binary semaphore used for synchronization does not need to be ‘given’ back after it has been successfully ‘taken’ (obtained). Task synchronization is implemented by having one task or interrupt ‘give’ the semaphore, and another task ‘take’ the semaphore (see the `xSemaphoreGiveFromISR()` documentation).

**Mutexes** – The priority of a task that holds a mutex will be raised if another task of higher priority attempts to obtain the same mutex. The task that already holds the mutex is said to ‘inherit’ the priority of the task that is attempting to ‘take’ the same mutex. The inherited priority will be ‘disinherited’ when the mutex is returned (the task that inherited a higher priority while it held a mutex will return to its original priority when the mutex is returned).

A task that obtains a mutex that is used for mutual exclusion must always give the mutex back – otherwise no other task will ever be able to obtain the same mutex. An example of a mutex being used to implement mutual exclusion is provided in the `xSemaphoreTake()` section of this manual. A fast, small, and simple priority inheritance mechanism is implemented that assumes a task will never hold more than one mutex at a time.

Mutexes and binary semaphores are both referenced using variables that have an `SemaphoreHandle_t` type, and can be used in any API function that takes a parameter of that type.

Single user license for jocy@mbari.org

Mutexes and binary semaphores that were created using the `vSemaphoreCreateBinary()` macro (as opposed to the preferred `xSemaphoreCreateBinary()` function) are both created such that the first call to `xSemaphoreTake()` on the semaphore or mutex will pass. Binary semaphores created using the `xSemaphoreCreateBinary()` function are created ‘empty’, so the semaphore must first be given before the semaphore can be taken (obtained) using a call to `xSemaphoreTake()`.

## Example

---

```
SemaphoreHandle_t xSemaphore;

void vATask( void * pvParameters )
{
    /* Attempt to create a semaphore.
    NOTE: New designs should use the xSemaphoreCreate() function, not the
    vSemaphoreCreate() macro. */
    vSemaphoreCreateBinary( xSemaphore );

    if( xSemaphore == NULL )
    {
        /* There was insufficient FreeRTOS heap available for the semaphore to
        be created successfully. */
    }
    else
    {
        /* The semaphore can now be used. Its handle is stored in the xSemahore
        variable. */
    }
}
```

---

**Listing 119 Example use of vSemaphoreCreateBinary()**

Single user license for jocy@mbari.org

## 4.2 xSemaphoreCreateBinary()

---

```
#include "FreeRTOS.h"
#include "semphr.h"

SemaphoreHandle_t xSemaphoreCreateBinary( void );
```

---

Listing 120 xSemaphoreCreateBinary() function prototype

### Summary

A function that creates a binary semaphore. A semaphore must be explicitly created before it can be used.

The semaphore is created in the 'empty' state, meaning the semaphore must first be given before it can be taken (obtained) using the xSemaphoreTake() function.

### Parameters

None.

Single user license for jocy@mbari.org

### Return Values

- |                 |                                                                                                                                                         |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| NULL            | Returned if the semaphore cannot be created because there is insufficient heap memory available for FreeRTOS to allocate the semaphore data structures. |
| Any other value | The semaphore was created successfully. The returned value should be stored as the handle to the created semaphore.                                     |

### Notes

Binary semaphores and mutexes are very similar, but do have some subtle differences. Mutexes include a priority inheritance mechanism, binary semaphores do not. This makes binary semaphores the better choice for implementing synchronization (between tasks or between tasks and an interrupt), and mutexes the better choice for implementing simple mutual exclusion.

**Binary Semaphores** – A binary semaphore used for synchronization does not need to be 'given' back after it has been successfully 'taken' (obtained). Task synchronization is

implemented by having one task or interrupt ‘give’ the semaphore, and another task ‘take’ the semaphore (see the xSemaphoreGiveFromISR() documentation).

**Mutexes** – The priority of a task that holds a mutex will be raised if another task of higher priority attempts to obtain the same mutex. The task that already holds the mutex is said to ‘inherit’ the priority of the task that is attempting to ‘take’ the same mutex. The inherited priority will be ‘disinherited’ when the mutex is returned (the task that inherited a higher priority while it held a mutex will return to its original priority when the mutex is returned).

A task that obtains a mutex that is used for mutual exclusion must always give the mutex back – otherwise no other task will ever be able to obtain the same mutex. An example of a mutex being used to implement mutual exclusion is provided in the xSemaphoreTake() section of this manual. A fast, small, and simple priority inheritance mechanism is implemented that assumes a task will never hold more than one mutex at a time.

Mutexes and binary semaphores are both referenced using variables that have an SemaphoreHandle\_t type, and can be used in any API function that takes a parameter of that type.

Single user license for jocy@mbari.org

## Example

---

```
SemaphoreHandle_t xSemaphore;

void vATask( void * pvParameters )
{
    /* Attempt to create a semaphore. */
    xSemaphore = xSemaphoreCreateBinary();

    if( xSemaphore == NULL )
    {
        /* There was insufficient FreeRTOS heap available for the semaphore to
        be created successfully. */
    }
    else
    {
        /* The semaphore can now be used. Its handle is stored in the xSemaphore
        variable. Calling xSemaphoreTake() on the semaphore here will fail until
        the semaphore has first been given. */
    }
}
```

---

Listing 121 Example use of xSemaphoreCreateBinary()

## 4.3 xSemaphoreCreateCounting()

---

```
#include "FreeRTOS.h"
#include "semphr.h"

SemaphoreHandle_t xSemaphoreCreateCounting(    UBaseType_t uxMaxCount,
                                              UBaseType_t uxInitialCount );
```

---

Listing 122 xSemaphoreCreateCounting() function prototype

### Summary

Creates a counting semaphore. A semaphore must be explicitly created before it can be used.

### Parameters

**uxMaxCount**    The maximum count value that can be reached. When the semaphore reaches this value it can no longer be 'given'.

**uxInitialCount**    The count value assigned to the semaphore when it is created.

Single user license for jocy@mbari.org

### Return Values

**NULL**                Returned if the semaphore cannot be created because there is insufficient heap memory available for FreeRTOS to allocate the semaphore data structures.

**Any other value**    The semaphore was created successfully. The returned value should be stored as the handle to the created semaphore.

### Notes

Counting semaphores are typically used for two things:

1. Counting events.

In this usage scenario, an event handler will 'give' the semaphore each time an event occurs, and a handler task will 'take' the semaphore each time it processes an event.

The semaphore's count value will be incremented each time it is 'given' and decremented each time it is 'taken'. The count value is therefore the difference between the number of events that have occurred and the number of events that have been processed.

Semaphores created to count events should be created with an initial count value of zero, because no events will have been counted prior to the semaphore being created.

## 2. Resource management.

In this usage scenario, the count value of the semaphore represents the number of resources that are available.

To obtain control of a resource, a task must first successfully 'take' the semaphore. The action of 'taking' the semaphore will decrement the semaphore's count value. When the count value reaches zero, no more resources are available, and further attempts to 'take' the semaphore will fail.

When a task finishes with a resource, it must 'give' the semaphore. The action of 'giving' the semaphore will increment the semaphore's count value, indicating that a resource is available, and allowing future attempts to 'take' the semaphore to be successful.

Single user license for jocy@mbari.org

Semaphores created to manage resources should be created with an initial count value equal to the number of resource that are available.

## Example

---

```
void vATask( void * pvParameters )
{
    SemaphoreHandle_t xSemaphore;

    /* The semaphore cannot be used before it is created using a call to
    xSemaphoreCreateCounting(). The maximum value to which the semaphore can
    count in this example case is set to 10, and the initial value assigned to
    the count is set to 0. */
    xSemaphore = xSemaphoreCreateCounting( 10, 0 );

    if( xSemaphore != NULL )
    {
        /* The semaphore was created successfully. The semaphore can now be used. */
    }
}
```

---

Listing 123 Example use of xSemaphoreCreateCounting()

## 4.4 xSemaphoreCreateMutex()

---

```
#include "FreeRTOS.h"
#include "semphr.h"

SemaphoreHandle_t xSemaphoreCreateMutex( void );
```

---

Listing 124 xSemaphoreCreateMutex() function prototype

### Summary

Creates a mutex type semaphore. A semaphore must be explicitly created before it can be used.

### Parameters

None

### Return Values

- |                 |                                                                                                                                                         |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| NULL            | Returned if the semaphore cannot be created because there is insufficient heap memory available for FreeRTOS to allocate the semaphore data structures. |
| Any other value | The semaphore was created successfully. The returned value should be stored as the handle to the created semaphore.                                     |

### Notes

Binary semaphores and mutexes are very similar, but do have some subtle differences. Mutexes include a priority inheritance mechanism, binary semaphores do not. This makes binary semaphores the better choice for implementing synchronization (between tasks or between tasks and an interrupt), and mutexes the better choice for implementing simple mutual exclusion.

**Binary Semaphores** – A binary semaphore used for synchronization does not need to be ‘given’ back after it has been successfully ‘taken’ (obtained). Task synchronization is implemented by having one task or interrupt ‘give’ the semaphore, and another task ‘take’ the semaphore (see the xSemaphoreGiveFromISR() documentation).

**Mutexes** – The priority of a task that holds a mutex will be raised if another task of higher priority attempts to obtain the same mutex. The task that already holds the mutex is said to ‘inherit’ the priority of the task that is attempting to ‘take’ the same mutex. The inherited priority will be ‘disinherited’ when the mutex is returned (the task that inherited a higher priority while it held a mutex will return to its original priority when the mutex is returned).

A task that obtains a mutex that is used for mutual exclusion must always give the mutex back – otherwise no other task will ever be able to obtain the same mutex. An example of a mutex being used to implement mutual exclusion is provided in the xSemaphoreTake() section of this manual. A fast, small, and simple priority inheritance mechanism is implemented that assumes a task will never hold more than one mutex at a time.

Mutexes and binary semaphores are both referenced using variables that have an SemaphoreHandle\_t type, and can be used in any API function that takes a parameter of that type.

Mutexes and binary semaphores are both created such that the first call to xSemaphoreTake() on the semaphore or mutex will pass.

Single user license for jocy@mbari.org

## Example

---

```
SemaphoreHandle_t xSemaphore;

void vATask( void * pvParameters )
{
    /* Attempt to create a mutex type semaphore. */
    xSemaphore = xSemaphoreCreateMutex();

    if( xSemaphore == NULL )
    {
        /* There was insufficient heap memory available for the mutex to be
        created. */
    }
    else
    {
        /* The mutex can now be used. The handle of the created mutex will be
        stored in the xSemaphore variable. */
    }
}
```

---

Listing 125 Example use of xSemaphoreCreateMutex()

## 4.5 xSemaphoreCreateRecursiveMutex()

---

```
#include "FreeRTOS.h"
#include "semphr.h"

SemaphoreHandle_t xSemaphoreCreateRecursiveMutex( void );
```

---

**Listing 126 xSemaphoreCreateRecursiveMutex() function prototype**

### Summary

Creates a recursive mutex type semaphore. A semaphore must be explicitly created before it can be used.

### Parameters

None.

### Return Values

NULL                      Returned if the semaphore cannot be created because there is insufficient heap memory available for FreeRTOS to allocate the semaphore data structures.

Any other value          The semaphore was created successfully. The returned value should be stored as the handle to the created semaphore.

### Notes

A recursive mutex is 'taken' using the xSemaphoreTakeRecursive() function, and 'given' using the xSemaphoreGiveRecursive() function. The xSemaphoreTake() and xSemaphoreGive() functions must not be used with recursive mutexes.

Calls to xSemaphoreTakeRecursive() can be nested. Therefore, once a recursive mutex has been successfully 'taken' by a task, further calls to xSemaphoreTakeRecursive() made by the same task will also be successful. The same number of calls must be made to xSemaphoreGiveRecursive() as have previously been made to xSemaphoreTakeRecursive() before the mutex becomes available to any other task. For example, if a task successfully and recursively 'takes' the same mutex five times, then the mutex will not be available to any other

task until the task that successfully obtained the mutex has also ‘given’ the mutex back exactly five times.

As with standard mutexes, a recursive mutex can only be held/obtained by a single task at any one time.

The priority of a task that holds a recursive mutex will be raised if another task of higher priority attempts to obtain the same mutex. The task that already holds the recursive mutex is said to ‘inherit’ the priority of the task that is attempting to ‘take’ the same mutex. The inherited priority will be ‘disinherited’ when the mutex is returned (the task that inherited a higher priority while it held a mutex will return to its original priority when the mutex is returned).

## Example

---

```
void vATask( void * pvParameters )
{
    SemaphoreHandle_t xSemaphore;

    /* Recursive semaphores cannot be used before being explicitly created using a
    call to xSemaphoreCreateRecursiveMutex(). */
    xSemaphore = xSemaphoreCreateRecursiveMutex();

    if( xSemaphore != NULL )
    {
        /* The recursive mutex semaphore was created successfully and its handle
        will be stored in xSemaphore variable. The recursive mutex can now be
        used. */
    }
}
```

---

Listing 127 Example use of xSemaphoreCreateRecursiveMutex()

## 4.6 vSemaphoreDelete()

---

```
#include "FreeRTOS.h"
#include "semphr.h"

void vSemaphoreDelete( SemaphoreHandle_t xSemaphore );
```

---

**Listing 128 vSemaphoreDelete() function prototype**

### Summary

Deletes a semaphore that was previously created using a call to vSemaphoreCreateBinary(), xSemaphoreCreateCounting(), xSemaphoreCreateRecursiveMutex(), or xSemaphoreCreateMutex().

### Parameters

xSemaphore The handle of the semaphore being deleted.

### Return Values

None

Single user license for jocy@mbari.org

### Notes

Tasks can opt to block on a semaphore (with an optional timeout) if they attempt to obtain a semaphore that is not available. A semaphore must *not* be deleted if there are any tasks currently blocked on it.

## 4.7 xSemaphoreGetMutexHolder()

---

```
#include "FreeRTOS.h"
#include "semphr.h"

TaskHandle_t xSemaphoreGetMutexHolder( SemaphoreHandle_t xMutex );
```

---

Listing 129 xSemaphoreGetMutexHolder() function prototype

### Summary

Return the handle of the task that holds the mutex specified by the function parameter, if any.

### Parameters

xMutex The handle of the mutex being queried.

### Return Values

NULL Either:

- The semaphore specified by the xMutex parameter is not a mutex type semaphore, or
- The semaphore is available, and not held by any task.

Any other value The handle of the task that holds the semaphore specified by the xMutex parameter.

### Notes

xSemaphoreGetMutexHolder() can be used reliably to determine if the calling task is the mutex holder, but cannot be used reliably if the mutex is held by any task other than the calling task. This is because the mutex holder might change between the calling task calling the function, and the calling task testing the function's return value.

configUSE\_MUTEXES and INCLUDE\_xSemaphoreGetMutexHolder must both be set to 1 in FreeRTOSConfig.h for xSemaphoreGetMutexHolder() to be available.

## 4.8 xSemaphoreGive()

---

```
#include "FreeRTOS.h"
#include "semphr.h"

BaseType_t xSemaphoreGive( SemaphoreHandle_t xSemaphore );
```

---

**Listing 130 xSemaphoreGive() function prototype**

### Summary

'Gives' (or releases) a semaphore that has previously been created using a call to `vSemaphoreCreateBinary()`, `xSemaphoreCreateCounting()` or `xSemaphoreCreateMutex()` – and has also been successfully 'taken'.

### Parameters

**xSemaphore** The Semaphore being 'given'. A semaphore is referenced by a variable of type `SemaphoreHandle_t` and must be explicitly created before being used.

Single user license for jocy@mbari.org

### Return Values

**pdPASS** The semaphore 'give' operation was successful.

**pdFAIL** The semaphore 'give' operation was not successful because the task calling `xSemaphoreGive()` is not the semaphore holder. A task must successfully 'take' a semaphore before it can successfully 'give' it back.

### Notes

None.

## Example

---

```
SemaphoreHandle_t xSemaphore = NULL;

void vATask( void * pvParameters )
{
    /* A semaphore is going to be used to guard a shared resource. In this case a
    mutex type semaphore is created because it includes priority inheritance
    functionality. */
    xSemaphore = xSemaphoreCreateMutex();

    for( ;; )
    {
        if( xSemaphore != NULL )
        {
            if( xSemaphoreGive( xSemaphore ) != pdTRUE )
            {
                /* This call should fail because the semaphore has not yet been
                'taken'. */
            }

            /* Obtain the semaphore - don't block if the semaphore is not
            immediately available (the specified block time is zero). */
            if( xSemaphoreTake( xSemaphore, 0 ) == pdPASS )
            {
                /* The semaphore was 'taken' successfully, so the resource it is
                guarding can be accessed safely. */

                /* ... */

                /* Access to the resource the semaphore is guarding is complete, so
                the semaphore must be 'given' back. */
                if( xSemaphoreGive( xSemaphore ) != pdPASS )
                {
                    /* This call should not fail because the calling task has
                    already successfully 'taken' the semaphore. */
                }
            }
        }
        else
        {
            /* The semaphore was not created successfully because there is not
            enough FreeRTOS heap remaining for the semaphore data structures to be
            allocated. */
        }
    }
}
```

---

Listing 131 Example use of xSemaphoreGive()

## 4.9 xSemaphoreGiveFromISR()

---

```
#include "FreeRTOS.h"
#include "semphr.h"

BaseType_t xSemaphoreGiveFromISR( SemaphoreHandle_t xSemaphore,
                                   BaseType_t *pxHigherPriorityTaskWoken );
```

---

Listing 132 xSemaphoreGiveFromISR() function prototype

### Summary

A version of xSemaphoreGive() that can be used in an ISR. Unlike xSemaphoreGive(), xSemaphoreGiveFromISR() does not permit a block time to be specified.

### Parameters

|                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| xSemaphore                 | <p>The semaphore being 'given'.</p> <p>A semaphore is referenced by a variable of type SemaphoreHandle_t and must be explicitly created before being used.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| *pxHigherPriorityTaskWoken | <p>It is possible that a single semaphore will have one or more tasks blocked on it waiting for the semaphore to become available. Calling xSemaphoreGiveFromISR() can make the semaphore available, and so cause such a task to leave the Blocked state. If calling xSemaphoreGiveFromISR() causes a task to leave the Blocked state, and the unblocked task has a priority higher than or equal to the currently executing task (the task that was interrupted), then, internally, xSemaphoreGiveFromISR() will set *pxHigherPriorityTaskWoken to pdTRUE.</p> <p>If xSemaphoreGiveFromISR() sets this value to pdTRUE, then a context switch should be performed before the interrupt is exited. This will ensure that the interrupt returns directly to the highest priority Ready state task.</p> |

From FreeRTOS V7.3.0 pxHigherPriorityTaskWoken is an

optional parameter and can be set to NULL.

## Return Values

**pdTRUE**                      The call to `xSemaphoreGiveFromISR()` was successful.

**errQUEUE\_FULL**      If a semaphore is already available, it cannot be given, and `xSemaphoreGiveFromISR()` will return `errQUEUE_FULL`.

## Notes

Calling `xSemaphoreGiveFromISR()` within an interrupt service routine can potentially cause a task that was blocked waiting to take the semaphore to leave the Blocked state. A context switch should be performed if such an unblocked task has a priority higher than or equal to the currently executing task (the task that was interrupted). The context switch will ensure that the interrupt returns directly to the highest priority Ready state task.

Unlike the `xSemaphoreGive()` API function, `xSemaphoreGiveFromISR()` will not itself perform a context switch. It will instead just indicate whether or not a context switch is required.

Single user license for jocy@mbari.org  
`xSemaphoreGiveFromISR()` must not be called prior to the scheduler being started. Therefore an interrupt that calls `xSemaphoreGiveFromISR()` must not be allowed to execute prior to the scheduler being started.

## Example

---

```
#define LONG_TIME 0xffff
#define TICKS_TO_WAIT 10
SemaphoreHandle_t xSemaphore = NULL;

/* Define a task that performs an action each time an interrupt occurs. The
Interrupt processing is deferred to this task. The task is synchronized with the
interrupt using a semaphore. */
void vATask( void * pvParameters )
{
    /* It is assumed the semaphore has already been created outside of this task. */

    for( ;; )
    {
        /* Wait for the next event. */
        if( xSemaphoreTake( xSemaphore, portMAX_DELAY ) == pdTRUE )
        {
            /* The event has occurred, process it here. */

            ...

            /* Processing is complete, return to wait for the next event. */
        }
    }
}

/* An ISR that defers its processing to a task by using a semaphore to indicate
when events that require processing have occurred. */
void vISR( void * pvParameters )
{
    BaseType_t xHigherPriorityTaskWoken = pdFALSE;

    /* The event has occurred, use the semaphore to unblock the task so the task
    can process the event. */
    xSemaphoreGiveFromISR( xSemaphore, &xHigherPriorityTaskWoken );

    /* Clear the interrupt here. */

    /* Now the task has been unblocked a context switch should be performed if
    xHigherPriorityTaskWoken is equal to pdTRUE. NOTE: The syntax required to perform
    a context switch from an ISR varies from port to port, and from compiler to
    compiler. Check the web documentation and examples for the port being used to
    find the syntax required for your application. */
    portYIELD_FROM_ISR( xHigherPriorityTaskWoken );
}
```

---

Listing 133 Example use of xSemaphoreGiveFromISR()

## 4.10 xSemaphoreGiveRecursive()

---

```
#include "FreeRTOS.h"
#include "semphr.h"

BaseType_t xSemaphoreGiveRecursive( SemaphoreHandle_t xMutex );
```

---

**Listing 134 xSemaphoreGiveRecursive() function prototype**

### Summary

'Gives' (or releases) a recursive mutex type semaphore that has previously been created using xSemaphoreCreateRecursiveMutex().

### Parameters

**xMutex** The semaphore being 'given'. A semaphore is referenced by a variable of type SemaphoreHandle\_t and must be explicitly created before being used.

### Return Values

Single user license for jocy@mbari.org

**pdPASS** The call to xSemaphoreGiveRecursive() was successful.

**pdFAIL** The call to xSemaphoreGiveRecursive() failed because the calling task is not the mutex holder.

### Notes

A recursive mutex is 'taken' using the xSemaphoreTakeRecursive() function, and 'given' using the xSemaphoreGiveRecursive() function. The xSemaphoreTake() and xSemaphoreGive() functions must not be used with recursive mutexes.

Calls to xSemaphoreTakeRecursive() can be nested. Therefore, once a recursive mutex has been successfully 'taken' by a task, further calls to xSemaphoreTakeRecursive() made by the same task will also be successful. The same number of calls must be made to xSemaphoreGiveRecursive() as have previously been made to xSemaphoreTakeRecursive() before the mutex becomes available to any other task. For example, if a task successfully and recursively 'takes' the same mutex five times, then the mutex will not be available to any other

task until the task that successfully obtained the mutex has also 'given' the mutex back exactly five times.

`xSemaphoreGiveRecursive()` must only be called from an executing task and therefore must not be called while the scheduler is in the Initialization state (prior to the scheduler being started).

`xSemaphoreGiveRecursive()` must not be called from within a critical section or while the scheduler is suspended.

Single user license for jocy@mbari.org

## Example

---

```
/* A task that creates a recursive mutex. */
void vATask( void * pvParameters )
{
    /* Recursive mutexes cannot be used before being explicitly created using a call
    to xSemaphoreCreateRecursiveMutex(). */
    xMutex = xSemaphoreCreateRecursiveMutex();

    /* Rest of task code goes here. */
    for( ;; )
    {
    }
}

/* A function (called by a task) that uses the mutex. */
void vAFunction( void )
{
    /* ... Do other things. */

    if( xMutex != NULL )
    {
        /* See if the mutex can be obtained. If the mutex is not available wait 10
        ticks to see if it becomes free. */
        if( xSemaphoreTakeRecursive( xMutex, 10 ) == pdTRUE )
        {
            /* The mutex was successfully 'taken'. */

            ...                               Single user license for jocy@mbari.org

            /* For some reason, due to the nature of the code, further calls to
            xSemaphoreTakeRecursive() are made on the same mutex. In real code these
            would not be just sequential calls, as that would serve no purpose.
            Instead, the calls are likely to be buried inside a more complex call
            structure, for example in a TCP/IP stack.*/
            xSemaphoreTakeRecursive( xMutex, ( TickType_t ) 10 );
            xSemaphoreTakeRecursive( xMutex, ( TickType_t ) 10 );

            /* The mutex has now been 'taken' three times, so will not be available
            to another task until it has also been given back three times. Again it
            is unlikely that real code would have these calls sequentially, but
            instead buried in a more complex call structure. This is just for
            illustrative purposes. */
            xSemaphoreGiveRecursive( xMutex );
            xSemaphoreGiveRecursive( xMutex );
            xSemaphoreGiveRecursive( xMutex );

            /* Now the mutex can be taken by other tasks. */
        }
        else
        {
            /* The mutex was not successfully 'taken'. */
        }
    }
}
```

---

Listing 135 Example use of xSemaphoreGiveRecursive()

## 4.11 xSemaphoreTake()

---

```
#include "FreeRTOS.h"
#include "semphr.h"

BaseType_t xSemaphoreTake( SemaphoreHandle_t xSemaphore, TickType_t xTicksToWait );
```

---

Listing 136 xSemaphoreTake() function prototype

### Summary

'Takes' (or obtains) a semaphore that has previously been created using a call to vSemaphoreCreateBinary(), xSemaphoreCreateCounting() or xSemaphoreCreateMutex().

### Parameters

**xSemaphore** The semaphore being 'taken'. A semaphore is referenced by a variable of type SemaphoreHandle\_t and must be explicitly created before being used.

**xTicksToWait** The maximum amount of time the task should remain in the Blocked state to wait for the semaphore to become available, if the semaphore is not available immediately. Single user license for jocy@mbari.org

If xTicksToWait is zero, then xSemaphoreTake() will return immediately if the semaphore is not available.

The block time is specified in tick periods, so the absolute time it represents is dependent on the tick frequency. The constant portTICK\_PERIOD\_MS can be used to convert a time specified in milliseconds to a time specified in ticks.

Setting xTicksToWait to portMAX\_DELAY will cause the task to wait indefinitely (without timing out) provided INCLUDE\_vTaskSuspend is set to 1 in FreeRTOSConfig.h.

### Return Values

**pdPASS** Returned only if the call to xSemaphoreTake() was successful in obtaining the semaphore.

If a block time was specified (xTicksToWait was not zero), then it is possible that

the calling task was placed into the Blocked state to wait for the semaphore if it was not immediately available, but the semaphore became available before the block time expired.

**pdFAIL**     Returned if the call to `xSemaphoreTake()` did not successfully obtain the semaphore.

If a block time was specified (`xTicksToWait` was not zero), then the calling task will have been placed into the Blocked state to wait for the semaphore to become available, but the block time expired before this happened.

## **Notes**

`xSemaphoreTake()` must only be called from an executing task and therefore must not be called while the scheduler is in the Initialization state (prior to the scheduler being started).

`xSemaphoreTake()` must not be called from within a critical section or while the scheduler is suspended.

Single user license for [jocy@mbari.org](mailto:jocy@mbari.org)

## Example

---

```
SemaphoreHandle_t xSemaphore = NULL;

/* A task that creates a mutex type semaphore. */
void vATask( void * pvParameters )
{
    /* A semaphore is going to be used to guard a shared resource. In this case
    a mutex type semaphore is created because it includes priority inheritance
    functionality. */
    xSemaphore = xSemaphoreCreateMutex();

    /* The rest of the task code goes here. */
    for( ;; )
    {
        /* ... */
    }
}

/* A task that uses the mutex. */
void vAnotherTask( void * pvParameters )
{
    for( ;; )
    {
        /* ... Do other things. */

        if( xSemaphore != NULL )
        {
            /* See if the mutex can be obtained. If the mutex is not available
            wait 10 ticks to see if it becomes free. */
            if( xSemaphoreTake( xSemaphore, 10 ) == pdTRUE )
            {
                /* The mutex was successfully obtained so the shared resource can be
                accessed safely. */

                /* ... */

                /* Access to the shared resource is complete, so the mutex is
                returned. */
                xSemaphoreGive( xSemaphore );
            }
            else
            {
                /* The mutex could not be obtained even after waiting 10 ticks, so
                the shared resource cannot be accessed. */
            }
        }
    }
}
```

---

Listing 137 Example use of xSemaphoreTake()

## 4.12 xSemaphoreTakeFromISR()

---

```
#include "FreeRTOS.h"
#include "queue.h"

BaseType_t xSemaphoreTakeFromISR( xSemaphoreHandle xSemaphore,
                                   signed BaseType_t *pxHigherPriorityTaskWoken );
```

---

**Listing 138 xSemaphoreTakeFromISR() function prototype**

### Summary

A version of xSemaphoreTake() that can be called from an ISR. Unlike xSemaphoreTake(), xSemaphoreTakeFromISR() does not permit a block time to be specified.

### Parameters

- |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| xSemaphore                | The semaphore being 'taken'. A semaphore is referenced by a variable of type SemaphoreHandle_t and must be explicitly created before being used.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| pxHigherPriorityTaskWoken | <p>It is possible (although unlikely, and dependent on the semaphore type) that a semaphore will have one or more tasks blocked on it waiting to give the semaphore. Calling xSemaphoreTakeFromISR() will make a task that was blocked waiting to give the semaphore leave the Blocked state. If calling the API function causes a task to leave the Blocked state, and the unblocked task has a priority equal to or higher than the currently executing task (the task that was interrupted), then, internally, the API function will set *pxHigherPriorityTaskWoken to pdTRUE.</p> <p>If xSemaphoreTakeFromISR() sets *pxHigherPriorityTaskWoken to pdTRUE, then a context switch should be performed before the interrupt is exited. This will ensure that the interrupt returns directly to the highest priority Ready state task. The mechanism is identical to that used in the xQueueReceiveFromISR() function, and readers are referred to the xQueueReceiveFromISR() documentation for</p> |

further explanation.

From FreeRTOS V7.3.0 `pxHigherPriorityTaskWoken` is an optional parameter and can be set to `NULL`.

### **Return Values**

`pdPASS` The semaphore was successfully taken (acquired).

`pdFAIL` The semaphore was not successfully taken because it was not available.

Single user license for [jocy@mbari.org](mailto:jocy@mbari.org)

## 4.13 xSemaphoreTakeRecursive()

---

```
#include "FreeRTOS.h"
#include "semphr.h"

BaseType_t xSemaphoreTakeRecursive( SemaphoreHandle_t xMutex,
                                   TickType_t xTicksToWait );
```

---

Listing 139 xSemaphoreTakeRecursive() function prototype

### Summary

'Takes' (or obtains) a recursive mutex type semaphore that has previously been created using xSemaphoreCreateRecursiveMutex().

### Parameters

**xMutex**            The semaphore being 'taken'. A semaphore is referenced by a variable of type SemaphoreHandle\_t and must be explicitly created before being used.

**xTicksToWait**    The maximum amount of time the task should remain in the Blocked state to wait for the semaphore to become available, if the semaphore is not available immediately.

If xTicksToWait is zero, then xSemaphoreTakeRecursive() will return immediately if the semaphore is not available.

The block time is specified in tick periods, so the absolute time it represents is dependent on the tick frequency. The constant portTICK\_PERIOD\_MS can be used to convert a time specified in milliseconds to a time specified in ticks.

Setting xTicksToWait to portMAX\_DELAY will cause the task to wait indefinitely (without timing out) provided INCLUDE\_vTaskSuspend is set to 1 in FreeRTOSConfig.h.

### Return Values

**pdPASS**    Returned only if the call to xSemaphoreTakeRecursive() was successful in obtaining the semaphore.

If a block time was specified (`xTicksToWait` was not zero), then it is possible that the calling task was placed into the Blocked state to wait for the semaphore if it was not immediately available, but the semaphore became available before the block time expired.

**pdFAIL** Returned if the call to `xSemaphoreTakeRecursive()` did not successfully obtain the semaphore.

If a block time was specified (`xTicksToWait` was not zero), then the calling task will have been placed into the Blocked state to wait for the semaphore to become available, but the block time expired before this happened.

## Notes

A recursive mutex is 'taken' using the `xSemaphoreTakeRecursive()` function, and 'given' using the `xSemaphoreGiveRecursive()` function. The `xSemaphoreTake()` and `xSemaphoreGive()` functions must not be used with recursive mutexes.

Calls to `xSemaphoreTakeRecursive()` can be nested. Therefore, once a recursive mutex has been successfully 'taken' by a task, further calls to `xSemaphoreTakeRecursive()` made by the same task will also be successful. The same number of calls must be made to `xSemaphoreGiveRecursive()` as have previously been made to `xSemaphoreTakeRecursive()` before the mutex becomes available to any other task. For example, if a task successfully and recursively 'takes' the same mutex five times, then the mutex will not be available to any other task until the task that successfully obtained the mutex has also 'given' the mutex back exactly five times.

`xSemaphoreTakeRecursive()` must only be called from an executing task and therefore must not be called while the scheduler is in the Initialization state (prior to the scheduler being started).

`xSemaphoreTakeRecursive()` must not be called from within a critical section or while the scheduler is suspended.

## Example

---

```
/* A task that creates a recursive mutex. */
void vATask( void * pvParameters )
{
    /* Recursive mutexes cannot be used before being explicitly created using a call
    to xSemaphoreCreateRecursiveMutex(). */
    xMutex = xSemaphoreCreateRecursiveMutex();

    /* Rest of task code goes here. */
    for( ;; )
    {
    }
}

/* A function (called by a task) that uses the mutex. */
void vAFunction( void )
{
    /* ... Do other things. */

    if( xMutex != NULL )
    {
        /* See if the mutex can be obtained. If the mutex is not available wait 10
        ticks to see if it becomes free. */
        if( xSemaphoreTakeRecursive( xMutex, 10 ) == pdTRUE )
        {
            /* The mutex was successfully 'taken'. */

            ...                               Single user license for jocy@mbari.org

            /* For some reason, due to the nature of the code, further calls to
            xSemaphoreTakeRecursive() are made on the same mutex. In real code these
            would not be just sequential calls, as that would serve no purpose.
            Instead, the calls are likely to be buried inside a more complex call
            structure, for example in a TCP/IP stack.*/
            xSemaphoreTakeRecursive( xMutex, ( TickType_t ) 10 );
            xSemaphoreTakeRecursive( xMutex, ( TickType_t ) 10 );

            /* The mutex has now been 'taken' three times, so will not be available
            to another task until it has also been given back three times. Again it
            is unlikely that real code would have these calls sequentially, but
            instead buried in a more complex call structure. This is just for
            illustrative purposes. */
            xSemaphoreGiveRecursive( xMutex );
            xSemaphoreGiveRecursive( xMutex );
            xSemaphoreGiveRecursive( xMutex );

            /* Now the mutex can be taken by other tasks. */
        }
        else
        {
            /* The mutex was not successfully 'taken'. */
        }
    }
}
```

---

Listing 140 Example use of xSemaphoreTakeRecursive()

# Chapter 5

## Software Timer API

---

Single user license for jocy@mbari.org

## 5.1 xTimerChangePeriod()

---

```
#include "FreeRTOS.h"
#include "timers.h"

BaseType_t xTimerChangePeriod( TimerHandle_t xTimer,
                                TickType_t xNewPeriod,
                                TickType_t xTicksToWait );
```

---

Listing 141 xTimerChangePeriod() function prototype

### Summary

Changes the period of a timer. xTimerChangePeriodFromISR() is an equivalent function that can be called from an interrupt service routine.

If xTimerChangePeriod() is used to change the period of a timer that is already running, then the timer will use the new period value to recalculate its expiry time. The recalculated expiry time will then be relative to when xTimerChangePeriod() was called, and not relative to when the timer was originally started.

Single user license for jocy@mbari.org

If xTimerChangePeriod() is used to change the period of a timer that is not already running, then the timer will use the new period value to calculate an expiry time, and the timer will start running.

### Parameters

**xTimer**            The timer to which the new period is being assigned.

**xNewPeriod**       The new period for the timer referenced by the xTimer parameter.

Timer periods are specified in multiples of tick periods.

portTICK\_PERIOD\_MS can be used to convert a time in milliseconds to a time in ticks. For example, if the timer must expire after 100 ticks, then xNewPeriod can be set directly to 100. Alternatively, if the timer must expire after 500ms, then xNewPeriod can be set to ( 500 / portTICK\_PERIOD\_MS ), provided configTICK\_RATE\_HZ is less than or equal to 1000.

**xTicksToWait**     Timer functionality is not provided by the core FreeRTOS code, but by a timer service (or daemon) task. The FreeRTOS timer API sends commands to the

timer service task on a queue called the timer command queue. `xTicksToWait` specifies the maximum amount of time the task should remain in the Blocked state to wait for space to become available on the timer command queue, should the queue already be full.

The block time is specified in tick periods, so the absolute time it represents is dependent on the tick frequency. As with the `xNewPeriod` parameter, the constant `portTICK_PERIOD_MS` can be used to convert a time specified in milliseconds to a time specified in ticks.

Setting `xTicksToWait` to `portMAX_DELAY` will cause the task to wait indefinitely (without timing out), provided `INCLUDE_vTaskSuspend` is set to 1 in `FreeRTOSConfig.h`.

`xTicksToWait` is ignored if `xTimerChangePeriod()` is called before the scheduler is started.

## Return Values

**pdPASS** The change period command was successfully sent to the timer command queue.

If a block time was specified (`xTicksToWait` was not zero), then it is possible that the calling task was placed into the Blocked state to wait for space to become available on the timer command queue before the function returned, but data was successfully written to the queue before the block time expired.

When the command is actually processed will depend on the priority of the timer service task relative to other tasks in the system, although the timer's expiry time is relative to when `xTimerChangePeriod()` is actually called. The priority of the timer service task is set by the `configTIMER_TASK_PRIORITY` configuration constant.

**pdFAIL** The change period command was not sent to the timer command queue because the queue was already full.

If a block time was specified (`xTicksToWait` was not zero) then the calling task will have been placed into the Blocked state to wait for the timer service task to make room in the queue, but the specified block time expired before that happened.

## Notes

configUSE\_TIMERS must be set to 1 in FreeRTOSConfig.h for xTimerChangePeriod() to be available.

## Example

---

```
/* This function assumes xTimer has already been created. If the timer referenced by
xTimer is already active when it is called, then the timer is deleted. If the timer
referenced by xTimer is not active when it is called, then the period of the timer is
set to 500ms, and the timer is started. */
void vAFunction( TimerHandle_t xTimer )
{
    if( xTimerIsTimerActive( xTimer ) != pdFALSE )
    {
        /* xTimer is already active - delete it. */
        xTimerDelete( xTimer );
    }
    else
    {
        /* xTimer is not active, change its period to 500ms. This will also cause
        the timer to start. Block for a maximum of 100 ticks if the change period
        command cannot immediately be sent to the timer command queue. */
        if( xTimerChangePeriod( xTimer, 500 / portTICK_PERIOD_MS, 100 ) == pdPASS )
        {
            /* The command was successfully sent. */
        }
        else
        {
            /* The command could not be sent, even after waiting for 100 ticks to
            pass. Take appropriate action here. */
        }
    }
}
```

---

Listing 142 Example use of xTimerChangePeriod()

## 5.2 xTimerChangePeriodFromISR()

---

```
#include "FreeRTOS.h"
#include "timers.h"

BaseType_t xTimerChangePeriodFromISR( TimerHandle_t xTimer,
                                       TickType_t xNewPeriod,
                                       BaseType_t *pxHigherPriorityTaskWoken );
```

---

Listing 143 xTimerChangePeriodFromISR() function prototype

### Summary

A version of xTimerChangePeriod() that can be called from an interrupt service routine.

### Parameters

|                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| xTimer                    | The timer to which the new period is being assigned.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| xNewPeriod                | <p>The new period for the timer referenced by the xTimer parameter.</p> <p>Timer periods are specified in multiples of tick periods. portTICK_PERIOD_MS can be used to convert a time in milliseconds to a time in ticks. For example, if the timer must expire after 100 ticks, then xNewPeriod can be set directly to 100. Alternatively, if the timer must expire after 500ms, then xNewPeriod can be set to ( 500 / portTICK_PERIOD_MS ), provided configTICK_RATE_HZ is less than or equal to 1000.</p>                                                       |
| pxHigherPriorityTaskWoken | <p>xTimerChangePeriodFromISR() writes a command to the timer command queue. If writing to the timer command queue causes the timer service task to leave the Blocked state, and the timer service task has a priority equal to or greater than the currently executing task (the task that was interrupted), then *pxHigherPriorityTaskWoken will be set to pdTRUE internally within the xTimerChangePeriodFromISR() function. If xTimerChangePeriodFromISR() sets this value to pdTRUE, then a context switch should be performed before the interrupt exits.</p> |

## Return Values

- pdPASS** The change period command was successfully sent to the timer command queue. When the command is actually processed will depend on the priority of the timer service task relative to other tasks in the system, although the timer's expiry time is relative to when `xTimerChangePeriodFromISR()` is actually called. The priority of the timer service task is set by the `configTIMER_TASK_PRIORITY` configuration constant.
- pdFAIL** The change period command was not sent to the timer command queue because the queue was already full.

## Notes

`configUSE_TIMERS` must be set to 1 in `FreeRTOSConfig.h` for `xTimerChangePeriodFromISR()` to be available.

## Example

---

Single user license for jocy@mbari.org

```
/* This scenario assumes xTimer has already been created and started. When an
interrupt occurs, the period of xTimer should be changed to 500ms. */

/* The interrupt service routine that changes the period of xTimer. */
void vAnExampleInterruptServiceRoutine( void )
{
    BaseType_t xHigherPriorityTaskWoken = pdFALSE;

    /* The interrupt has occurred - change the period of xTimer to 500ms.
    xHigherPriorityTaskWoken was set to pdFALSE where it was defined (within this
    function). As this is an interrupt service routine, only FreeRTOS API functions
    that end in "FromISR" can be used. */
    if( xTimerChangePeriodFromISR( xTimer, &xHigherPriorityTaskWoken ) != pdPASS )
    {
        /* The command to change the timer's period was not executed successfully.
        Take appropriate action here. */
    }

    /* If xHigherPriorityTaskWoken equals pdTRUE, then a context switch should be
    performed. The syntax required to perform a context switch from inside an ISR
    varies from port to port, and from compiler to compiler. Inspect the demos for
    the port you are using to find the actual syntax required. */
    if( xHigherPriorityTaskWoken != pdFALSE )
    {
        /* Call the interrupt safe yield function here (actual function depends on
        the FreeRTOS port being used). */
    }
}
```

---

Listing 144 Example use of `xTimerChangePeriodFromISR()`

## 5.3 xTimerCreate()

---

```
#include "FreeRTOS.h"
#include "timers.h"

TimerHandle_t xTimerCreate( const char *pcTimerName,
                           const TickType_t xTimerPeriod,
                           const UBaseType_t uxAutoReload,
                           void * const pvTimerID,
                           TimerCallbackFunction_t pxCallbackFunction );
```

---

Listing 145 xTimerCreate() function prototype

### Summary

Creates and initializes a new instance of a software timer.

Creating a timer does not start the timer running. The xTimerStart(), xTimerReset(), xTimerStartFromISR(), xTimerResetFromISR(), xTimerChangePeriod() and xTimerChangePeriodFromISR() API functions can all be used to start the timer running.

### Parameters

|                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Single user license for jocy@mbari.org |                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| pcTimerName                            | A plain text name that is assigned to the timer, purely to assist debugging.                                                                                                                                                                                                                                                                                                                                                                              |
| xTimerPeriod                           | The timer period.<br><br>Timer periods are specified in multiples of tick periods.<br>portTICK_PERIOD_MS can be used to convert a time in milliseconds to a time in ticks. For example, if the timer must expire after 100 ticks, then xNewPeriod can be set directly to 100. Alternatively, if the timer must expire after 500ms, then xNewPeriod can be set to ( 500 / portTICK_PERIOD_MS ), provided configTICK_RATE_HZ is less than or equal to 1000. |
| uxAutoReload                           | Set to pdTRUE to create an autoreload timer. Set to pdFALSE to create a one-shot timer.<br><br>Once started, an autoreload timer will expire repeatedly with a frequency set by the xTimerPeriod parameter.                                                                                                                                                                                                                                               |

Once started, a one-shot timer will expire only once. A one-shot timer can be manually restarted after it has expired.

- pvTimerID** An identifier that is assigned to the timer being created. If the same callback function is assigned to multiple timers, then the timer identifier can be inspected inside the callback function to determine which timer actually expired.
- pxCallbackFunction** The function to call when the timer expires. Callback functions must have the prototype defined by the `TimerCallbackFunction_t` typedef. The required prototype is shown in Listing 146.

---

```
void vCallbackFunctionExample( TimerHandle_t xTimer );
```

---

**Listing 146** The timer callback function prototype

## Return Values

Single user license for jocy@mbari.org

- NULL** The timer could not be created because there was insufficient FreeRTOS heap memory available to successfully allocate the timer data structures.
- Non-NULL** A new timer was created, and the handle of the timer was returned.

## Notes

`configUSE_TIMERS` must be set to 1 in `FreeRTOSConfig.h` for `xTimerCreate()` to be available.

## Example

---

```
#define NUM_TIMERS 5

/* An array to hold handles to the created timers. */
TimerHandle_t xTimers[ NUM_TIMERS ];

/* An array to hold a count of the number of times each timer expires. */
long lExpireCounters[ NUM_TIMERS ] = { 0 };

/* Define a callback function that will be used by multiple timer instances. The callback
function does nothing but count the number of times the associated timer expires, and stop the
timer once the timer has expired 10 times. */
void vTimerCallback( TimerHandle_t pxTimer )
{
    long lArrayIndex;
    const long xMaxExpiryCountBeforeStopping = 10;

    /* Optionally do something if the pxTimer parameter is NULL. */
    configASSERT( pxTimer );

    /* Which timer expired? */
    lArrayIndex = ( long ) pvTimerGetTimerID( pxTimer );

    /* Increment the number of times the timer has expired. */
    lExpireCounters[ lArrayIndex ] += 1;

    /* If the timer has expired 10 times, then stop it from running. */
    if( lExpireCounters[ lArrayIndex ] == xMaxExpiryCountBeforeStopping )
    {
        /* Do not use a block time if calling a timer API function from a timer callback
        function, as doing so could cause a deadlock! */
        xTimerStop( pxTimer, 0 );
    }
}
```

Single user license for jocy@mbari.org

---

**Listing 147 Definition of the callback function used in the calls to xTimerCreate() in  
Listing 148**

---

```

void main( void )
{
    long x;

    /* Create then start some timers. Starting the timers before the scheduler has been started
    means the timers will start running immediately that the scheduler starts. Care must be
    taken to ensure the timer command queue is not filled up because the timer service task will
    not start draining the timer command queue until after the scheduler has been started. */
    for( x = 0; x < NUM_TIMERS; x++ )
    {
        xTimers[ x ] = xTimerCreate( "Timer",          /* Just a text name, not used by the
                                                         kernel. */
                                     ( 100 * x ),      /* The timer period in ticks. */
                                     pdTRUE,           /* The timers will auto-reload themselves
                                                         when they expire. */
                                     ( void * ) x,      /* Assign each timer a unique id equal to
                                                         its array index. */
                                     vTimerCallback    /* Each timer calls the same callback when
                                                         it expires. */
                                     );

        if( xTimers[ x ] == NULL )
        {
            /* The timer was not created. */
        }
        else
        {
            /* Start the timer. No block time is specified, and even if one was it would be
            ignored because the scheduler has not yet been started. */
            if( xTimerStart( xTimers[ x ], 0 ) != pdPASS )
            {
                /* The start command could not be sent to the timer command queue. */
            }
        }
    }

    /* ...                                     Single user license for jocy@mbari.org
    Create tasks here.
    ... */

    /* Starting the scheduler will start the timers running as they have already been set into
    the active state. */
    xTaskStartScheduler();

    /* Should not reach here. */
    for( ;; );
}

```

---

Listing 148 Example use of xTimerCreate()

## 5.4 xTimerDelete()

---

```
#include "FreeRTOS.h"
#include "timers.h"

BaseType_t xTimerDelete( TimerHandle_t xTimer, TickType_t xTicksToWait );
```

---

**Listing 149 xTimerDelete() macro prototype**

### Summary

Deletes a timer. The timer must first have been created using the xTimerCreate() API function.

### Parameters

**xTimer**            The handle of the timer being deleted.

**xTicksToWait**    Timer functionality is not provided by the core FreeRTOS code, but by a timer service (or daemon) task. The FreeRTOS timer API sends commands to the timer service task on a queue called the timer command queue. xTicksToWait specifies the maximum amount of time the task should remain in the Blocked state to wait for space to become available on the timer command queue, should the queue already be full.

The block time is specified in tick periods, so the absolute time it represents is dependent on the tick frequency. The constant portTICK\_PERIOD\_MS can be used to convert a time specified in milliseconds to a time specified in ticks.

Setting xTicksToWait to portMAX\_DELAY will cause the task to wait indefinitely (without timing out), provided INCLUDE\_vTaskSuspend is set to 1 in FreeRTOSConfig.h.

xTicksToWait is ignored if xTimerDelete() is called before the scheduler is started

### Return Values

**pdPASS**    The delete command was successfully sent to the timer command queue.

If a block time was specified (`xTicksToWait` was not zero), then it is possible that the calling task was placed into the Blocked state to wait for space to become available on the timer command queue before the function returned, but data was successfully written to the queue before the block time expired.

When the command is actually processed will depend on the priority of the timer service task relative to other tasks in the system. The priority of the timer service task is set by the `configTIMER_TASK_PRIORITY` configuration constant.

**pdFAIL** The delete command was not sent to the timer command queue because the queue was already full.

If a block time was specified (`xTicksToWait` was not zero) then the calling task will have been placed into the Blocked state to wait for the timer service task to make room in the queue, but the specified block time expired before that happened.

## Notes

`configUSE_TIMERS` must be set to 1 in `FreeRTOSConfig.h` for `xTimerDelete()` to be available.

Single user license for jocy@mbari.org

## Example

See the example provided for the `xTimerChangePeriod()` API function.

## 5.5 xTimerGetTimerDaemonTaskHandle()

---

```
#include "FreeRTOS.h"
#include "timers.h"

TaskHandle_t xTimerGetTimerDaemonTaskHandle( void );
```

---

Listing 150 xTimerGetTimerDaemonTaskHandle() function prototype

### Summary

Returns the task handle associated with the software timer daemon (or service) task. If configUSE\_TIMERS is set to 1 in FreeRTOSConfig.h, then the timer daemon task is created automatically when the scheduler is started. All FreeRTOS software timer callback functions run in the context of the timer daemon task.

### Parameters

None.

### Return Values

Single user license for jocy@mbari.org

The handle of the timer daemon task. FreeRTOS software timer callback functions run in the context of the software daemon task.

### Notes

INCLUDE\_xTimerGetTimerDaemonTaskHandle and configUSE\_TIMERS must both be set to 1 in FreeRTOSConfig.h for xTimerGetTimerDaemonTaskHandle() to be available.

## 5.6 pvTimerGetTimerID()

---

```
#include "FreeRTOS.h"
#include "timers.h"

void *pvTimerGetTimerID( TimerHandle_t xTimer );
```

---

**Listing 151 pvTimerGetTimerID() function prototype**

### Summary

Returns the identifier (ID) assigned to the timer when the timer was created. See the xTimerCreate() API function for more information.

If the same callback function is assigned to multiple timers, the timer identifier can be inspected inside the callback function to determine which timer actually expired. This is demonstrated in the example code provided for the xTimerCreate() API function.

### Parameters

xTimer The timer being queried.

### Return Values

The identifier assigned to the timer being queried.

### Notes

configUSE\_TIMERS must be set to 1 in FreeRTOSConfig.h for pvTimerGetTimerID() to be available.

### Example

See the example provided for the xTimerCreate() API function.

## 5.1 pcTimerGetTimerName()

---

```
#include "FreeRTOS.h"
#include "timers.h"

const char * pcTimerGetTimerName( TimerHandle_t xTimer );
```

---

Listing 152 pcTimerGetTimerName() function prototype

### Summary

Returns the human readable text name assigned to the timer when the timer was created. See the xTimerCreate() API function for more information.

### Parameters

xTimer The timer being queried.

### Return Values

Timer names are standard NULL terminated C strings. The value returned is a pointer to the subject timer's name.

### Notes

configUSE\_TIMERS must be set to 1 in FreeRTOSConfig.h for pcTimerGetTimerName() to be available.

## 5.2 xTimerIsTimerActive()

---

```
#include "FreeRTOS.h"
#include "timers.h"

BaseType_t xTimerIsTimerActive( TimerHandle_t xTimer );
```

---

**Listing 153 xTimerIsTimerActive() function prototype**

### Summary

Queries a timer to determine if the timer is running.

A timer will not be running if:

1. The timer has been created, but not started.
2. The timer is a one shot timer that has not been restarted since it expired.

The xTimerStart(), xTimerReset(), xTimerStartFromISR(), xTimerResetFromISR(), xTimerChangePeriod() and xTimerChangePeriodFromISR() API functions can all be used to start a timer running.

Single user license for jocy@mbari.org

### Parameters

xTimer The timer being queried.

### Return Values

pdFALSE The timer is not running.

Any other value The timer is running.

### Notes

configUSE\_TIMERS must be set to 1 in FreeRTOSConfig.h for xTimerIsTimerActive() to be available.

## Example

---

```
/* This function assumes xTimer has already been created. */
void vAFunction( TimerHandle_t xTimer )
{
    /* The following line could equivalently be written as:
    "if( xTimerIsTimerActive( xTimer ) )" */
    if( xTimerIsTimerActive( xTimer ) != pdFALSE )
    {
        /* xTimer is active, do something. */
    }
    else
    {
        /* xTimer is not active, do something else. */
    }
}
```

---

**Listing 154 Example use of xTimerIsTimerActive()**

Single user license for jocy@mbari.org

## 5.3 xTimerPendFunctionCall()

---

```
#include "FreeRTOS.h"
#include "timers.h"

BaseType_t xTimerPendFunctionCall( PendedFunction_t xFunctionToPend,
                                   void *pvParameter1,
                                   uint32_t ulParameter2,
                                   TickType_t xTicksToWait );
```

---

**Listing 155 xTimerPendFunctionCall() function prototype**

### Summary

Used to defer the execution of a function to the RTOS daemon task (also known as the timer service task, hence this function is implemented in timers.c and is prefixed with 'Timer').

This function must not be called from an interrupt service routine. See xTimerPendFunctionCallFromISR() for a version that can be called from an interrupt service routine.

Functions that can be deferred to the RTOS daemon task must have the prototype demonstrated by Listing 156. [Single user license for jocy@mbari.org](#)

---

```
void vPendableFunction( void *pvParameter1, uint32_t ulParameter2 );
```

---

**Listing 156 The prototype of a function that can be pended using a call to xTimerPendFunctionCall()**

The pvParameter1 and ulParameter2 parameters are provided for use by the application code.

### Parameters

**xFunctionToPend** The function to execute from the timer service/daemon task. The function must conform to the PendedFunction\_t prototype shown in Listing 156.

**pvParameter1** The value to pass into the callback function as the function's first parameter. The parameter has a void \* type to allow it to be used to pass any type. For example, integer types can be cast to a void \*, or the void \* can be used to point to a structure.

**ulParameter2** The value to pass into the callback function as the function's second

parameter.

**xTicksToWait**      Calling `xTimerPendFunctionCall()` will result in a message being sent on a queue to the timer daemon task (also known as the timer service task). `xTicksToWait` specifies the amount of time the calling task should wait in the Blocked state (so not consuming any processing time) for space to come available on the queue if the queue is full.

## Return Values

**pdPASS**      The message was successfully sent to the RTOS daemon task.

**Any other value**      The message was not sent to the RTOS daemon task because the message queue was already full. The length of the queue is set by the value of `configTIMER_QUEUE_LENGTH` in `FreeRTOSConfig.h`.

## Notes

`INCLUDE_xTimerPendFunctionCall()` and `configUSE_TIMERS` must both be set to 1 in `FreeRTOSConfig.h` for `xTimerPendFunctionCall()` to be available.

Single user license for Jocy@mban.org

## 5.4 xTimerPendFunctionCallFromISR()

---

```
#include "FreeRTOS.h"
#include "timers.h"

BaseType_t xTimerPendFunctionCallFromISR( PendedFunction_t xFunctionToPend,
                                           void *pvParameter1,
                                           uint32_t ulParameter2,
                                           BaseType_t *pxHigherPriorityTaskWoken );
```

---

**Listing 157 xTimerPendFunctionCallFromISR() function prototype**

### Summary

Used from application interrupt service routines to defer the execution of a function to the RTOS daemon task (also known as the timer service task, hence this function is implemented in timers.c and is prefixed with 'Timer').

Ideally an interrupt service routine (ISR) is kept as short as possible, but sometimes an ISR either has a lot of processing to do, or needs to perform processing that is not deterministic. In these cases xTimerPendFunctionCallFromISR() can be used to defer processing of a function to the RTOS daemon task.

Single user license for jocy@mbari.org

A mechanism is provided that allows the interrupt to return directly to the task that will subsequently execute the pended function. This allows the callback function to execute contiguously in time with the interrupt - just as if the callback had executed in the interrupt itself.

Functions that can be deferred to the RTOS daemon task must have the prototype demonstrated by Listing 158.

---

```
void vPendableFunction( void *pvParameter1, uint32_t ulParameter2 );
```

---

**Listing 158 The prototype of a function that can be pended using a call to xTimerPendFunctionCallFromISR()**

The pvParameter1 and ulParameter2 parameters are provided for use by the application code.

## Parameters

|                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| xFunctionToPend           | The function to execute from the timer service/daemon task.<br>The function must conform to the PendedFunction_t prototype shown in Listing 158 .                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| pvParameter1              | The value that will be passed into the callback function as the function's first parameter. The parameter has a void * type to allow it to be used to pass any type. For example, integer types can be cast to a void *, or the void * can be used to point to a structure.                                                                                                                                                                                                                                                                                                                    |
| ulParameter2              | The value that will be passed into the callback function as the function's second parameter.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| pxHigherPriorityTaskWoken | Calling xTimerPendFunctionCallFromISR() will result in a message being sent on a queue to the RTOS timer daemon task. If the priority of the daemon task (which is set by the value of configTIMER_TASK_PRIORITY in FreeRTOSConfig.h) is higher than the priority of the currently running task (the task the interrupt interrupted) then *pxHigherPriorityTaskWoken will be set to pdTRUE within xTimerPendFunctionCallFromISR(), indicating that a context switch should be requested before the interrupt exits. For that reason *pxHigherPriorityTaskWoken must be initialised to pdFALSE. |

## Return Values

|                 |                                                                                                                                                                                           |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| pdPASS          | The message was successfully sent to the RTOS daemon task.                                                                                                                                |
| Any other value | The message was not sent to the RTOS daemon task because the message queue was already full. The length of the queue is set by the value of configTIMER_QUEUE_LENGTH in FreeRTOSConfig.h. |

## Notes

INCLUDE\_xTimerPendFunctionCall() and configUSE\_TIMERS must both be set to 1 in FreeRTOSConfig.h for xTimerPendFunctionCallFromISR() to be available.

## Example

---

```
/* The callback function that will execute in the context of the daemon task.
Note callback functions must all use this same prototype. */
void vProcessInterface( void *pvParameter1, uint32_t ulParameter2 )
{
    BaseType_t xInterfaceToService;

    /* The interface that requires servicing is passed in the second parameter.
    The first parameter is not used in this case. */
    xInterfaceToService = ( BaseType_t ) ulParameter2;

    /* ...Perform the processing here... */
}

/* An ISR that receives data packets from multiple interfaces */
void vAnISR( void )
{
    BaseType_t xInterfaceToService, xHigherPriorityTaskWoken;

    /* Query the hardware to determine which interface needs processing. */
    xInterfaceToService = prvCheckInterfaces();

    /* The actual processing is to be deferred to a task. Request the
    vProcessInterface() callback function is executed, passing in the number of
    the interface that needs processing. The interface to service is passed in
    the second parameter. The first parameter is not used in this case. */
    xHigherPriorityTaskWoken = pdFALSE;
    xTimerPendFunctionCallFromISR( vProcessInterface,
                                    NULL,
                                    ( uint32_t ) xInterfaceToService,
                                    &xHigherPriorityTaskWoken );

    /* If xHigherPriorityTaskWoken is now set to pdTRUE then a context switch
    should be requested. The macro used is port specific and will be either
    portYIELD_FROM_ISR() or portEND_SWITCHING_ISR() - refer to the documentation
    page for the port being used. */
    portYIELD_FROM_ISR( xHigherPriorityTaskWoken );
}
```

---

Listing 159 Example use of xTimerPendFunctionCallFromISR()

## 5.5 xTimerReset()

---

```
#include "FreeRTOS.h"
#include "timers.h"

BaseType_t xTimerReset( TimerHandle_t xTimer, TickType_t xTicksToWait );
```

---

**Listing 160 xTimerReset() function prototype**

### Summary

Re-starts a timer. xTimerResetFromISR() is an equivalent function that can be called from an interrupt service routine.

If the timer is already running, then the timer will recalculate its expiry time to be relative to when xTimerReset() was called.

If the timer was not running, then the timer will calculate an expiry time relative to when xTimerReset() was called, and the timer will start running. In this case, xTimerReset() is functionally equivalent to xTimerStart().

Single user license for jocy@mbari.org

Resetting a timer ensures the timer is running. If the timer is not stopped, deleted, or reset in the mean time, the callback function associated with the timer will get called 'n' ticks after xTimerReset() was called, where 'n' is the timer's defined period.

If xTimerReset() is called before the scheduler is started, then the timer will not start running until the scheduler has been started, and the timer's expiry time will be relative to when the scheduler started.

### Parameters

- |              |                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| xTimer       | The timer being reset, started, or restarted.                                                                                                                                                                                                                                                                                                                                                                        |
| xTicksToWait | Timer functionality is not provided by the core FreeRTOS code, but by a timer service (or daemon) task. The FreeRTOS timer API sends commands to the timer service task on a queue called the timer command queue. xTicksToWait specifies the maximum amount of time the task should remain in the Blocked state to wait for space to become available on the timer command queue, should the queue already be full. |

The block time is specified in tick periods, so the absolute time it represents is dependent on the tick frequency. The constant `portTICK_PERIOD_MS` can be used to convert a time specified in milliseconds to a time specified in ticks.

Setting `xTicksToWait` to `portMAX_DELAY` will cause the task to wait indefinitely (without timing out), provided `INCLUDE_vTaskSuspend` is set to 1 in `FreeRTOSConfig.h`.

`xTicksToWait` is ignored if `xTimerReset()` is called before the scheduler is started.

## Return Values

**pdPASS** The reset command was successfully sent to the timer command queue.

If a block time was specified (`xTicksToWait` was not zero), then it is possible that the calling task was placed into the Blocked state to wait for space to become available on the timer command queue before the function returned, but data was successfully written to the queue before the block time expired.

Single user license for jocy@mbari.org

When the command is actually processed will depend on the priority of the timer service task relative to other tasks in the system, although the timer's expiry time is relative to when `xTimerReset()` is actually called. The priority of the timer service task is set by the `configTIMER_TASK_PRIORITY` configuration constant.

**pdFAIL** The reset command was not sent to the timer command queue because the queue was already full.

If a block time was specified (`xTicksToWait` was not zero) then the calling task will have been placed into the Blocked state to wait for the timer service task to make room in the queue, but the specified block time expired before that happened.

## Notes

`configUSE_TIMERS` must be set to 1 in `FreeRTOSConfig.h` for `xTimerReset()` to be available.

## Example

---

```
/* In this example, when a key is pressed, an LCD back-light is switched on. If 5 seconds pass
without a key being pressed, then the LCD back-light is switched off by a one-shot timer. */

TimerHandle_t xBacklightTimer = NULL;

/* The callback function assigned to the one-shot timer. In this case the parameter is not
used. */
void vBacklightTimerCallback( TimerHandle_t pxTimer )
{
    /* The timer expired, therefore 5 seconds must have passed since a key was pressed. Switch
    off the LCD back-light.
    vSetBacklightState( BACKLIGHT_OFF );
}

/* The key press event handler. */
void vKeyPressEventHandler( char cKey )
{
    /* Ensure the LCD back-light is on, then reset the timer that is responsible for turning the
    back-light off after 5 seconds of key inactivity. Wait 10 ticks for the reset command to be
    successfully sent if it cannot be sent immediately. */
    vSetBacklightState( BACKLIGHT_ON );
    if( xTimerReset( xBacklightTimer, 10 ) != pdPASS )
    {
        /* The reset command was not executed successfully. Take appropriate action here. */
    }

    /* Perform the rest of the key processing here. */
}

void main( void )
{
    /* Create then start the one-shot timer that is responsible for turning the back-light off
    if no keys are pressed within a 5 second period. */
    xBacklightTimer = xTimerCreate( "BcklghtTmr" /* Just a text name, not used by the kernel. */
    ( 5000 / portTICK_PERIOD_MS), /* The timer period in ticks.

    pdFALSE, /* It is a one-shot timer. */
    0, /* ID not used by the callback so can take any value. */
    vBacklightTimerCallback /* The callback function that
    switches the LCD back-light off. */

    );

    if( xBacklightTimer == NULL )
    {
        /* The timer was not created. */
    }
    else
    {
        /* Start the timer. No block time is specified, and even if one was it would be ignored
        because the scheduler has not yet been started. */
        if( xTimerStart( xBacklightTimer, 0 ) != pdPASS )
        {
            /* The timer could not be set into the Active state. */
        }
    }

    /* Create tasks here. */

    /* Starting the scheduler will start the timer running as xTimerStart has already been
    called. */
    xTaskStartScheduler();
}
```

---

Listing 161 Example use of xTimerReset()

## 5.6 xTimerResetFromISR()

---

```
#include "FreeRTOS.h"
#include "timers.h"

BaseType_t xTimerResetFromISR( TimerHandle_t xTimer,
                               BaseType_t *pxHigherPriorityTaskWoken );
```

---

Listing 162 xTimerResetFromISR() function prototype

### Summary

A version of xTimerReset() that can be called from an interrupt service routine.

### Parameters

|                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| xTimer                    | The handle of the timer that is being started, reset, or restarted.                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| pxHigherPriorityTaskWoken | xTimerResetFromISR() writes a command to the timer command queue. If writing to the timer command queue causes the timer service task to leave the Blocked state, and the timer service task has a priority equal to or greater than the currently executing task (the task that was interrupted), then *pxHigherPriorityTaskWoken will be set to pdTRUE internally within the xTimerResetFromISR() function. If xTimerResetFromISR() sets this value to pdTRUE, then a context switch should be performed before the interrupt exits. |

### Return Values

|        |                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| pdPASS | The reset command was successfully sent to the timer command queue. When the command is actually processed will depend on the priority of the timer service task relative to other tasks in the system, although the timer's expiry time is relative to when xTimerResetFromISR() is actually called. The priority of the timer service task is set by the configTIMER_TASK_PRIORITY configuration constant. |
| pdFAIL | The reset command was not sent to the timer command queue because the queue was already full.                                                                                                                                                                                                                                                                                                                |

## Notes

configUSE\_TIMERS must be set to 1 in FreeRTOSConfig.h for xTimerResetFromISR() to be available.

## Example

---

```
/* This scenario assumes xBacklightTimer has already been created. When a key is
pressed, an LCD back-light is switched on. If 5 seconds pass without a key being
pressed, then the LCD back-light is switched off by a one-shot timer. Unlike the
example given for the xTimerReset() function, the key press event handler is an
interrupt service routine. */

/* The callback function assigned to the one-shot timer. In this case the parameter
is not used. */
void vBacklightTimerCallback( TimerHandle_t pxTimer )
{
    /* The timer expired, therefore 5 seconds must have passed since a key was
    pressed. Switch off the LCD back-light. */
    vSetBacklightState( BACKLIGHT_OFF );
}

/* The key press interrupt service routine. */
void vKeyPressEventInterruptHandler( void )
{
    BaseType_t xHigherPriorityTaskWoken = pdFALSE;

    /* Ensure the LCD back-light is on, then reset the timer that is responsible for
    turning the back-light off after 5 seconds of key inactivity. This is an
    interrupt service routine so can only call FreeRTOS API functions that end in
    "FromISR". */
    vSetBacklightState( BACKLIGHT_ON );

    /* xTimerStartFromISR() or xTimerResetFromISR() could be called here as both
    cause the timer to re-calculate its expiry time. xHigherPriorityTaskWoken was
    initialised to pdFALSE when it was declared (in this function). */
    if( xTimerResetFromISR( xBacklightTimer, &xHigherPriorityTaskWoken ) != pdPASS )
    {
        /* The reset command was not executed successfully. Take appropriate action
        here. */
    }

    /* Perform the rest of the key processing here. */

    /* If xHigherPriorityTaskWoken equals pdTRUE, then a context switch should be
    performed. The syntax required to perform a context switch from inside an ISR
    varies from port to port, and from compiler to compiler. Inspect the demos for
    the port you are using to find the actual syntax required. */
    if( xHigherPriorityTaskWoken != pdFALSE )
    {
        /* Call the interrupt safe yield function here (actual function depends on
        the FreeRTOS port being used). */
    }
}
```

---

Listing 163 Example use of xTimerResetFromISR()

## 5.7 xTimerStart()

---

```
#include "FreeRTOS.h"
#include "timers.h"

BaseType_t xTimerStart( TimerHandle_t xTimer, TickType_t xTicksToWait );
```

---

**Listing 164 xTimerStart() function prototype**

### Summary

Starts a timer running. xTimerStartFromISR() is an equivalent function that can be called from an interrupt service routine.

If the timer was not already running, then the timer will calculate an expiry time relative to when xTimerStart() was called.

If the timer was already running, then xTimerStart() is functionally equivalent to xTimerReset().

If the timer is not stopped, deleted, or reset in the mean time, the callback function associated with the timer will get called 'n' ticks after xTimerStart() was called, where 'n' is the timer's defined period.

Single user license for jocy@mbari.org

### Parameters

**xTimer**            The timer to be reset, started, or restarted.

**xTicksToWait**    Timer functionality is not provided by the core FreeRTOS code, but by a timer service (or daemon) task. The FreeRTOS timer API sends commands to the timer service task on a queue called the timer command queue. xTicksToWait specifies the maximum amount of time the task should remain in the Blocked state to wait for space to become available on the timer command queue, should the queue already be full.

The block time is specified in tick periods, so the absolute time it represents is dependent on the tick frequency. The constant portTICK\_PERIOD\_MS can be used to convert a time specified in milliseconds to a time specified in ticks.

Setting xTicksToWait to portMAX\_DELAY will cause the task to wait indefinitely (without timing out), provided INCLUDE\_vTaskSuspend is set to 1

in FreeRTOSConfig.h.

xTicksToWait is ignored if xTimerStart() is called before the scheduler is started.

## Return Values

**pdPASS** The start command was successfully sent to the timer command queue.

If a block time was specified (xTicksToWait was not zero), then it is possible that the calling task was placed into the Blocked state to wait for space to become available on the timer command queue before the function returned, but data was successfully written to the queue before the block time expired.

When the command is actually processed will depend on the priority of the timer service task relative to other tasks in the system, although the timer's expiry time is relative to when xTimerStart() is actually called. The priority of the timer service task is set by the configTIMER\_TASK\_PRIORITY configuration constant.

**pdFAIL** The start command was not sent to the timer command queue because the queue was already full. Single user license for jocy@mbari.org

If a block time was specified (xTicksToWait was not zero) then the calling task will have been placed into the Blocked state to wait for the timer service task to make room in the queue, but the specified block time expired before that happened.

## Notes

configUSE\_TIMERS must be set to 1 in FreeRTOSConfig.h for xTimerStart() to be available.

## Example

See the example provided for the xTimerCreate() API function.

## 5.8 xTimerStartFromISR()

---

```
#include "FreeRTOS.h"
#include "timers.h"

BaseType_t xTimerStartFromISR( TimerHandle_t xTimer,
                               BaseType_t *pxHigherPriorityTaskWoken );
```

---

Listing 165 xTimerStartFromISR() macro prototype

### Summary

A version of xTimerStart() that can be called from an interrupt service routine.

### Parameters

|                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| xTimer                    | The handle of the timer that is being started, reset, or restarted.                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| pxHigherPriorityTaskWoken | xTimerStartFromISR() writes a command to the timer command queue. If writing to the timer command queue causes the timer service task to leave the Blocked state, and the timer service task has a priority equal to or greater than the currently executing task (the task that was interrupted), then *pxHigherPriorityTaskWoken will be set to pdTRUE internally within the xTimerStartFromISR() function. If xTimerStartFromISR() sets this value to pdTRUE, then a context switch should be performed before the interrupt exits. |

### Return Values

|        |                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| pdPASS | The start command was successfully sent to the timer command queue. When the command is actually processed will depend on the priority of the timer service task relative to other tasks in the system, although the timer's expiry time is relative to when xTimerStartFromISR() is actually called. The priority of the timer service task is set by the configTIMER_TASK_PRIORITY configuration constant. |
| pdFAIL | The start command was not sent to the timer command queue because the queue was already full.                                                                                                                                                                                                                                                                                                                |

## Notes

configUSE\_TIMERS must be set to 1 in FreeRTOSConfig.h for xTimerStartFromISR() to be available.

## Example

---

```
/* This scenario assumes xBacklightTimer has already been created. When a key is
pressed, an LCD back-light is switched on. If 5 seconds pass without a key being
pressed, then the LCD back-light is switched off by a on-shot timer. Unlike the
example given for the xTimerReset() function, the key press event handler is an
interrupt service routine. */

/* The callback function assigned to the one-shot timer. In this case the parameter
is not used. */
void vBacklightTimerCallback( TimerHandle_t pxTimer )
{
    /* The timer expired, therefore 5 seconds must have passed since a key was
    pressed. Switch off the LCD back-light. */
    vSetBacklightState( BACKLIGHT_OFF );
}

/* The key press interrupt service routine. */
void vKeyPressEventInterruptHandler( void )
{
    BaseType_t xHigherPriorityTaskWoken = pdFALSE;

    /* Ensure the LCD back-light is on, then restart the timer that is responsible
    for turning the back-light off after 5 seconds of key inactivity. This is an
    interrupt service routine so can only call FreeRTOS API functions that end in
    "FromISR". */
    vSetBacklightState( BACKLIGHT_ON );

    /* xTimerStartFromISR() or xTimerResetFromISR() could be called here as both
    cause the timer to re-calculate its expiry time. xHigherPriorityTaskWoken was
    initialised to pdFALSE when it was declared (in this function). */
    if( xTimerStartFromISR( xBacklightTimer, &xHigherPriorityTaskWoken ) != pdPASS )
    {
        /* The start command was not executed successfully. Take appropriate action
        here. */
    }

    /* Perform the rest of the key processing here. */

    /* If xHigherPriorityTaskWoken equals pdTRUE, then a context switch should be
    performed. The syntax required to perform a context switch from inside an ISR
    varies from port to port, and from compiler to compiler. Inspect the demos for
    the port you are using to find the actual syntax required. */
    if( xHigherPriorityTaskWoken != pdFALSE )
    {
        /* Call the interrupt safe yield function here (actual function depends on
        the FreeRTOS port being used). */
    }
}
```

---

Listing 166 Example use of xTimerStartFromISR()

## 5.9 xTimerStop()

---

```
#include "FreeRTOS.h"
#include "timers.h"

BaseType_t xTimerStop( TimerHandle_t xTimer, TickType_t xTicksToWait );
```

---

Listing 167 xTimerStop() function prototype

### Summary

Stops a timer running. xTimerStopFromISR() is an equivalent function that can be called from an interrupt service routine.

### Parameters

xTimer            The timer to be stopped.

xTicksToWait    Timer functionality is not provided by the core FreeRTOS code, but by a timer service (or daemon) task. The FreeRTOS timer API sends commands to the timer service task on a queue called the timer command queue. xTicksToWait specifies the maximum amount of time the task should remain in the Blocked state to wait for space to become available on the timer command queue, should the queue already be full.

The block time is specified in tick periods, so the absolute time it represents is dependent on the tick frequency. The constant portTICK\_PERIOD\_MS can be used to convert a time specified in milliseconds to a time specified in ticks.

Setting xTicksToWait to portMAX\_DELAY will cause the task to wait indefinitely (without timing out), provided INCLUDE\_vTaskSuspend is set to 1 in FreeRTOSConfig.h.

xTicksToWait is ignored if xTimerStop() is called before the scheduler is started.

### Return Values

pdPASS    The stop command was successfully sent to the timer command queue.

If a block time was specified (`xTicksToWait` was not zero), then it is possible that the calling task was placed into the Blocked state to wait for space to become available on the timer command queue before the function returned, but data was successfully written to the queue before the block time expired.

When the command is actually processed will depend on the priority of the timer service task relative to other tasks in the system. The priority of the timer service task is set by the `configTIMER_TASK_PRIORITY` configuration constant.

**pdFAIL** The stop command was not sent to the timer command queue because the queue was already full.

If a block time was specified (`xTicksToWait` was not zero) then the calling task will have been placed into the Blocked state to wait for the timer service task to make room in the queue, but the specified block time expired before that happened.

## Notes

`configUSE_TIMERS` must be set to 1 in `FreeRTOSConfig.h` for `xTimerStop()` to be available.

Single user license for jocy@mbari.org

## Example

See the example provided for the `xTimerCreate()` API function.

## 5.10 xTimerStopFromISR()

---

```
#include "FreeRTOS.h"
#include "timers.h"

BaseType_t xTimerStopFromISR( TimerHandle_t xTimer,
                               BaseType_t *pxHigherPriorityTaskWoken );
```

---

Listing 168 xTimerStopFromISR() function prototype

### Summary

A version of xTimerStop() that can be called from an interrupt service routine.

### Parameters

|                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| xTimer                    | The handle of the timer that is being stopped.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| pxHigherPriorityTaskWoken | xTimerStopFromISR() writes a command to the timer command queue. If writing to the timer command queue causes the timer service task to leave the Blocked state, and the timer service task has a priority equal to or greater than the currently executing task (the task that was interrupted), then *pxHigherPriorityTaskWoken will be set to pdTRUE internally within the xTimerStopFromISR() function. If xTimerStopFromISR() sets this value to pdTRUE, then a context switch should be performed before the interrupt exits. |

### Return Values

|        |                                                                                                                                                                                                                                                                                                               |
|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| pdPASS | The stop command was successfully sent to the timer command queue. When the command is actually processed will depend on the priority of the timer service task relative to other tasks in the system. The priority of the timer service task is set by the configTIMER_TASK_PRIORITY configuration constant. |
| pdFAIL | The stop command was not sent to the timer command queue because the queue was already full.                                                                                                                                                                                                                  |

## Notes

configUSE\_TIMERS must be set to 1 in FreeRTOSConfig.h for xTimerStopFromISR() to be available.

## Example

---

```
/* This scenario assumes xTimer has already been created and started. When an
interrupt occurs, the timer should be simply stopped. */

/* The interrupt service routine that stops the timer. */
void vAnExampleInterruptServiceRoutine( void )
{
    BaseType_t xHigherPriorityTaskWoken = pdFALSE;

    /* The interrupt has occurred - simply stop the timer. xHigherPriorityTaskWoken
    was set to pdFALSE where it was defined (within this function). As this is an
    interrupt service routine, only FreeRTOS API functions that end in "FromISR" can
    be used. */
    if( xTimerStopFromISR( xTimer, &xHigherPriorityTaskWoken ) != pdPASS )
    {
        /* The stop command was not executed successfully. Take appropriate action
        here. */
    }

    /* If xHigherPriorityTaskWoken equals pdTRUE, then a context switch should be
    performed. The syntax required to perform a context switch from inside an ISR
    varies from port to port, and from compiler to compiler. Inspect the demos for
    the port you are using to find the actual syntax required. */
    if( xHigherPriorityTaskWoken != pdFALSE )
    {
        /* Call the interrupt safe yield function here (actual function depends on
        the FreeRTOS port being used). */
    }
}
```

---

Listing 169 Example use of xTimerStopFromISR()

# Chapter 6

## Event Groups API

---

Single user license for jocy@mbari.org

## 6.1 xEventGroupCreate()

---

```
#include "FreeRTOS.h"
#include "event_groups.h"

EventGroupHandle_t xEventGroupCreate( void );
```

---

### Listing 170 xEventGroupCreate() function prototype

#### Summary

Create a new event group.

Event groups are stored in variables of type `EventGroupHandle_t`. The number of bits (or flags) implemented within an event group is 8 if `configUSE_16_BIT_TICKS` is set to 1, or 24 if `configUSE_16_BIT_TICKS` is set to 0. The dependency on `configUSE_16_BIT_TICKS` results from the data type used for thread local storage in the internal implementation of RTOS tasks.

This function cannot be called from an interrupt.

Single user license for jocy@mbari.org

#### Parameters

None

#### Return Values

- |                 |                                                                                                                         |
|-----------------|-------------------------------------------------------------------------------------------------------------------------|
| NULL            | The event group could not be created because there was insufficient FreeRTOS heap available.                            |
| Any other value | The event group was created successfully. The returned value should be stored as the handle to the created event group. |

#### Notes

The RTOS source file `FreeRTOS/source/event_groups.c` must be included in the build for the `xEventGroupCreate()` function to be available.

## Example

---

```
/* Declare a variable to hold the created event group. */
EventGroupHandle_t xCreatedEventGroup;

/* Attempt to create the event group. */
xCreatedEventGroup = xEventGroupCreate();

/* Was the event group created successfully? */
if( xCreatedEventGroup == NULL )
{
    /* The event group was not created because there was insufficient
    FreeRTOS heap available. */
}
else
{
    /* The event group was created. */
}
```

---

**Listing 171 Example use of xEventGroupCreate()**

Single user license for jocy@mbari.org

## 6.2 xEventGroupClearBits()

---

```
#include "FreeRTOS.h"
#include "event_groups.h"

EventBits_t xEventGroupClearBits( EventGroupHandle_t xEventGroup,
                                  const EventBits_t uxBitsToClear );
```

---

Listing 172 xEventGroupClearBits() function prototype

### Summary

Clear bits (flags) within an RTOS event group. This function cannot be called from an interrupt. See xEventGroupClearBitsFromISR() for a version that can be called from an interrupt.

### Parameters

- xEventGroup**    The event group in which the bits are to be cleared. The event group must have previously been created using a call to xEventGroupCreate().
- uxBitsToClear**    A bitwise value that indicates the bit or bits to clear in the event group. For example set uxBitsToClear to 0x08 to clear just bit 3. Set uxBitsToClear to 0x09 to clear bit 3 and bit 0.

### Return Values

- All values**        The value of the bits in the event group before any bits were cleared.

### Notes

The RTOS source file FreeRTOS/source/event\_groups.c must be included in the build for the xEventGroupClearBits() function to be available.

## Example

---

```
#define BIT_0 ( 1 << 0 )
#define BIT_4 ( 1 << 4 )

void aFunction( EventGroupHandle_t xEventGroup )
{
    EventBits_t uxBits;

    /* Clear bit 0 and bit 4 in xEventGroup. */
    uxBits = xEventGroupClearBits(
        xEventGroup, /* The event group being updated. */
        BIT_0 | BIT_4 ); /* The bits being cleared. */

    if( ( uxBits & ( BIT_0 | BIT_4 ) ) == ( BIT_0 | BIT_4 ) )
    {
        /* Both bit 0 and bit 4 were set before xEventGroupClearBits()
        was called. Both will now be clear (not set). */
    }
    else if( ( uxBits & BIT_0 ) != 0 )
    {
        /* Bit 0 was set before xEventGroupClearBits() was called. It will
        now be clear. */
    }
    else if( ( uxBits & BIT_4 ) != 0 )
    {
        /* Bit 4 was set before xEventGroupClearBits() was called. It will
        now be clear. */
    }
    else
    {
        /* Neither bit 0 nor bit 4 were set in the first place. */
    }
}
```

---

Listing 173 Example use of xEventGroupClearBits()

## 6.3 xEventGroupClearBitsFromISR()

---

```
#include "FreeRTOS.h"
#include "event_groups.h"

EventBits_t xEventGroupClearBitsFromISR( EventGroupHandle_t xEventGroup,
                                          const EventBits_t uxBitsToClear );
```

---

Listing 174 xEventGroupClearBitsFromISR() function prototype

### Summary

A version of xEventGroupClearBits() that can be called from an interrupt.

### Parameters

- xEventGroup**    The event group in which the bits are to be cleared. The event group must have previously been created using a call to xEventGroupCreate().
- uxBitsToClear**    A bitwise value that indicates the bit or bits to clear in the event group. For example set uxBitsToClear to 0x08 to clear just bit 3. Set uxBitsToClear to 0x09 to clear bit 3 and bit 0.

Single user license for jocy@mbari.org

### Return Values

- All values**            The value of the bits in the event group before any bits were cleared.

### Notes

The RTOS source file FreeRTOS/source/event\_groups.c must be included in the build for the xEventGroupClearBitsFromISR() function to be available.

## Example

---

```
#define BIT_0 ( 1 << 0 )
#define BIT_4 ( 1 << 4 )

/* This code assumes the event group referenced by the xEventGroup variable has
Already been created using a call to xEventGroupCreate(). */
void anInterruptHandler( void )
{
    EventBits_t uxBits;

    /* Clear bit 0 and bit 4 in xEventGroup. */
    uxBits = xEventGroupClearBitsFromISR(
        xEventGroup, /* The event group being updated. */
        BIT_0 | BIT_4 ); /* The bits being cleared. */

    if( ( uxBits & ( BIT_0 | BIT_4 ) ) == ( BIT_0 | BIT_4 ) )
    {
        /* Both bit 0 and bit 4 were set before xEventGroupClearBitsFromISR()
        was called. Both will now be clear (not set). */
    }
    else if( ( uxBits & BIT_0 ) != 0 )
    {
        /* Bit 0 was set before xEventGroupClearBitsFromISR() was called. It will
        now be clear. */
    }
    else if( ( uxBits & BIT_4 ) != 0 )
    {
        /* Bit 4 was set before xEventGroupClearBitsFromISR() was called. It will
        now be clear. */
    }
    else
    {
        /* Neither bit 0 nor bit 4 were set in the first place. */
    }
}
```

---

Listing 175 Example use of xEventGroupClearBitsFromISR()

## 6.1 vEventGroupDelete()

---

```
#include "FreeRTOS.h"
#include "event_groups.h"

void vEventGroupDelete( EventGroupHandle_t xEventGroup );
```

---

Listing 176 xEventGroupDelete() function prototype

### Summary

Delete an event group that was previously created using a call to xEventGroupCreate().

Tasks that are blocked on the event group being deleted will be unblocked and report an event group value of 0.

This function must not be called from an interrupt.

### Parameters

xEventGroup The event group to delete.

Single user license for jocy@mbari.org

### Return Values

None

### Notes

The RTOS source file FreeRTOS/source/event\_groups.c must be included in the build for the xEventGroupDelete() function to be available.

## 6.2 xEventGroupGetBits()

---

```
#include "FreeRTOS.h"
#include "event_groups.h"
```

```
EventBits_t xEventGroupGetBits( EventGroupHandle_t xEventGroup );
```

---

Listing 177 xEventGroupGetBits() function prototype

### Summary

Returns the current value of the event bits (event flags) in an event group. This function cannot be used from an interrupt. See xEventGroupsGetBitsFromISR() for a version that can be used in an interrupt.

### Parameters

**xEventGroup** The event group being queried. The event group must have previously been created using a call to xEventGroupCreate().

### Return Values

Single user license for jocy@mbari.org

**All values** The value of the event bits in the event group at the time xEventGroupGetBits() was called.

### Notes

The RTOS source file FreeRTOS/source/event\_groups.c must be included in the build for the xEventGroupGetBits() function to be available.

## 6.1 xEventGroupGetBitsFromISR()

---

```
#include "FreeRTOS.h"
#include "event_groups.h"

EventBits_t xEventGroupGetBitsFromISR( EventGroupHandle_t xEventGroup );
```

---

Listing 178 xEventGroupGetBitsFromISR() function prototype

### Summary

A version of xEventGroupGetBits() that can be called from an interrupt.

### Parameters

**xEventGroup** The event group being queried. The event group must have previously been created using a call to xEventGroupCreate().

### Return Values

**All values** The value of the event bits in the event group at the time xEventGroupGetBitsFromISR() was called.

### Notes

The RTOS source file FreeRTOS/source/event\_groups.c must be included in the build for the xEventGroupGetBitsFromISR() function to be available.

## 6.2 xEventGroupSetBits()

---

```
#include "FreeRTOS.h"
#include "event_groups.h"

EventBits_t xEventGroupSetBits( EventGroupHandle_t xEventGroup,
                                const EventBits_t uxBitsToSet );
```

---

Listing 179 xEventGroupSetBits() function prototype

### Summary

Sets bits (flags) within an RTOS event group. This function cannot be called from an interrupt. See xEventGroupSetBitsFromISR() for a version that can be called from an interrupt.

Setting bits in an event group will automatically unblock any tasks that were blocked waiting for the bits to be set.

### Parameters

**xEventGroup** The event group in which the bits are to be set. The event group must have previously been created using a call to xEventGroupCreate().

**uxBitsToSet** A bitwise value that indicates the bit or bits to set in the event group. For example, set uxBitsToSet to 0x08 to set only bit 3. Set uxBitsToSet to 0x09 to set bit 3 and bit 0.

### Return Values

**Any Value** The value of the bits in the event group at the time the call to xEventGroupSetBits() returned.

There are two reasons why the returned value might have the bits specified by the uxBitsToSet parameter cleared:

1. If setting a bit results in a task that was waiting for the bit leaving the blocked state then it is possible the bit will have been cleared automatically (see the xClearBitOnExit parameter of xEventGroupWaitBits()).

2. Any task that leaves the blocked state as a result of the bits being set (or otherwise any Ready state task) that has a priority above that of the task that called `xEventGroupSetBits()` will execute and may change the event group value before the call to `xEventGroupSetBits()` returns.

## Notes

The RTOS source file `FreeRTOS/source/event_groups.c` must be included in the build for the `xEventGroupSetBits()` function to be available.

## Example

---

```
#define BIT_0 ( 1 << 0 )
#define BIT_4 ( 1 << 4 )

void aFunction( EventGroupHandle_t xEventGroup )
{
    EventBits_t uxBits;

    /* Set bit 0 and bit 4 in xEventGroup. */
    uxBits = xEventGroupSetBits(
        xEventGroup, /* The event group being updated. */
        BIT_0 | BIT_4 ); /* The bits being set. */

    if( ( uxBits & ( BIT_0 | BIT_4 ) ) == ( BIT_0 | BIT_4 ) )
    {
        /* Both bit 0 and bit 4 remained set when the function returned. */
    }
    else if( ( uxBits & BIT_0 ) != 0 )
    {
        /* Bit 0 remained set when the function returned, but bit 4 was
        cleared. It might be that bit 4 was cleared automatically as a
        task that was waiting for bit 4 was removed from the Blocked
        state. */
    }
    else if( ( uxBits & BIT_4 ) != 0 )
    {
        /* Bit 4 remained set when the function returned, but bit 0 was
        cleared. It might be that bit 0 was cleared automatically as a
        task that was waiting for bit 0 was removed from the Blocked
        state. */
    }
    else
    {
        /* Neither bit 0 nor bit 4 remained set. It might be that a task
        was waiting for both of the bits to be set, and the bits were cleared
        as the task left the Blocked state. */
    }
}
```

---

Listing 180 Example use of `xEventGroupSetBits()`

## 6.3 xEventGroupSetBitsFromISR()

---

```
#include "FreeRTOS.h"
#include "event_groups.h"

EventBits_t xEventGroupSetBitsFromISR( EventGroupHandle_t xEventGroup,
                                         const EventBits_t uxBitsToSet,
                                         BaseType_t *pxHigherPriorityTaskWoken );
```

---

Listing 181 xEventGroupSetBitsFromISR() function prototype

### Summary

Set bits (flags) within an event group. A version of xEventGroupSetBits() that can be called from an interrupt service routine (ISR).

Setting bits in an event group will automatically unblock any tasks that were blocked waiting for the bits to be set.

Setting bits in an event group is not a deterministic operation because there are an unknown number of tasks that may be waiting for the bit or bits being set. FreeRTOS does not allow non-deterministic operations to be performed in interrupts or from critical sections. Therefore xEventGroupSetBitFromISR() sends a message to the RTOS daemon task to have the set operation performed in the context of the daemon task - where a scheduler lock is used in place of a critical section. The priority of the daemon task is set by configTIMER\_TASK\_PRIORITY in FreeRTOSConfig.h.

### Parameters

|                           |                                                                                                                                                                                                                                     |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| xEventGroup               | The event group in which the bits are to be set. The event group must have previously been created using a call to xEventGroupCreate().                                                                                             |
| uxBitsToSet               | A bitwise value that indicates the bit or bits to set in the event group. For example, set uxBitsToSet to 0x08 to set only bit 3. Set uxBitsToSet to 0x09 to set bit 3 and bit 0.                                                   |
| pxHigherPriorityTaskWoken | Calling xEventGroupSetBitsFromISR() results in a message being sent to the RTOS daemon task. If the priority of the daemon task is higher than the priority of the currently running task (the task the interrupt interrupted) then |

\*pxHigherPriorityTaskWoken will be set to pdTRUE by xEventGroupSetBitsFromISR(), indicating that a context switch should be requested before the interrupt exits. For that reason \*pxHigherPriorityTaskWoken must be initialised to pdFALSE. See the example code below.

## Return Values

|        |                                                                                                                                                                                                                                    |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| pdPASS | The message was sent to the RTOS daemon task.                                                                                                                                                                                      |
| pdFAIL | The message could not be sent to the RTOS daemon task (also known as the timer service task) because the timer command queue was full. The length of the queue is set by the configTIMER_QUEUE_LENGTH setting in FreeRTOSConfig.h. |

## Notes

The RTOS source file FreeRTOS/source/event\_groups.c must be included in the build for the xEventGroupSetBitsFromISR() function to be available.

Single user license for jocy@mbari.org

INCLUDE\_xEventGroupSetBitFromISR, configUSE\_TIMERS and INCLUDE\_xTimerPendFunctionCall must all be set to 1 in FreeRTOSConfig.h for the xEventGroupSetBitsFromISR() function to be available.

## Example

---

```
#define BIT_0    ( 1 << 0 )
#define BIT_4    ( 1 << 4 )

/* An event group which it is assumed has already been created by a call to
xEventGroupCreate(). */
EventGroupHandle_t xEventGroup;

void anInterruptHandler( void )
{
    BaseType_t xHigherPriorityTaskWoken, xResult;

    /* xHigherPriorityTaskWoken must be initialised to pdFALSE. */
    xHigherPriorityTaskWoken = pdFALSE;

    /* Set bit 0 and bit 4 in xEventGroup. */
    xResult = xEventGroupSetBitsFromISR(
        xEventGroup,      /* The event group being updated. */
        BIT_0 | BIT_4     /* The bits being set. */
        &xHigherPriorityTaskWoken );

    /* Was the message posted successfully? */
    if( xResult != pdFAIL )
    {
        /* If xHigherPriorityTaskWoken is now set to pdTRUE then a context
        switch should be requested. The macro used is port specific and will
        be either portYIELD_FROM_ISR() or portEND_SWITCHING_ISR() - refer to
        the documentation page for the port being used. */
        portYIELD_FROM_ISR( xHigherPriorityTaskWoken );
    }
}
```

Single user license for jocy@mbari.org

---

Listing 182 Example use of xEventGroupSetBitsFromISR()

## 6.1 xEventGroupSync()

---

```
#include "FreeRTOS.h"
#include "event_groups.h"

EventBits_t xEventGroupSync( EventGroupHandle_t xEventGroup,
                             const EventBits_t uxBitsToSet,
                             const EventBits_t uxBitsToWaitFor,
                             TickType_t xTicksToWait );
```

---

Listing 183 xEventGroupSync() function prototype

### Summary

Atomically set bits (flags) within an event group, then wait for a combination of bits to be set within the same event group. This functionality is typically used to synchronise multiple tasks (often called a task rendezvous), where each task has to wait for the other tasks to reach a synchronisation point before proceeding.

The function will return before its block time expires if the bits specified by the `uxBitsToWait` parameter are set, or become set within that time. In this case all the bits specified by `uxBitsToWait` will be automatically cleared before the function returns.

Single user license for jocy@mbari.org

This function cannot be used from an interrupt.

### Parameters

|                              |                                                                                                                                                                                                                                                                                                          |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>xEventGroup</code>     | The event group in which the bits are being set and tested. The event group must have previously been created using a call to <code>xEventGroupCreate()</code> .                                                                                                                                         |
| <code>uxBitsToSet</code>     | A bitwise value that indicates the bit or bits to set in the event group before determining if (and possibly waiting for) all the bits specified by the <code>uxBitsToWait</code> parameter are set. For example, set <code>uxBitsToSet</code> to <code>0x04</code> to set bit 2 within the event group. |
| <code>uxBitsToWaitFor</code> | A bitwise value that indicates the bit or bits to test inside the event group. For example, set <code>uxBitsToWaitFor</code> to <code>0x05</code> to wait for bit 0 and bit 2. Set <code>uxBitsToWaitFor</code> to <code>0x07</code> to wait for bit 0 and bit 1 and bit 2. Etc.                         |
| <code>xTicksToWait</code>    | The maximum amount of time (specified in 'ticks') to wait for all the bits specified by the <code>uxBitsToWaitFor</code> parameter value to become set.                                                                                                                                                  |

## Return Values

All values      The value of the event group at the time either the bits being waited for became set, or the block time expired. Test the return value to know which bits were set.

If `xEventGroupSync()` returned because its timeout expired then not all the bits being waited for will be set in the returned value.

If `xEventGroupSync()` returned because all the bits it was waiting for were set then the returned value is the event group value before any bits were automatically cleared.

## Notes

The RTOS source file `FreeRTOS/source/event_groups.c` must be included in the build for the `xEventGroupSync()` function to be available.

Single user license for jocy@mbari.org

## Example

---

```
/* Bits used by the three tasks. */
#define TASK_0_BIT      ( 1 << 0 )
#define TASK_1_BIT      ( 1 << 1 )
#define TASK_2_BIT      ( 1 << 2 )

#define ALL_SYNC_BITS ( TASK_0_BIT | TASK_1_BIT | TASK_2_BIT )

/* Use an event group to synchronise three tasks. It is assumed this event
group has already been created elsewhere. */
EventGroupHandle_t xEventBits;

void vTask0( void *pvParameters )
{
    EventBits_t uxReturn;
    TickType_t xTicksToWait = 100 / portTICK_PERIOD_MS;

    for( ;; )
    {
        /* Perform task functionality here. */
        . . .

        /* Set bit 0 in the event group to note this task has reached the
        sync point. The other two tasks will set the other two bits defined
        by ALL_SYNC_BITS. All three tasks have reached the synchronisation
        point when all the ALL_SYNC_BITS bits are set. Wait a maximum of 100ms
        for this to happen. */
        uxReturn = xEventGroupSync( xEventBits,
                                   TASK_0_BIT,      /* The bit to set. */
                                   ALL_SYNC_BITS,    /* The bits to wait for. */
                                   xTicksToWait );   /* Timeout value. */

        if( ( uxReturn & ALL_SYNC_BITS ) == ALL_SYNC_BITS )
        {
            /* All three tasks reached the synchronisation point before the call
            to xEventGroupSync() timed out. */
        }
    }
}

void vTask1( void *pvParameters )
{
    for( ;; )
    {
        /* Perform task functionality here. */
        . . .

        /* Set bit 1 in the event group to note this task has reached the
        synchronisation point. The other two tasks will set the other two
        bits defined by ALL_SYNC_BITS. All three tasks have reached the
        synchronisation point when all the ALL_SYNC_BITS are set. Wait
        indefinitely for this to happen. */
        xEventGroupSync( xEventBits, TASK_1_BIT, ALL_SYNC_BITS, portMAX_DELAY );

        /* xEventGroupSync() was called with an indefinite block time, so
        this task will only reach here if the synchronisation was made by all
        three tasks, so there is no need to test the return value. */
    }
}
```

---

---

```
void vTask2( void *pvParameters )
{
    for( ;; )
    {
        /* Perform task functionality here. */
        . . .

        /* Set bit 2 in the event group to note this task has reached the
        synchronisation point. The other two tasks will set the other two
        bits defined by ALL_SYNC_BITS. All three tasks have reached the
        synchronisation point when all the ALL_SYNC_BITS are set. Wait
        indefinitely for this to happen. */
        xEventGroupSync( xEventBits, TASK_2_BIT, ALL_SYNC_BITS, portMAX_DELAY );

        /* xEventGroupSync() was called with an indefinite block time, so
        this task will only reach here if the synchronisation was made by all
        three tasks, so there is no need to test the return value. */
    }
}
```

---

**Listing 184 Example use of xEventGroupSync()**

Single user license for jocy@mbari.org

## 6.2 xEventGroupWaitBits()

---

```
#include "FreeRTOS.h"
#include "event_groups.h"

EventBits_t xEventGroupWaitBits( const EventGroupHandle_t xEventGroup,
                                const EventBits_t uxBitsToWaitFor,
                                const BaseType_t xClearOnExit,
                                const BaseType_t xWaitForAllBits,
                                TickType_t xTicksToWait );
```

---

Listing 185 xEventGroupWaitBits() function prototype

### Summary

Read bits within an RTOS event group, optionally entering the Blocked state (with a timeout) to wait for a bit or group of bits to become set.

This function cannot be called from an interrupt.

### Parameters

**xEventGroup**      The event group in which the bits are being tested. The event group must have previously been created using a call to xEventGroupCreate().

**uxBitsToWaitFor**   A bitwise value that indicates the bit or bits to test inside the event group. For example, to wait for bit 0 and/or bit 2 set uxBitsToWaitFor to 0x05. To wait for bits 0 and/or bit 1 and/or bit 2 set uxBitsToWaitFor to 0x07. Etc.

uxBitsToWaitFor must not be set to 0.

**xClearOnExit**      If xClearOnExit is set to pdTRUE then any bits set in the value passed as the uxBitsToWaitFor parameter will be cleared in the event group before xEventGroupWaitBits() returns if xEventGroupWaitBits() returns for any reason other than a timeout. The timeout value is set by the xTicksToWait parameter.

If xClearOnExit is set to pdFALSE then the bits set in the event group are not altered when the call to xEventGroupWaitBits() returns.

**xWaitAllBits**      xWaitForAllBits is used to create either a logical AND test (where all bits must be set) or a logical OR test (where one or more bits must be set) as

follows:

If `xWaitForAllBits` is set to `pdTRUE` then `xEventGroupWaitBits()` will return when either all the bits set in the value passed as the `uxBitsToWaitFor` parameter are set in the event group or the specified block time expires.

If `xWaitForAllBits` is set to `pdFALSE` then `xEventGroupWaitBits()` will return when any of the bits set in the value passed as the `uxBitsToWaitFor` parameter are set in the event group or the specified block time expires.

**xTicksToWait**      The maximum amount of time (specified in 'ticks') to wait for one/all (depending on the `xWaitForAllBits` value) of the bits specified by `uxBitsToWaitFor` to become set.

## Return Values

**Any Value**      The value of the event group at the time either the event bits being waited for became set, or the block time expired. The current value of the event bits in an event group will be different to the returned value if a higher priority task or interrupt changed the value of an event bit between the calling task leaving the Blocked state and exiting the `xEventGroupWaitBits()` function.

Test the return value to know which bits were set. If `xEventGroupWaitBits()` returned because its timeout expired then not all the bits being waited for will be set. If `xEventGroupWaitBits()` returned because the bits it was waiting for were set then the returned value is the event group value before any bits were automatically cleared in the case that `xClearOnExit` parameter was set to `pdTRUE`.

## Notes

The RTOS source file `FreeRTOS/source/event_groups.c` must be included in the build for the `xEventGroupWaitBits()` function to be available.

## Example

---

```
#define BIT_0 ( 1 << 0 )
#define BIT_4 ( 1 << 4 )

void aFunction( EventGroupHandle_t xEventGroup )
{
    EventBits_t uxBits;
    const TickType_t xTicksToWait = 100 / portTICK_PERIOD_MS;

    /* Wait a maximum of 100ms for either bit 0 or bit 4 to be set within
    the event group. Clear the bits before exiting. */
    uxBits = xEventGroupWaitBits(
        xEventGroup, /* The event group being tested. */
        BIT_0 | BIT_4, /* The bits within the event group to wait for. */
        pdTRUE, /* BIT_0 and BIT_4 should be cleared before returning. */
        pdFALSE, /* Don't wait for both bits, either bit will do. */
        xTicksToWait ); /* Wait a maximum of 100ms for either bit to be set. */

    if( ( uxBits & ( BIT_0 | BIT_4 ) ) == ( BIT_0 | BIT_4 ) )
    {
        /* xEventGroupWaitBits() returned because both bits were set. */
    }
    else if( ( uxBits & BIT_0 ) != 0 )
    {
        /* xEventGroupWaitBits() returned because just BIT_0 was set. */
    }
    else if( ( uxBits & BIT_4 ) != 0 )
    {
        /* xEventGroupWaitBits() returned because just BIT_4 was set. */
    }
    else
    {
        /* xEventGroupWaitBits() returned because xTicksToWait ticks passed
        without either BIT_0 or BIT_4 becoming set. */
    }
}
```

---

Listing 186 Example use of xEventGroupWaitBits()

# Chapter 7

## Kernel Configuration

---

Single user license for jocy@mbari.org

## 7.1 FreeRTOSConfig.h

---

Kernel configuration is achieved by setting `#define` constants in `FreeRTOSConfig.h`. Each application that uses FreeRTOS must provide a `FreeRTOSConfig.h` header file.

All the demo application projects included in the FreeRTOS download contains a pre-defined `FreeRTOSConfig.h` that can be used as a reference or simply copied. Note, however, that some of the demo projects were generated before all the options documented in this chapter were available, so the `FreeRTOSConfig.h` header files they contain will not include all the constants and options that are documented in the following sub-sections.

Single user license for jocy@mbari.org

## 7.2 Constants that Start “INCLUDE\_”

---

Constants that start with the text “INCLUDE\_” are used to include or exclude FreeRTOS API functions from the application. For example, setting INCLUDE\_vTaskPrioritySet to 0 will exclude the vTaskPrioritySet() API function from the build, meaning the application cannot call vTaskPrioritySet(). Setting INCLUDE\_vTaskPrioritySet to 1 will include the vTaskPrioritySet() API function in the build, so the application can call vTaskPrioritySet().

In some cases, a single INCLUDE\_ configuration constant will include or exclude multiple API functions.

The “INCLUDE\_” constants are provided to permit the code size to be reduced by removing FreeRTOS functions and features that are not required. However, most linkers will, by default, automatically remove unreferenced code unless optimization is turned completely off. Linkers that do not have this default behavior can normally be configured to remove unreferenced code. Therefore, in most practical cases, the INCLUDE\_ configuration constants will have little if any impact on the executable code size.

It is possible that excluding an API function from an application will also reduce the amount of RAM used by the FreeRTOS kernel. For example, removing the vTaskSuspend() API function will also prevent the structures that would otherwise reference Suspended tasks from ever being allocated.

### **INCLUDE\_xEventGroupSetBitFromISR**

configUSE\_TIMERS, INCLUDE\_xTimerPendFunctionCall and INCLUDE\_xEventGroupSetBitFromISR must all be set to 1 for the xEventGroupSetBitFromISR () API function to be available.

### **INCLUDE\_xSemaphoreGetMutexHolder**

INCLUDE\_xSemaphoreGetMutexHolder must be set to 1 for the xSemaphoreGetMutexHolder() API function to be available.

### **INCLUDE\_vTaskDelay**

INCLUDE\_vTaskDelay must be set to 1 for the vTaskDelay() API function to be available.

### **INCLUDE\_vTaskDelayUntil**

INCLUDE\_vTaskDelayUntil must be set to 1 for the vTaskDelayUntil() API function to be available.

### **INCLUDE\_vTaskDelete**

INCLUDE\_vTaskDelete must be set to 1 for the vTaskDelete() API function to be available.

### **INCLUDE\_xTaskGetCurrentTaskHandle**

INCLUDE\_xTaskGetCurrentTaskHandle must be set to 1 for the xTaskGetCurrentTaskHandle() API function to be available.

### **INCLUDE\_xTaskGetIdleTaskHandle**

INCLUDE\_xTaskGetIdleTaskHandle must be set to 1 for the xTaskGetIdleTaskHandle() API function to be available.

### **INCLUDE\_xTaskGetSchedulerState**

Single user license for jocy@mbari.org

INCLUDE\_xTaskGetSchedulerState must be set to 1 for the xTaskGetSchedulerState() API function to be available.

### **INCLUDE\_uxTaskGetStackHighWaterMark**

INCLUDE\_uxTaskGetStackHighWaterMark must be set to 1 for the uxTaskGetStackHighWaterMark() API function to be available.

### **INCLUDE\_pcTaskGetTaskName**

INCLUDE\_pcTaskGetTaskName must be set to 1 for the pcTaskGetTaskName() API function to be available.

### **INCLUDE\_uxTaskPriorityGet**

INCLUDE\_uxTaskPriorityGet must be set to 1 for the uxTaskPriorityGet() API function to be available.

### **INCLUDE\_vTaskPrioritySet**

INCLUDE\_vTaskPrioritySet must be set to 1 for the vTaskPrioritySet() API function to be available.

### **INCLUDE\_xTaskResumeFromISR**

INCLUDE\_xTaskResumeFromISR *and* INCLUDE\_vTaskSuspend must both be set to 1 for the xTaskResumeFromISR() API function to be available.

### **INCLUDE\_eTaskGetState**

INCLUDE\_eTaskGetState must be set to 1 for the eTaskGetState() API function to be available.

### **INCLUDE\_vTaskSuspend**

INCLUDE\_vTaskSuspend must be set to 1 for the vTaskSuspend(), xTaskResume(), and xTaskIsTaskSuspended() API functions to be available.

INCLUDE\_vTaskSuspend *and* INCLUDE\_xTaskResumeFromISR must both be set to 1 for the xTaskResumeFromISR() API function to be available.

Some queue and semaphore API functions allow the calling task to opt to be placed into the Blocked state to wait for a queue or semaphore event to occur. These API functions require that a maximum block period, or time out, is specified. The calling task will then be held in the Blocked state until either the queue or semaphore event occurs, or the block period expires. The maximum block period that can be specified is defined by portMAX\_DELAY. If INCLUDE\_vTaskSuspend is set to 0, then specifying a block period of portMAX\_DELAY will result in the calling task being placed into the Blocked state for a maximum of portMAX\_DELAY ticks. If INCLUDE\_vTaskSuspend is set to 1, then specifying a block period of portMAX\_DELAY will result in the calling task being placed into the Blocked state indefinitely (without a time out). In the second case, the block period is indefinite, so the only way out of the Blocked state is for the queue or semaphore event to occur.

### **INCLUDE\_xTimerGetTimerDaemonTaskHandle**

configUSE\_TIMERS and INCLUDE\_xTimerGetTimerDaemonTaskHandle must both be set to 1 for the xTimerGetTimerDaemonTaskHandle() API function to be available.

## **INCLUDE\_ xTimerPendFunctionCall**

configUSE\_TIMERS and INCLUDE\_xTimerPendFunctionCall must both be set to 1 for the xTimerPendFunctionCall() and xTimerPendFunctionCallFromISR () API functions to be available.

Single user license for jocy@mbari.org

## 7.3 Constants that Start “config”

---

Constants that start with the text “config” define attributes of the kernel, or include or exclude features of the kernel.

### **configASSERT**

Calls to configASSERT( x ) exist at key points in the FreeRTOS kernel code.

If FreeRTOS is functioning correctly, and is being used correctly, then the configASSERT() parameter will be non-zero. If the parameter is found to equal zero, then an error has occurred.

It is likely that most errors trapped by configASSERT() will be a result of an invalid parameter being passed into a FreeRTOS API function. configASSERT() can therefore assist in run time debugging. However, defining configASSERT() will also increase the application code size, and slow down its execution.

configASSERT() is equivalent to the standard C assert() macro. It is used in place of the standard C assert() macro because not all the compilers that can be used to build FreeRTOS provide an assert.h header file.

configASSERT() should be defined in FreeRTOSConfig.h. Listing 187 shows an example configASSERT() definition that assumed vAssertCalled() is defined elsewhere by the application.

---

```
#define configASSERT( ( x ) ) if( ( x ) == 0 ) vAssertCalled( __FILE__, __LINE__ )
```

---

**Listing 187 An example configASSERT() definition**

### **configCHECK\_FOR\_STACK\_OVERFLOW**

Each task has a unique stack that is automatically allocated from the FreeRTOS heap when the task is created. The size of the stack is set by the usStackDepth parameter of the xTaskCreate() call used to create the task.

Stack overflow is a very common cause of application instability. FreeRTOS provides two optional mechanisms that can be used to assist in stack overflow detection and debugging.

Which (if any) option is used is configured by the configCHECK\_FOR\_STACK\_OVERFLOW configuration constant.

If configCHECK\_FOR\_STACK\_OVERFLOW is not set to 0 then the application must also provide a stack overflow hook (or callback) function. The kernel will call the stack overflow hook whenever a stack overflow is detected.

The stack overflow hook function must be called vApplicationStackOverflowHook(), and have the prototype shown in Listing 188.

---

```
void vApplicationStackOverflowHook( TaskHandle_t *pxTask,
                                   signed char *pcTaskName );
```

---

**Listing 188 The stack overflow hook function prototype**

The name and handle of the task that has exceeded its stack space are passed into the stack overflow hook function using the pcTaskName and pxTask parameters respectively. It should be noted that a stack overflow can potentially corrupted these parameters, in which case the pxCurrentTCB variable can be inspected to determine which task caused the stack overflow hook function to be called.

Single user license for jocy@mbari.org

Stack overflow checking can only be used on architectures that have a linear (rather than segmented) memory map.

Some processors will generate a fault exception in response to a stack corruption before the stack overflow callback function can be called.

Stack overflow checking increases the time taken to perform a context switch.

|                                        |                                                                           |
|----------------------------------------|---------------------------------------------------------------------------|
| Stack overflow<br>detection method one | Method one is selected by setting<br>configCHECK_FOR_STACK_OVERFLOW to 1. |
|----------------------------------------|---------------------------------------------------------------------------|

It is likely that task stack utilization will reach its maximum when the task's context is saved to the stack during a context switch. Stack overflow detection method one checks the stack utilization at that time to ensure the task stack pointer remains within the valid stack area. The stack overflow hook function will be called if the stack pointer contains an invalid value (a value that references memory outside of

the valid stack area).

Method one is quick, but will not necessarily catch all stack overflow occurrences.

Stack overflow  
detection method two      Method two is selected by setting  
configCHECK\_FOR\_STACK\_OVERFLOW to 2.

Method two includes the checks performed by method one. In addition, method two will also verify that the limit of the valid stack region has not been overwritten.

The stack allocated to a task is filled with a known pattern at the time the task is created. Method two checks the last  $n$  bytes within the valid stack range to ensure this pattern remains unmodified (has not been overwritten). The stack overflow hook function is called if any of these  $n$  bytes have changed from their original values.

Method two is less efficient than method one, but still fast. It will catch most stack overflow occurrences, although it is conceivable that some could be missed (for example, where a stack overflow occurs without the last  $n$  bytes being written to).

## **configCPU\_CLOCK\_HZ**

This must be set to the frequency of the clock that drives the peripheral used to generate the kernels periodic tick interrupt. This is very often, but not always, equal to the main system clock frequency.

## **configENABLE\_BACKWARD\_COMPATIBILITY**

The FreeRTOS.h header file includes a set of #define macros that map the names of data types used in versions of FreeRTOS prior to version 8.0.0 to the names used in FreeRTOS version 8.0.0. The macros allow application code to update the version of FreeRTOS they are built against from a pre 8.0.0 version to a post 8.0.0 version without modification. Setting configENABLE\_BACKWARD\_COMPATIBILITY to 0 in FreeRTOSConfig.h excludes the macros from the build, and in so doing allowing validation that no pre version 8.0.0 names are being used.

## configGENERATE\_RUN\_TIME\_STATS

The task run time statistics feature collects information on the amount of processing time each task is receiving. The feature requires the application to configure a run time statistics time base. The frequency of the run time statistics time base must be *at least* ten times greater than the frequency of the tick interrupt.

Setting configGENERATE\_RUN\_TIME\_STATS to 1 will include the run time statistics gathering functionality and associated API in the build. Setting configGENERATE\_RUN\_TIME\_STATS to 0 will exclude the run time statistics gathering functionality and associated API from the build.

If configGENERATE\_RUN\_TIME\_STATS is set to 1, then the application must also provide definitions for the macros described in Table 2. If configGENERATE\_RUN\_TIME\_STATS is set to 0 then the application must not define any of the macros described in Table 2, otherwise there is a risk that the application will not compile and/or link.

**Table 2. Additional macros that are required if  
configGENERATE\_RUN\_TIME\_STATS is set to 1**

| Macro                                    | Description                                                                                                           |
|------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| portCONFIGURE_TIMER_FOR_RUN_TIME_STATS() | This macro must be provided to initialize whichever peripheral is used to generate the run time statistics time base. |

Single user license for jocy@mbari.org

**Table 2. Additional macros that are required if  
configGENERATE\_RUN\_TIME\_STATS is set to 1**

| Macro                                                                            | Description                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| portGET_RUN_TIME_COUNTER_VALUE(), or<br>portALT_GET_RUN_TIME_COUNTER_VALUE(Time) | One of these two macros must be provided to return the current time base value—this is the total time that the application has been running in the chosen time base units. If the first macro is used it must be defined to evaluate to the current time base value. If the second macro is used it must be defined to set its 'Time' parameter to the current time base value. ('ALT' in the macro name is an abbreviation of 'ALternative'). |

Single user license for jocy@mbari.org

### **configIDLE\_SHOULD\_YIELD**


configIDLE\_SHOULD\_YIELD controls the behavior of the idle task if there are application tasks that also run at the idle priority. It only has an effect if the preemptive scheduler is being used.

Tasks that share a priority are scheduled using a round robin, time sliced, algorithm. Each task will be selected in turn to enter the running state, but may not remain in the running state for an entire tick period. For example, a task may be preempted, choose to yield, or choose to enter the Blocked state before the next tick interrupt.

If configIDLE\_SHOULD\_YIELD is set to 0, then the idle task will never yield to another task, and will only leave the Running state when it is pre-empted.

If configIDLE\_SHOULD\_YIELD is set to 1, then idle task will never perform more than one iteration of its defined functionality without yielding to another task *if* there is another Idle priority task that is in the Ready state. This ensures a minimum amount of time is spent in the idle task when application tasks are available to run.

The Idle task consistently yielding to another Idle priority Ready state tasks has the side effect shown in Figure 3.



**Figure 3 Time line showing the execution of 4 tasks, all of which run at the idle priority**

Figure 3 shows the execution pattern of four tasks that all run at the idle priority. Tasks A, B and C are application tasks. Task I is the idle task. The tick interrupt initiates a context switch at regular intervals, shown at times T0, T1, T2, etc. It can be seen that the Idle task starts to execute at time T2. It executes for part of a time slice, then yields to Task A. Task A executes for the remainder of the same time slice, then gets pre-empted at time T3. Task I and task A effectively share a single time slice, resulting in task B and task C consistently utilizing more processing time than task A.

Setting `configIDLE_SHOULD_YIELD` to 0 prevents this behavior by ensuring the Idle task remains in the Running state for an entire tick period (unless pre-empted by an interrupt other than the tick interrupt). When this is the case, averaged over time, the other tasks that share the idle priority will get an equal share of the processing time, but more time will also be spent executing the idle task. Using an Idle task hook function can ensure the time spent executing the Idle task is used productively.

## **configINCLUDE\_APPLICATION\_DEFINED\_PRIVILEGED\_FUNCTIONS**

`configINCLUDE_APPLICATION_DEFINED_PRIVILEGED_FUNCTIONS` is only used by FreeRTOS MPU.

If `configINCLUDE_APPLICATION_DEFINED_PRIVILEGED_FUNCTIONS` is set to 1 then the application writer must provide a header file called "application\_defined\_privileged\_functions.h", in which functions the application writer needs to execute in privileged mode can be implemented. Note that, despite having a .h extension, the header file should contain the implementation of the C functions, not just the functions' prototypes.

Functions implemented in "application\_defined\_privileged\_functions.h" must save and restore the processor's privilege state using the `prvRaisePrivilege()` function and `portRESET_PRIVILEGE()` macro respectively. For example, if a library provided print function

accesses RAM that is outside of the control of the application writer, and therefore cannot be allocated to a memory protected user mode task, then the print function can be encapsulated in a privileged function using the following code:

---

```
void MPU_debug_printf( const char *pcMessage )
{
    State the privilege level of the processor when the function was called. */
    BaseType_t xRunningPrivileged = prvRaisePrivilege();

    /* Call the library function, which now has access to all RAM. */
    debug_printf( pcMessage );

    /* Reset the processor privilege level to its original value. */
    portRESET_PRIVILEGE( xRunningPrivileged );
}
```

---

**Listing 189 An example of saving and restoring the processors privilege state**

This technique should only be use during development, and not deployment, as it circumvents the memory protection.

**configKERNEL\_INTERRUPT\_PRIORITY,**  
**configMAX\_SYSCALL\_INTERRUPT\_PRIORITY,**  
**configMAX\_API\_CALL\_INTERRUPT\_PRIORITY**

configMAX\_API\_CALL\_INTERRUPT\_PRIORITY is a new name for configMAX\_SYSCALL\_INTERRUPT\_PRIORITY that is used by newer ports only. The two are equivalent.


configKERNEL\_INTERRUPT\_PRIORITY and configMAX\_SYSCALL\_INTERRUPT\_PRIORITY are only relevant to ports that implement interrupt nesting.

If a port only implements the configKERENL\_INTERRUPT\_PRIORITY configuration constant, then configKERNEL\_INTERRUPT\_PRIORITY sets the priority of interrupts that are used by the kernel itself. In this case, ISR safe FreeRTOS API functions (those that end in "FromISR") must not be called from any interrupt that has been assigned a priority above that set by configKERNEL\_INTERRUPT\_PRIORITY. Interrupts that do not call API functions can execute at higher priorities to ensure the interrupt timing, determinism and latency is not adversely affected by anything the kernel is executing.

If a port implements both the configKERNEL\_INTERRUPT\_PRIORITY and the configMAX\_SYSCALL\_INTERRUPT\_PRIORITY configuration constants, then configKERNEL\_INTERRUPT\_PRIORITY sets the interrupt priority of interrupts that are used

by the kernel itself, and configMAX\_SYSCALL\_INTERRUPT\_PRIORITY sets the maximum priority of interrupts from which ISR safe FreeRTOS API functions (those that end in “FromISR”) can be called. A full interrupt nesting model is achieved by setting configMAX\_SYSCALL\_INTERRUPT\_PRIORITY above (that is, at a higher priority level) than configKERNEL\_INTERRUPT\_PRIORITY. Interrupts that do not call API functions can execute at priorities above configMAX\_SYSCALL\_INTERRUPT\_PRIORITY to ensure the interrupt timing, determinism and latency is not adversely affected by anything the kernel is executing.

As an example – imagine a hypothetical microcontroller that has seven interrupt priority levels. In this hypothetical case, one is the lowest interrupt priority and seven is the highest interrupt priority<sup>2</sup>. Figure 4 describes what can and cannot be done at each priority level when configKERNEL\_INTERRUPT\_PRIORITY and configMAX\_SYSCALL\_INTERRUPT\_PRIORITY are set to one and three respectively.



**Figure 4 An example interrupt priority configuration**

ISRs running above the configMAX\_SYSCALL\_INTERRUPT\_PRIORITY are never masked by the kernel itself, so their responsiveness is not affected by the kernel functionality. This is ideal for interrupts that require very high temporal accuracy – for example, interrupts that perform motor commutation. However, interrupts that have a priority above configMAX\_SYSCALL\_INTERRUPT\_PRIORITY cannot call any FreeRTOS API functions, even those that end in “FromISR” cannot be used.

<sup>2</sup> Note care must be taken when assigning values to configKERNEL\_INTERRUPT\_PRIORITY and configMAX\_SYSCALL\_INTERRUPT\_PRIORITY as some microcontrollers use zero or one to mean the *lowest* priority, while others use zero or one to mean the *highest* priority.

`configKERNEL_INTERRUPT_PRIORITY` will nearly always, in not always, be set to the lowest available interrupt priority.

### **`configMAX_CO_ROUTINE_PRIORITIES`**

Sets the maximum priority that can be assigned to a co-routine. Co-routines can be assigned a priority from zero, which is the lowest priority, to  $(\text{configMAX\_CO\_ROUTINE\_PRIORITIES} - 1)$ , which is the highest priority.

### **`configMAX_PRIORITIES`**

Sets the maximum priority that can be assigned to a task. Tasks can be assigned a priority from zero, which is the lowest priority, to  $(\text{configMAX\_PRIORITIES} - 1)$ , which is the highest priority.

### **`configMAX_TASK_NAME_LEN`**

Sets the maximum number of characters that can be used for the name of a task. The NULL terminator is included in the count of characters.

Single user license for jocy@mbari.org

### **`configMAX_SYSCALL_INTERRUPT_PRIORITY`**

See the description of the `configKERNEL_INTERRUPT_PRIORITY` configuration constant.

### **`configMINIMAL_STACK_SIZE`**

Sets the size of the stack allocated to the Idle task. The value is specified in words, not bytes.

The kernel itself does not use `configMINIMAL_STACK_SIZE` for any other purpose, although the constant is used extensively by the standard demo tasks.

A demo application is provided for every official FreeRTOS port. The value of `configMINIMAL_STACK_SIZE` used in such a port specific demo application is the minimum recommended stack size for any task created using that port.

### **`configQUEUE_REGISTRY_SIZE`**

Sets the maximum number of queues and semaphores that can be referenced from the queue registry at any one time. Only queues and semaphores that need to be viewed in a kernel aware debugging interface need to be registered.

The queue registry is only required when a kernel aware debugger is being used. At all other times it has no purpose and can be omitted by setting `configQUEUE_REGISTRY_SIZE` to 0, or by omitting the `configQUEUE_REGISTRY_SIZE` configuration constant definition altogether.

### **configTICK\_RATE\_HZ**

Sets the tick interrupt frequency. The value is specified in Hz.

The constant `portTICK_PERIOD_MS` is determined by the `configTICK_RATE_HZ` definition, and is provided to allow block times to be specified in milliseconds rather than ticks. Block times specified this way will remain constant even when the `configTICK_RATE_HZ` definition is changed. `portTICK_PERIOD_MS` can only be used when `configTICK_RATE_HZ` is less than or equal to 1000. The standard demo tasks make extensive use of `portTICK_PERIOD_MS`, so they too can only be used when `configTICK_RATE_HZ` is less than or equal to 1000.

### **configTIMER\_QUEUE\_LENGTH**

Timer functionality is not provided by the core FreeRTOS code, but by a timer service (or daemon) task. The FreeRTOS timer API sends commands to the timer service task on a queue called the timer command queue. `configTIMER_QUEUE_LENGTH` sets the maximum number of unprocessed commands that the timer command queue can hold at any one time.

Reasons the timer command queue might fill up include:

- Multiple timer API function calls being made before the scheduler has been started, and therefore before the timer service task has been created.
- Multiple (interrupt safe) timer API function calls being made from an interrupt service routine (ISR), and therefore not allowing the timer service task to process the commands.
- Multiple timer API function calls being made from a task that has a priority above that of the timer service task.

### **configTIMER\_TASK\_PRIORITY**

Timer functionality is not provided by the core FreeRTOS code, but by a timer service (or daemon) task. The FreeRTOS timer API sends commands to the timer service task on a queue called the timer command queue. configTIMER\_TASK\_PRIORITY sets the priority of the timer service task. Like all tasks, the timer service task can run at any priority between 0 and ( configMAX\_PRIORITIES - 1 ).

This value needs to be chosen carefully to meet the requirements of the application. For example, if the timer service task is made the highest priority task in the system, then commands sent to the timer service task (when a timer API function is called), and expired timers, will both get processed immediately. Conversely, if the timer service task is given a low priority, then commands sent to the timer service task, and expired timers, will not be processed until the timer service task is the highest priority task that is able to run. It is worth noting however, that timer expiry times are calculated relative to when a command is sent, and not relative to when a command is processed.

### **configTIMER\_TASK\_STACK\_DEPTH**

Timer functionality is not provided by the core FreeRTOS code, but by a timer service (or daemon) task. The FreeRTOS timer API sends commands to the timer service task on a queue called the timer command queue. configTIMER\_TASK\_STACK\_DEPTH sets the size of the stack (in words, not bytes) allocated to the timer service task.

Timer callback functions execute in the context of the timer service task. The stack requirement of the timer service task therefore depends on the stack requirements of the timer callback functions.

### **configTOTAL\_HEAP\_SIZE**

The kernel allocates memory from the heap each time a task, queue or semaphore is created. The official FreeRTOS download includes three sample memory allocation schemes for this purpose. The schemes are implemented in the heap\_1.c, heap\_2.c, heap\_3.c and heap\_4.c source files respectively. The schemes defined by heap\_1.c, heap\_2.c and heap\_4.c allocate memory from a statically allocated array, known as the FreeRTOS heap. configTOTAL\_HEAP\_SIZE sets the size of this array. The size is specified in bytes.

The configTOTAL\_HEAP\_SIZE setting has no effect unless heap\_1.c, heap\_2.c or heap\_4.c are being used by the application.

## **configUSE\_16\_BIT\_TICKS**

The tick count is held in a variable of type TickType\_t. When configUSE\_16\_BIT\_TICKS is set to 1, TickType\_t is defined to be an unsigned 16-bit type. When configUSE\_16\_BIT\_TICKS is set to 0, TickType\_t is defined to be an unsigned 32-bit type.

Using a 16-bit type can greatly improve efficiency on 8-bit and 16-bit microcontrollers, but at the cost of limiting the maximum block time that can be specified.

## **configUSE\_ALTERNATIVE\_API**

Two sets of API functions are provided to send to, and receive from, queues – the standard API and the ‘alternative’ API. Only the standard API is documented in this manual. Use of the alternative API is no longer recommended.

Setting configUSE\_ALTERNATIVE\_API to 1 will include the alternative API functions in the build. Setting configUSE\_ALTERNATIVE\_API to 0 will exclude the alternative API functions from the build.

**Note:** Use of the alternative API is deprecated and therefore not recommended.

Single user license for jocy@mbari.org

## **configUSE\_APPLICATION\_TASK\_TAG**

Setting configUSE\_APPLICATION\_TASK\_TAG to 1 will include both the vTaskSetApplicationTaskTag() and xTaskCallApplicationTaskHook() API functions in the build. Setting configUSE\_APPLICATION\_TASK\_TAG to 0 will exclude both the vTaskSetApplicationTaskTag() and the xTaskCallApplicationTaskHook() API functions from the build.

## **configUSE\_CO\_ROUTINES**

Co-routines are light weight tasks that save RAM by sharing a stack, but have limited functionality. Their use is omitted from this manual.

Setting configUSE\_CO\_ROUTINES to 1 will include all co-routine functionality and its associated API functions in the build. Setting configUSE\_CO\_ROUTINES to 0 will exclude all co-routine functionality and its associated API functions from the build.

## **configUSE\_COUNTING\_SEMAPHORES**

Setting configUSE\_COUNTING\_SEMAPHORES to 1 will include the counting semaphore functionality and its associated API in the build. Setting configUSE\_COUNTING\_SEMAPHORES to 0 will exclude the counting semaphore functionality and its associated API from the build.

## **configUSE\_IDLE\_HOOK**

The idle task hook function is a hook (or callback) function that, if defined and configured, will be called by the Idle task on each iteration of its implementation.

If configUSE\_IDLE\_HOOK is set to 1 then the application must define an idle task hook function. If configUSE\_IDLE\_HOOK is set to 0 then the idle task hook function will not be called, even if one is defined.

Idle task hook functions must have the name and prototype shown in Listing 190.

---

```
void vApplicationIdleHook( void );
```

---

**Listing 190** The idle task hook function name and prototype.

## **configUSE\_MALLOC\_FAILED\_HOOK**

The kernel uses a call to pvPortMalloc() to allocate memory from the heap each time a task, queue or semaphore is created. The official FreeRTOS download includes three sample memory allocation schemes for this purpose. The schemes are implemented in the heap\_1.c, heap\_2.c, heap\_3.c and heap\_4.c source files respectively. configUSE\_MALLOC\_FAILED\_HOOK is only relevant when one of these three sample schemes is being used.

The malloc() failed hook function is a hook (or callback) function that, if defined and configured, will be called if pvPortMalloc() ever returns NULL. NULL will be returned only if there is insufficient FreeRTOS heap memory remaining for the requested allocation to succeed.

If configUSE\_MALLOC\_FAILED\_HOOK is set to 1 then the application must define a malloc() failed hook function. If configUSE\_MALLOC\_FAILED\_HOOK is set to 0 then the malloc() failed hook function will not be called, even if one is defined.

Malloc() failed hook functions must have the name and prototype shown in Listing 191.

---

```
void vApplicationMallocFailedHook( void );
```

---

**Listing 191 The malloc() failed hook function name and prototype.**

## **configUSE\_MUTEXES**

Setting configUSE\_MUTEXES to 1 will include the mutex functionality and its associated API in the build. Setting configUSE\_MUTEXES to 0 will exclude the mutex functionality and its associated API from the build.

## **configUSE\_NEWLIB\_REENTRANT**

If configUSE\_NEWLIB\_REENTRANT is set to 1 then a [newlib](#) reent structure will be allocated for each created task.

Note Newlib support has been included by popular demand, but is not used by the FreeRTOS maintainers themselves. FreeRTOS is not responsible for resulting newlib operation. User must be familiar with newlib and must provide system-wide implementations of the necessary stubs. Be warned that (at the time of writing) the current newlib design implements a system-wide malloc() that must be provided with locks.

## **configUSE\_PORT\_OPTIMISED\_TASK\_SELECTION**

Some FreeRTOS ports have two methods of selecting the next task to execute – a generic method, and a method that is specific to that port.

The Generic method:

- Is used when `configUSE_PORT_OPTIMISED_TASK_SELECTION` is set to 0, or when a port specific method is not implemented.
- Can be used with all FreeRTOS ports.
- Is completely written in C, making it less efficient than a port specific method.
- Does not impose a limit on the maximum number of available priorities.

A port specific method:

- Is not available for all ports.
- Is used when `configUSE_PORT_OPTIMISED_TASK_SELECTION` is set to 1.
- Relies on one or more architecture specific assembly instructions (typically a Count Leading Zeros [CLZ] of equivalent instruction) so can only be used with the architecture for which it was specifically written.
- Is more efficient than the generic method.
- Typically imposes a limit of 32 on the maximum number of available priorities.

## **`configUSE_PREEMPTION`**

Setting `configUSE_PREEMPTION` to 1 will cause the pre-emptive scheduler to be used. Setting `configUSE_PREEMPTION` to 0 will cause the co-operative scheduler to be used.

When the pre-emptive scheduler is used the kernel will execute during each tick interrupt, which can result in a context switch occurring in the tick interrupt.

When the co-operative scheduler is used a context switch will only occur when either:

1. A task explicitly calls `taskYIELD()`.
2. A task explicitly calls an API function that results in it entering the Blocked state.
3. An application defined interrupt explicitly performs a context switch.

### **configUSE\_QUEUE\_SETS**

Setting configUSE\_QUEUE\_SETS to 1 will include queue set functionality (the ability to block on multiple queues at the same time) and its associated API in the build. Setting configUSE\_QUEUE\_SETS to 0 will exclude queue set functionality and its associated API from the build.

### **configUSE\_RECURSIVE\_MUTEXES**

Setting configUSE\_RECURSIVE\_MUTEXES to 1 will cause the recursive mutex functionality and its associated API to be included in the build. Setting configUSE\_RECURSIVE\_MUTEXES to 0 will cause the recursive mutex functionality and its associated API to be excluded from the build.

### **configUSE\_STATS\_FORMATTING\_FUNCTIONS**

Set configUSE\_TRACE\_FACILITY and configUSE\_STATS\_FORMATTING\_FUNCTIONS to 1 to include the vTaskList() and vTaskGetRunTimeStats().

functions in the build. Setting either to 0 will omit vTaskList() and vTaskGetRunTimeStats() from the build.

Single user license for jocy@mbari.org

### **configUSE\_TASK\_NOTIFICATIONS**

Setting configUSE\_TASK\_NOTIFICATIONS to 1 (or leaving configUSE\_TASK\_NOTIFICATIONS undefined) will include direct to task notification functionality and its associated API in the build. Setting configUSE\_TASK\_NOTIFICATIONS to 0 will exclude direct to task notification functionality and its associated API from the build.

Each task consumes 8 additional bytes of RAM when direct to task notifications are included in the build.

### **configUSE\_TICK\_HOOK**

The tick hook function is a hook (or callback) function that, if defined and configured, will be called during each tick interrupt.

If `configUSE_TICK_HOOK` is set to 1 then the application must define a tick hook function. If `configUSE_TICK_HOOK` is set to 0 then the tick hook function will not be called, even if one is defined.

Tick hook functions must have the name and prototype shown in Listing 192.

---

```
void vApplicationTickHook( void );
```

---

**Listing 192 The tick hook function name and prototype.**

### **configUSE\_TICKLESS\_IDLE**

Set `configUSE_TICKLESS_IDLE` to 1 to use the low power tickless mode, or 0 to keep the tick interrupt running at all times.

### **configUSE\_TIMERS**

Setting `configUSE_TIMERS` to 1 will include software timer functionality and its associated API in the build. Setting `configUSE_TIMERS` to 0 will exclude software timer functionality and its associated API from the build.

If `configUSE_TIMERS` is set to 1, then `configTIMER_TASK_PRIORITY`, `configTIMER_QUEUE_LENGTH` and `configTIMER_TASK_STACK_DEPTH` must also be defined.

### **configUSE\_TIME\_SLICING**

By default (if `configUSE_TIME_SLICING` is not defined, or if `configUSE_TIME_SLICING` is defined as 1) FreeRTOS uses prioritised preemptive scheduling with time slicing. That means the RTOS scheduler will always run the highest priority task that is in the Ready state, and will switch between tasks of equal priority on every RTOS tick interrupt. If `configUSE_TIME_SLICING` is set to 0 then the RTOS scheduler will still run the highest priority task that is in the Ready state, but will not switch between tasks of equal priority just because a tick interrupt executed.

### **configUSE\_TRACE\_FACILITY**

Setting `configUSE_TRACE_FACILITY` to 1 will result in additional structure members and functions that assist with execution visualisation and tracing being included in the build.

Single user license for jocy@mbari.org

Single user license for jocy@mbari.org

## APPENDIX 1: Data Types and Coding Style Guide

### Data Types

Each port of FreeRTOS has a unique portmacro.h header file that contains (amongst other things) definitions for two special data types, TickType\_t and BaseType\_t. These data types are described in Table 3.

**Table 3. Special data types used by FreeRTOS**

| Macro or typedef used | Actual type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TickType_t            | <p>This is used to store the tick count value, and by variables that specify block times.</p> <p>TickType_t can be either an unsigned 16-bit type or an unsigned 32-bit type, depending on the setting of configUSE_16_BIT_TICKS within FreeRTOSConfig.h.</p> <p>Using a 16-bit type can greatly improve efficiency on 8-bit and 16-bit architectures, but severely limits the maximum block period that can be specified. There is no reason to use a 16-bit type on a 32-bit architecture.</p> |
| BaseType_t            | <p>This is always defined to be the most efficient data type for the architecture. Typically, this is a 32-bit type on a 32-bit architecture, a 16-bit type on a 16-bit architecture, and an 8-bit type on an 8-bit architecture.</p> <p>BaseType_t is generally used for variables that can take only a very limited range of values, and for Booleans.</p>                                                                                                                                     |

Standard data types other than 'char' are not used (see below), instead type names defined within the compiler's stdint.h header file are used. 'char' types are only permitted to point to ASCII strings or reference single ASCII characters.

## Variable Names

Variables are prefixed with their type: 'c' for char, 's' for short, 'l' for long, and 'x' for BaseType\_t and any other types (structures, task handles, queue handles, etc.).

If a variable is unsigned, it is also prefixed with a 'u'. If a variable is a pointer, it is also prefixed with a 'p'. Therefore, a variable of type unsigned char will be prefixed with 'uc', and a variable of type pointer to char will be prefixed with 'pc'.

## Function Names

Functions are prefixed with both the type they return and the file they are defined in. For example:

- **yTaskPrioritySet()** returns a **yvoid** and is defined within **task.c**.
- **xQueueReceive()** returns a variable of type **BaseType\_t** and is defined within **queue.c**.
- **ySemaphoreCreateBinary()** returns a **yvoid** and is defined within **semphr.h**.

File scope (private) functions are prefixed with 'prv'.

Single user license for jocy@mbari.org

## Formatting

One tab is always set to equal four spaces.

## Macro Names

Most macros are written in upper case and prefixed with lower case letters that indicate where the macro is defined. Table 4 provides a list of prefixes.

**Table 4. Macro prefixes**

| Prefix                                     | Location of macro definition |
|--------------------------------------------|------------------------------|
| port (for example, portMAX_DELAY)          | portable.h                   |
| task (for example, taskENTER_CRITICAL())   | task.h                       |
| pd (for example, pdTRUE)                   | projdefs.h                   |
| config (for example, configUSE_PREEMPTION) | FreeRTOSConfig.h             |
| err (for example, errQUEUE_FULL)           | projdefs.h                   |

Note that the semaphore API is written almost entirely as a set of macros, but follows the function naming convention, rather than the macro naming convention.

The macros defined in Table 5 are used throughout the FreeRTOS source code.

**Table 5. Common macro definitions**

| Macro   | Value |
|---------|-------|
| pdTRUE  | 1     |
| pdFALSE | 0     |
| pdPASS  | 1     |
| pdFAIL  | 0     |

### Rationale for Excessive Type Casting

The FreeRTOS source code can be compiled with many different compilers, all of which differ in how and when they generate warnings. In particular, different compilers want casting to be used in different ways. As a result, the FreeRTOS source code contains more type casting than would normally be warranted.

## APPENDIX 2:      Licensing Information

---

FreeRTOS is licensed under a modified version of the GNU General Public License (GPL) and *can* be used in commercial applications under that license. An alternative and optional commercial license is also available if:

- You cannot fulfill the requirements stated in the 'Open source modified GPL license' column of Table 6.
- You wish to receive direct technical support.
- You wish to have assistance with your development.
- You require guarantees and indemnification.

Single user license for jocy@mbari.org

**Table 6. Comparing the open source license with the commercial license**

|                                                                                    | Open source modified<br>GPL license                              | Commercial<br>license |
|------------------------------------------------------------------------------------|------------------------------------------------------------------|-----------------------|
| Is it free?                                                                        | Yes                                                              | No                    |
| Can I use it in a commercial application?                                          | Yes                                                              | Yes                   |
| Is it royalty free?                                                                | Yes                                                              | Yes                   |
| Do I have to open source my application code?                                      | No                                                               | No                    |
| Do I have to open source my changes to the FreeRTOS kernel?                        | Yes                                                              | No                    |
| Do I have to document that my product uses FreeRTOS.                               | Yes                                                              | No                    |
| Do I have to offer to provide the FreeRTOS source code to users of my application? | Yes (a WEB link to the FreeRTOS.org site is normally sufficient) | No                    |
| Can I receive support on a commercial basis?                                       | No                                                               | Yes                   |
| Are any legal guarantees provided?                                                 | No                                                               | Yes                   |

### Open Source License Details

The FreeRTOS source code is licensed under version 2 of the GNU General Public License (GPL) *modified by an exception*.

The full text of the GPL is available at <http://www.freertos.org/license.txt>. The text of the exception that modified the GPL license is provided below.

The exception permits the source code of applications that use FreeRTOS solely through the API published on the FreeRTOS.org website to remain closed source, thus permitting the use of FreeRTOS in commercial applications without necessitating that the entire application be open sourced. The exception can be used only if you wish to combine FreeRTOS with a proprietary product and you comply with the terms stated in the exception itself.

## GPL Exception Text

Note that the exception text is subject to change. Consult the FreeRTOS.org website for the most recent version.

### **Clause 1**

*Linking FreeRTOS statically or dynamically with other modules is making a combined work based on FreeRTOS. Thus, the terms and conditions of the GNU General Public License cover the whole combination.*

*As a special exception, the copyright holder of FreeRTOS gives you permission to link FreeRTOS with independent modules that communicate with FreeRTOS solely through the FreeRTOS API interface, regardless of the license terms of these independent modules, and to copy and distribute the resulting combined work under terms of your choice, provided that:*

- 1. Every copy of the combined work is accompanied by a written statement that details to the recipient the version of FreeRTOS used and an offer by yourself to provide the FreeRTOS source code (including any modifications you may have made) should the recipient request it.*
- 2. The combined work is not itself an RTOS, scheduler, kernel or related product.*
- 3. The independent modules add significant and primary functionality to FreeRTOS and do not merely extend the existing functionality already present in FreeRTOS.*

*An independent module is a module which is not derived from or based on FreeRTOS.*

### **Clause 2**

Single user license for jocy@mbari.org

*FreeRTOS may not be used for any competitive or comparative purpose, including the publication of any form of run time or compile time metric, without the express permission of Real Time Engineers Ltd. (this is the norm within the industry and is intended to ensure information accuracy).*

# INDEX

## A

API Usage Restrictions, 17

## C

configASSERT, 259  
configCHECK\_FOR\_STACK\_OVERFLOW, 259  
configCPU\_CLOCK\_HZ, 261  
configGENERATE\_RUN\_TIME\_STATS, 262  
configIDLE\_SHOULD\_YIELD, 263  
configINCLUDE\_APPLICATION\_DEFINED\_PRIVILEGED\_FUNCTIONS, 264  
configKERNEL\_INTERRUPT\_PRIORITY, 265  
configMAX\_CO\_ROUTINE\_PRIORITIES, 267  
configMAX\_PRIORITIES, 28, 97, 267  
configMAX\_SYSCALL\_INTERRUPT\_PRIORITY, 265, 267  
configMAX\_TASK\_NAME\_LEN, 267  
configMINIMAL\_STACK\_DEPTH, 27  
configMINIMAL\_STACK\_SIZE, 267  
configQUEUE\_REGISTRY\_SIZE, 267  
configTICK\_RATE\_HZ, 268  
configTIMER\_QUEUE\_LENGTH, 268  
configTIMER\_TASK\_PRIORITY, 269  
configTIMER\_TASK\_STACK\_DEPTH, 269  
configTOTAL\_HEAP\_SIZE, 269  
configUSE\_16\_BIT\_TICKS, 270  
configUSE\_ALTERNATIVE\_API, 270  
configUSE\_APPLICATION\_TASK\_TAG, 270  
configUSE\_CO\_ROUTINES, 270  
configUSE\_COUNTING\_SEMAPHORES, 271  
configUSE\_IDLE\_HOOK, 271  
configUSE\_MALLOC\_FAILED\_HOOK, 271  
configUSE\_MUTEXES, 272  
configUSE\_NEWLIB\_REENTRANT, 272  
configUSE\_PORT\_OPTIMISED\_TASK\_SELECTION, 272  
configUSE\_PREEMPTION, 273  
configUSE\_QUEUE\_SETS, 274  
configUSE\_RECURSIVE\_MUTEXES, 274  
configUSE\_STATS\_FORMATTING\_FUNCTIONS, 274  
configUSE\_TICK\_HOOK, 274  
configUSE\_TICKLESS\_IDLE, 275  
configUSE\_TIME\_SLICING, 275  
configUSE\_TIMERS, 275  
configUSE\_TRACE\_FACILITY, 275

## D

Data Types, 278

## E

eTaskGetState(), 63

## F

Formatting, 279  
FreeRTOSConfig.h, 254  
Function Names, 279

## H

high water mark, 61  
highest priority, 28, 97

## I

INCLUDE\_xTimerPendFunctionCall, 258  
INCLUDE\_eTaskGetState, 257  
INCLUDE\_pcTaskGetTaskName, 256  
INCLUDE\_uxTaskGetStackHighWaterMark, 256  
INCLUDE\_uxTaskPriorityGet, 256  
INCLUDE\_vTaskDelay, 255  
INCLUDE\_vTaskDelayUntil, 256  
INCLUDE\_vTaskDelete, 256  
INCLUDE\_vTaskPrioritySet, 257  
INCLUDE\_vTaskSuspend, 257  
INCLUDE\_xEventGroupSetBitFromISR, 255  
INCLUDE\_xSemaphoreGetMutexHolder, 255  
INCLUDE\_xTaskGetCurrentTaskHandle, 256  
INCLUDE\_xTaskGetIdleTaskHandle, 256  
INCLUDE\_xTaskGetSchedulerState, 256  
INCLUDE\_xTaskResumeFromISR, 257  
INCLUDE\_xTimerGetTimerDaemonTaskHandle, 257

## L

lowest priority, 28, 97

## M

Macro Names, 279

## P

pcTaskGetTaskName(), 69  
pcTimerGetTimerName(), 210  
portBASE\_TYPE, 278  
portCONFIGURE\_TIMER\_FOR\_RUN\_TIME\_STATS, 57, 262  
portGET\_RUN\_TIME\_COUNTER\_VALUE, 58, 263  
portMAX\_DELAY, 140, 144, 157  
portSWITCH\_TO\_USER\_MODE(), 21  
portTickType, 278  
priority, 28  
pvTimerGetTimerID(), 209

## T

tabs, 279  
task handle, 28, 31  
taskDISABLE\_INTERRUPTS(), 43

taskENABLE\_INTERRUPTS(), 45  
taskENTER\_CRITICAL(), 46  
taskEXIT\_CRITICAL(), 49  
taskYIELD(), 116  
Type Casting, 280

## U

ulTaskNotifyTake(), 89  
uxQueueMessagesWaiting(), 133  
uxQueueMessagesWaitingFromISR(), 134  
uxQueueSpacesAvailable(), 164  
uxTaskGetNumberOfTasks(), 55  
uxTaskGetStackHighWaterMark (), 61  
uxTaskGetSystemState(), 65  
uxTaskPriorityGet(), 95

## V

Variable Names, 279  
vEventGroupDelete(), 238  
vQueueAddToRegistry(), 119  
vQueueDelete(), 129  
vSemaphoreCreateBinary(), 167  
vSemaphoreDelete(), 178  
vTaskDelay(), 36  
vTaskDelayUntil(), 38  
vTaskDelete(), 41  
vTaskGetRunTimeStats(), 56  
vTaskList(), 74  
vTaskPrioritySet(), 97  
vTaskResume(), 99  
vTaskSetApplicationTaskTag(), 106  
vTaskStartScheduler(), 108  
vTaskStepTick(), 110  
vTaskSuspend(), 112  
vTaskSuspendAll(), 114

## X

xEventGroupClearBits(), 234  
xEventGroupClearBitsFromISR(), 236  
xEventGroupCreate(), 232  
xEventGroupGetBits(), 239  
xEventGroupGetBitsFromISR(), 240  
xEventGroupSetBits(), 241  
xEventGroupSetBitsFromISR(), 243  
xEventGroupSync(), 246  
xEventGroupWaitBits(), 250  
xQueueAddToSet(), 121  
xQueueCreate(), 123  
xQueueCreateSet(), 125  
xQueueIsQueueEmptyFromISR(), 131  
xQueueIsQueueFullFromISR(), 132  
xQueueOverwrite(), 136  
xQueueOverwriteFromISR(), 138

xQueuePeek(), 140  
xQueuePeekFromISR(), 143  
xQueueReceive(), 144  
xQueueReceiveFromISR(), 147, 191  
xQueueRemoveFromSet(), 150  
xQueueReset(), 152  
xQueueSelectFromSet(), 153  
xQueueSelectFromSetFromISR(), 155  
xQueueSend(), 157  
xQueueSendFromISR(), 160  
xQueueSendToBack(), 157  
xQueueSendToBackFromISR(), 160  
xQueueSendToFront(), 157  
xQueueSendToFrontFromISR(), 160  
xSemaphoreCreateBinary(), 170  
xSemaphoreCreateCounting(), 172  
xSemaphoreCreateMutex(), 174  
xSemaphoreCreateRecursiveMutex(), 176  
xSemaphoreGetMutexHolder(), 179  
xSemaphoreGive(), 180  
xSemaphoreGiveFromISR(), 182  
xSemaphoreGiveRecursive(), 185  
xSemaphoreTake(), 188  
xSemaphoreTakeRecursive(), 193  
xTaskAllocateMPURegions(), 22  
xTaskCallApplicationHook(), 25  
xTaskCreate(), 27  
xTaskCreateRestricted(), 31  
xTaskGetApplicationTaskTag(), 51  
xTaskGetCurrentTaskHandle(), 53  
xTaskGetIdleTaskHandle(), 54  
xTaskGetSchedulerState(), 60  
xTaskGetTickCount(), 70  
xTaskGetTickCountFromISR(), 72  
xTaskNotify(), 77  
xTaskNotifyFromISR(), 80  
xTaskNotifyGive(), 84  
xTaskNotifyGiveFromISR(), 86  
xTaskNotifyWait(), 92  
xTaskResumeAll(), 101  
xTaskResumeFromISR(), 103  
xTimerChangePeriod(), 197  
xTimerChangePeriodFromISR(), 200  
xTimerCreate(), 202  
xTimerDelete(), 206  
xTimerGetTimerDaemonTaskHandle(), 208  
xTimerIsTimerActive(), 211  
xTimerPendFunctionCall (), 213  
xTimerPendFunctionCallFromISR(), 215  
xTimerReset(), 218  
xTimerResetFromISR(), 221  
xTimerStart(), 223  
xTimerStartFromISR(), 225  
xTimerStop(), 227  
xTimerStopFromISR(), 229

Single user license for jocy@mbari.org

Single user license for jocy@mbari.org

Single user license for jocy@mbari.org