

**New!** Sign up for our free **email newsletter**.

## Science News

*from research organizations*

### Unfavorable Ocean Conditions Likely Cause Of Low 2007 Salmon Returns Along West Coast

*Date:* March 4, 2008

*Source:* NOAA National Marine Fisheries Service

*Summary:* Scientists are reviewing unusual environmental conditions in the Pacific Ocean as the likely culprit for the dramatically low returns of Chinook and coho salmon to rivers and streams along the West Coast of the United States in 2007.

*Share:* [!\[\]\(faf942dc3e59ce8eb64b4ac481eca7e0\_img.jpg\)](#) [!\[\]\(f6b0299e0b5e4340e509b71914970da0\_img.jpg\)](#) [!\[\]\(b5153706f6ea2fc2c42e8803b6804d18\_img.jpg\)](#) [!\[\]\(2b8adb27d8c9518333278b6317e2d8a2\_img.jpg\)](#) [!\[\]\(a190466037967efc7087885259e58e7a\_img.jpg\)](#)

#### FULL STORY

NOAA scientists are reviewing unusual environmental conditions in the Pacific Ocean as the likely culprit for the dramatically low returns of Chinook and coho salmon to rivers and streams along the West Coast of the United States in 2007.

Researchers from NOAA's Northwest and Southwest Fisheries Science Centers are comparing data on the low food production of the California Current in 2005 that occurred when this year's returning salmon would have been entering the ocean from their natal streams to feed and grow.

The cold waters of the California Current flow southward from the northern Pacific along the West Coast and are associated with upwelling, an ocean condition caused by winds that bring nutrients to the ocean's surface and is the main source of nourishment for the ocean's food web. In 2005 a southward shift in the jet stream, delayed favorable winds and upwelling for the California Current, which normally begins in spring. The winds instead arrived in mid-July, causing high surface water temperatures and very low nutrient production within the near-shore marine ecosystem.

"We are not dismissing other potential causes for this year's low salmon returns," said Usha Varanasi, NOAA Fisheries Service Science Center Director for the Northwest Region. "But the widespread pattern of low returns along the West Coast for two species of salmon indicates an environmental anomaly occurred in the California Current in 2005."

New data released by the Pacific Fisheries Management Council indicate the 2007 returns of fall Chinook salmon to the Sacramento River in California's Central Valley were approximately 33 percent of what fishery biologists expected. Projections for 2008 are substantially lower than last year's estimate.

Coho salmon returning to spawning streams in California and Oregon are also considerably lower than predicted. A preliminary analysis found an average 27 percent of the parental stock returning in 12 streams monitored in California. Even though coho returns appear to improve along the coast from south to north, Oregon Coast coho salmon had less than 30 percent of their parental stock return.

Coho salmon are listed as either endangered or threatened under the Endangered Species Act in the Central/Northern California and Southern Oregon watersheds.

#### RELATED TOPICS

[Plants & Animals](#)

#### RELATED TERMS

- > [Coho salmon](#)
- > [Atlantic salmon](#)

- > Fish
- > Marine Biology
- > Fisheries
- > Nature
- Earth & Climate
- > Ecology
- > Oceanography
- > Geography
- > Earthquakes
- > El Niño-Southern Oscillation
- > Salmon
- > Rain
- > Gulf Stream
- > San Andreas Fault
- > River

---

### Story Source:

Materials provided by **NOAA National Marine Fisheries Service**. *Note: Content may be edited for style and length.*

---

### Cite This Page:

|     |     |         |
|-----|-----|---------|
| MLA | APA | Chicago |
|-----|-----|---------|

NOAA National Marine Fisheries Service. "Unfavorable Ocean Conditions Likely Cause Of Low 2007 Salmon Returns Along West Coast." ScienceDaily. ScienceDaily, 4 March 2008. <[www.sciencedaily.com/releases/2008/03/080303145253.htm](http://www.sciencedaily.com/releases/2008/03/080303145253.htm)>.

---

### Explore More

*from ScienceDaily*

---

#### RELATED STORIES

#### Permeable Pavements Could Reduce Coho-Killing Tire Pollutants

Jan. 25, 2024 — The pore-like structure of permeable pavements may help protect coho salmon by preventing tire wear particles and related contaminants from entering stormwater runoff, according to a recent study. ...

#### Reducing Vessel Activity Key to Southern Resident Killer Whale Survival

Oct. 28, 2021 — Reducing ship speed and noise levels would increase the probability that endangered West Coast southern resident killer whales will spend more time hunting for Chinook salmon, a new study has ...

#### Tire-Related Chemical Is Largely Responsible for Adult Coho Salmon Deaths in Urban Streams

Dec. 3, 2020 — Scientists have discovered a chemical that kills coho salmon in urban streams before the fish can ...

#### Resident Orcas' Appetite Likely Reason for Decline of Big Chinook Salmon

Dec. 16, 2019 — Large, old Chinook salmon have mostly disappeared from the West Coast. A new study points to the recent rise of resident killer whales, and their insatiable appetite for large Chinook salmon, as the ...

---

### Breaking

*this hour*

- > Anticoagulant With an On-Off Switch
- > Sleep Resets Brain Connections -- At First
- > Far-Reaching Effects of Exercise
- > Hidden Connections Between Brain and Body
- > Novel Genetic Plant Regeneration Approach

- › Early Human Occupation of China
- › Journey of Inhaled Plastic Particle Pollution
- › Earth-Like Environment On Ancient Mars
- › A 'Cosmic Glitch' in Gravity
- › Time Zones Strongly Influence NBA Results

## Trending Topics

this week

### PLANTS & ANIMALS

- Nature
- Endangered Plants
- Animal Learning and Intelligence

### EARTH & CLIMATE

- Environmental Policy
- Sustainability
- Exotic Species

### FOSSILS & RUINS

- Human Evolution
- Cultures
- Ancient DNA

## Strange & Offbeat

### PLANTS & ANIMALS

- Researchers Parse Oddity of Distantly Related Bats in Solomon Islands That Appear Identical
- Trotting Robots Reveal Emergence of Animal Gait Transitions
- The Double-Fanged Adolescence of Saber-Toothed Cats

### EARTH & CLIMATE

- Fading Lights: Multiple Threats to North America's Firefly Populations
- Fixin' to Be Flexitarian: Scrap Fish and Invasive Species Can Liven Up Vegetables
- Ancient Maya Blessed Their Ballcourts

### FOSSILS & RUINS

- T. Rex Not as Smart as Previously Claimed
- These Giant, Prehistoric Salmon Had Tusk-Like Teeth
- Scientists Unveil Genetics Behind Development of Gliding



---

Stay informed with ScienceDaily's free email newsletter, updated daily and weekly. Or view our many newsfeeds in your RSS reader:

 [Email Newsletter](#)

 [RSS Feeds](#)

## Follow Us

---

Keep up to date with the latest news from ScienceDaily via social networks:

 [Facebook](#)

 [X / Twitter](#)

## Have Feedback?

---

Tell us what you think of ScienceDaily -- we welcome both positive and negative comments. Have any problems using the site? Questions?

 [Leave Feedback](#)

 [Contact Us](#)

[About This Site](#) | [Staff](#) | [Contribute](#) | [Advertise](#) | [Privacy Policy](#) | [Editorial Policy](#) | [Terms of Use](#)

Copyright 1995-2024 ScienceDaily or by other parties, where indicated. All rights controlled by their respective owners. Content on this website is for information only. It is not intended to provide medical or other professional advice. Views expressed here do not necessarily reflect those of ScienceDaily, contributors or partners. Financial support for ScienceDaily comes from advertisements and referral programs.

DO NOT SELL OR SHARE MY INFORMATION