

OCCUPANTS FUMIGATION NOTICE AND PESTICIDE DISCLOSURE

JOB ADDRESS: Paragon Boat – Dry Docked at 7501 Sandholdt Rd CITY: Moss Landing

Single-Family/Multi-Family/Other Dwelling: Single-Family

HARBOR MASTER: Linda McIntyre

Tel. No. 831-633-5417 Emergency No. 831-970-3346

OWNER: Paragon: Jared Figurski

Tel. No. 831-775-1967 Emergency No. 831-818-2769

Prime Contractor Emergency No. (650) 726-6757 – Coastside Termite

Fumigation Contractor Emergency No. (408) 920-6353 – Driskell Fumigation, Inc.

Target Pest(s): **Drywood Termite**

Fumigants proposed to be used:

☐ Methyl Bromide

☒ Sulfuryl Fluoride: Vikane™

☐ Other(s)

Are you aware of any conduits, pipes, common drains, air ducts, central vacuum systems or any other construction elements that would allow the passage of a fumigant from the structure to be fumigated to any other adjacent or adjoining structure? YES () NO (X)

CHLOROPICRIN WILL BE USED AS WARNING AGENT WITH EITHER FUMIGANT

DATES OF TENT UP - 11/28/2016

DATE CHANGES/ALTERNATIVE DATE: UP

FUMIGATION: AERATION - 11/29/2016

INITIALS: AERATION

SAFE FOR RE-ENTRY - **BY 5PM** - 11/30/2016

RE-ENTRY BY 5PM

IMPORTANT - READ CAREFULLY

THIS BUILDING WILL BE FUMIGATED WITH LETHAL GASES ON THE DATE(S) INDICATED ABOVE. ALL PERSONS AND ANIMALS MUST VACATE THE PREMISES ON OR BEFORE ARRIVAL OF THE FUMIGATION CREW.

UNDER NO CIRCUMSTANCES CAN ANYONE ENTER THE BUILDING UNTIL THE FUMIGATION COMPANY'S NOTICE IS POSTED GIVING THE TIME AND DATE FOR SAFE RE-ENTRY.

"State law requires that you be given the following information: CAUTION-PESTICIDES ARE TOXIC CHEMICALS. Structural pest control companies are registered and regulated by the Structural Pest Control Board, and apply pesticides which are registered and approved for use by the California Department of Pesticide Regulation and the United States Environmental Protection Agency. Registration is granted when the State finds that based on existing scientific evidence there are no appreciable risks if proper use conditions are followed or that the risks are outweighed by the benefits. The degree of risk depends upon the degree of exposure, so exposure should be minimized."

If within 24 hours you experience symptoms of dizziness, headache, nausea, reduced awareness, slowed movement, garbled speech or difficulty in breathing, leave the structure immediately and seek medical attention by contacting your physician or Poison Control Center (number below) and notify your pest control company. The warning agent, chloropicrin, can cause symptoms of tearing, respiratory distress and vomiting. Entry into the space during fumigation can be fatal.

For further information, contact any of the following: Your pest control company; for Health Questions - the County Health Department (number below); for Application Information - the County Agricultural Commissioner (number below) and for Regulatory Information - the Structural Pest Control Board, (800) 737-8188, 2005 Evergreen St., Sacramento, CA 95815.

FOR HEALTH QUESTIONS:

COUNTY HEALTH DEPARTMENT

PHONE

Alameda: 510-267-8000
Contra Costa: 925-313-6712
Marin: 415-473-3707
Monterey: 831-755-4500
Napa: 707-253-4270
San Benito: 831-637-5367
Santa Clara: 408-885-4214
Santa Cruz: 831-454-4000
San Mateo: 650-573-2346
Solano: 707-784-8600
Sonoma: 707-565-4477

COUNTY AGRICULTURAL COMMISSIONER

PHONE

Alameda: 510-670-5232
Contra Costa: 925-646-5250
Marin: 415-473-6700
Monterey: 831-759-7325
Napa: 707-253-4357
San Benito: 831-637-5344
Santa Clara: 408-918-4600
Santa Cruz: 831-763-8080
San Mateo: 650-363-4700
Solano: 707-784-1310
Sonoma: 707-565-2371

POISON CONTROL CENTER

PHONE

800-876-4766

STRUCTURAL PEST CONTROL BOARD

PHONE

800-737-8188

I hereby acknowledge receipt of a copy of this document as well as a list that includes the instructions for the necessary preparations for the fumigation, procedures for leaving the structure, and the following documents:

1. Occupants Instruction

2. Vikane Fact Sheet

3. Release Forms

We suggest that you notify nearby neighbors of the date of fumigation and to keep pets away during the fumigation. Close off any open access to the subarea to prevent pets from entering.

[] Owner/Agent (signature): _____ Date: 11-17-16

[] Occupants(s) (signature): _____ Date: _____

DRISKELL FUMIGATION, INC.

834 Jury Court, Suite A
San Jose, CA 95112
Website: www.driskellfumigation.com

PR 4897

Phone: (408) 920-6353
Fax: (408) 920-6360
Email: e-mail@driskellfumigation.com

Property Address: Paragon Boat – Dry Docked at 7501 Sandholdt Rd Moss Landing

Tent Up Date: 11/28/2016 Aeration Date: 11/29/2016 Safe For Re-Entry: 11/30/2016 - **BY 5PM**

OCCUPANTS INSTRUCTIONS AND CHECKLIST

After carefully reading all forms provided, please sign each form in its appropriate space and return them by mail, fax, or email. It is mandatory that every document is in our possession **48 hours (2 business days) before** the scheduled fumigation of the property.

- ☒ **GAS SERVICE:** All gas services (natural or propane) must be extinguished for a fumigation to take place. Driskell Fumigation, Inc. will arrange for the gas service to be turned off, by the utility company, between 8AM and 12PM noon for the day of the fumigation. However, **IT IS THE RESPONSIBILITY OF THE PROPERTY OWNER / OCCUPANT / ACCOUNT HOLDER** to contact the utility company (PG&E or Palo Alto Utilities or propane provider) to schedule an appointment to have the gas service restored / gas meter re-assembled / pilot lights re-lit.

Please call PG&E/PAU/propane provider in advance, ASAP, to set up a "FUMIGATION UNLOCK/TURN ON" appointment to have the gas service restored, for the evening of (5PM to 8PM) or the day after the "Safe For Re-Entry" date. The safe for re-entry notice will be found on the front door by 5:00 PM, at the latest, on the safe for re-entry date; it is possible that a fumigated structure may be certified safe for re-entry earlier in the day; however, we are unable to give a more specific time due to several factors. PG&E/PAU requires the "Safe For Re-Entry" notice, and without this notice, they will cancel the "turn on" appointment you scheduled. (PG&E/PAU does not schedule any same day or next day appointments.)

Palo Alto residents - (650) 329-2161 - PA Utilities does not schedule any weekend, Holiday, or evening appointments.

All other residents - (800) 743-5000 - PG&E does not schedule appts on Sundays, Holidays and only offer evening appts in select cities.

- ☒ **ITEMS FOR CONSUMPTION:** Remove or double bag in Nylofume bags all items/commodities, that are meant to be consumed/put in mouth by both humans and/or animals, that are **not** in the original manufacturer's airtight containers such as glass or metal bottles, jars, or cans, from the structure prior to fumigation. Items include, but is not limited to: freezers/refrigerators items, wine and/or liquor, medication, vitamins, tobacco products, gum, candy, spices, any containers that have been opened and/or are re-sealable, any foods (factory sealed or not) in boxes or paper/plastic bags/package. (Please refer to additional fume info provided)
- ☒ **ELECTRICITY & WATER must be available/in service during the fumigation.** These are necessary for the fumigation to be performed. If a structure is vacant, these accounts must be activated so access is available. If neither is available in the structure(s), you must make arrangements with a neighbor to give us permission to plug in a cord to an outlet or a hose to a faucet.
- ☒ **WINDOWS/ATTIC/SUB-AREA ACCESS:** Areas around all operable windows, attic and/or sub-area access must be cleared of all items/personal belongings. We must have access to all operable windows, attic and/or sub-area as they must be opened during the fumigation process. Please open all interior access points to the attic/sub-area.
- ☒ **HEATING ELEMENTS/ELECTRICAL DEVICES:** Please turn off or unplug all electrical heating elements such as those in heaters, pianos, organs, etc. any items on thermostats or timers. Shut off automatic switch items for all appliances and lighting systems included in the space to be fumigated. This includes, but is not limited to: thermostats, automatic sprinkler systems, security lights, burglar alarms, and heating/air conditioning units.
- ☒ **VEHICLES:** All vehicles, boats, trailers, campers, etc. must be removed from the property. If vehicles are left in a garage or carport, they must be unlocked, windows down, and trunk and glove compartment opened.
- ☒ **PLASTIC COVERINGS:** Remove all items enveloped in plastic including: waterproof / "can't wet" mattresses for infants or sickrooms, waterproof mattress/pillow covers, chair pads, etc. This does not apply to waterbeds.
- ☒ **KITCHEN:** Pots, pans, dishes, eating utensils, do not need to be removed during fumigation. Fumigations are completed with gases that will not leave any residue, and therefore it will not be necessary to remove these items or wash them after the fumigation is completed.
- ☒ **CLOSED COMPARTMENTS:** To ensure complete fumigant circulation and ventilation, please open up all cabinets, closets, drawers, interior doors, large appliances, safes, etc and leave them this way for the duration of the fumigation. If this is not completed, please be aware that any previously closed compartments may be left open for aeration purposes.
- ☒ **VALUABLES:** Any item deemed valuable to the homeowner, such as jewelry, art, cash, etc., should be removed from the property.

NOTE: Please do **NOT** do any painting, roof/gutter repair/replacement, installation/refinishing of hardwood floors or any other such repairs/improvements to the property **PRIOR** to the fumigation. Please make these arrangements for after the fumigation has been completed.

I HEREBY ACKNOWLEDGE THAT I HAVE READ AND UNDERSTAND THE INSTRUCTIONS PROVIDED IN THIS DOCUMENT AND AGREE TO THE CONDITIONS PRESENTED.

OCCUPANT AND OWNER/AGENT PRINT NAME: JARED FIKURSKI

SIGNATURE: [Signature] DATE: 11-17-16 UNIT: _____

PHONE #: 831-818-2769 831 7751967 EMERGENCY PHONE # 831-818-2769

834 Jury Court, Suite A
San Jose, CA 95112
Website: www.driskellfumigation.com

DRISKELL FUMIGATION, INC.
PR 4897

Phone: (408) 920-6353
Fax: (408) 920-6360
Email: e-mail@driskellfumigation.com

Property Address: Paragon Boat A- Dry Docked at 7501 Sandholdt Rd Moss Landing

Tent Up Date: 11/28/2016 Aeration Date: 11/29/2016 Safe For Re-Entry: 11/30/2016 - **BY 5PM**

WINE/LIQUOR RELEASE

As you are preparing your property for your upcoming fumigation, Driskell Fumigation, Inc. would like to make you aware of the three different options available for you to safely store your wine and/or liquor collection. They are:

1. To remove all wine/liquor from property. (Driskell Fumigation, Inc. recommendation)
2. To properly store and seal wine/liquor in Nylofume bags and leave inside the property.
3. To leave wine/liquor in property, without the use of Nylofume bags, **ONLY** if:

- | | |
|---|---|
| a. All bottles are factory sealed with the original cork/seal still in place. | c. All factory sealed bottle openings that have lost the metal/wax/plastic covering must be covered with duct tape. |
| b. All bottles must be factory sealed with the metal/wax/plastic covering. | d. All bottles are full and stored horizontally. |

If any of the four conditions above (a-d) cannot be met, the wine/liquor collection **MUST be removed or stored and sealed in Nylofume bags.*

If the quantity and storage conditions of your wine/liquor collection is quite large and you have decided to leave the collection inside the property during your fumigation without sealing them in Nylofume bags, please follow the above guidelines to ensure the safety and safe consumption of your collection.

PLEASE FILL OUT THE FOLLOWING

 X I do **not** have a wine and/or liquor collection I do have a wine and/or liquor collection - Approx. how many?

During the fumigation process, my wine and/or liquor collection will be stored:

 Away from the fumigated property and in my possession (recommended)
 In Nylofume bags at my property Inside the home, cellar, or wine chiller following specific guidelines

- Please be aware that Driskell Fumigation, Inc. will determine if these ingestible items will need to be removed from the property for fumigation. Incorrect storage of your wine and/or liquor may justify its removal.
- If you decide to leave the wine/liquor collection inside your property during the fumigation process, you agree to release Driskell Fumigation, Inc. from all liability, including the taste and/or present and future value of the collection (either individually or combined.)
- Please also consider that if you decide to leave your collection at the property, Driskell Fumigation, Inc. cannot assume responsibility for the mechanical failures, cellar/chiller temperatures, or adverse fuse/electrical conditions.

PET CAT PREPARATION

As you prepare your property for fumigation, please be aware of a sometimes overlooked family member, your cat. Cats are unique pets and many are very independent and may come and go as they please. They are very good at finding hiding places and concealing themselves, especially when their environment changes or a stranger enters their territory. As the fumigation process begins, and you begin to prepare your property, your cat may begin to hide due to the environmental changes. Sometimes this makes it impossible to find your pet prior to your property's fumigation. Homeowners may become distracted with all the preparations required, that pets may be forgotten. Even if your cat is an outdoor cat, he/she may want to hide in the exterior sub area vents or access openings of the property, consequently causing the unfortunate ending of the loss of a loved one. Driskell Fumigation, Inc. hopes to prevent this from occurring and want to remind you to **PLEASE** remove your pet from the property during the entire fumigation process.

If you do not own a cat, you may know neighbors who have cats that roam around the neighborhood and may enter your property. To help reduce the chance of their pets entering your property during your fumigation, Driskell Fumigation, Inc. strongly recommends that you convey to your neighbors about your upcoming fumigation dates and seal off any openings and areas that could allow access to animals, such as sub area vents, access openings, etc.

PLEASE FILL OUT THE FOLLOWING

 JF I Do **Not** Have A Pet Cat I Do Have (A) Pet Cat(s). How Many?
 JF I Do **Not** Have Any Other Pet(s) I Do Have Other Pet(s). How Many?

During the fumigation process my **pet cat(s)** and/or **other pet(s)** will be:

 Away from the fumigated property - in my possession Boarded in a kennel

Driskell Fumigation, Inc. applies Chloropicrin, also known as tear gas, as a warning agent and Vikane fumigant for the fumigations we perform. Even though Chloropicrin causes an extreme physical discomfort, cats are capable of ignoring the physical distress of exposure to Chloropicrin and will not leave their hiding place, to notify our fumigation crew of their presence before introducing Vikane fumigant. Vikane's warning label states, **"Remove from the structure to be fumigated all persons, domestic animals, pets, including fish (and reptiles), and desirable growing plants."** (Tanks can remain in the structure and water in fish tanks do not have to be drained). Do not leave any pets or domestic animals within the yard areas during the fumigation. As a courtesy, please advise neighbors of the fumigation, to protect outdoor cats from harm's way. Fumigators rely on you to assist in the prevention of a tragedy.

OCCUPANT AND OWNER/AGENT PRINT NAME: JARED FLEURSIC

SIGNATURE: [Signature] DATE: 11-17-16

DRISKELL FUMIGATION, INC.

834 Jury Court, Suite A
San Jose, CA 95112
Website: www.driskellfumigation.com

PR 4897

Phone: (408) 920-6353
Fax: (408) 920-6360
Email: e-mail@driskellfumigation.com

Property Address: Paragon Boat Å– Dry Docked at 7501 Sandholdt Rd Moss Landing

Tent Up Date: 11/28/2016 Aeration Date: 11/29/2016 Safe For Re-Entry: 11/30/2016 - **BY 5PM**

MISCELLANEOUS RELEASES

DRISKELL FUMIGATION, INC. WILL EXERCISE DUE CARE IN ITS FUMIGATION PROCEDURES, MAKING THE FOLLOWING CIRCUMSTANCES GENERALLY OF NO CONCERN, HOWEVER, IN OCCASIONAL SITUATIONS INADVERTENT DAMAGES MAY OCCUR.

- ▶ **ROOF:** Different roof styles: Composition, Tile, Metal, Tar/Gravel
Driskell Fumigation, Inc. is not liable for pre-existing damage, and/or any damage that may occur during the fumigation process. Due to the age of the roof, certain types of tile or roof material, depending on the material and/or tiles the roof is made of, are more fragile than others, resulting in broken tiles and/or roof damage. Driskell Fumigation, Inc. will do our best to take good care of your roof and property, although we are not roof experts. Driskell Fumigation, Inc. assumes no responsibility/liability for any damage, pre-existing or otherwise, to the roof or for any replacement of roof tile(s) and/or other roof materials.
- ▶ **VEGETATION/PLANT(S)/TREE(S)/ETC:** Driskell Fumigation, Inc. will do what it can to save all vegetation around the structure; however, in some cases there is vegetation that may need to be included in the fumigation tent due to proximity, including location and position. This will occur when the authorizing owner/agent agrees to include the vegetation or if the vegetation cannot possibly be saved due to the location. We will notify the responsible party prior to the fumigation and Driskell Fumigation, Inc. assumes no responsibility/liability for any loss of and/or damage to the vegetation. In the event a tree is located in the middle of a deck or near any other type of obstruction/feature, our crew may have to wrap the tarp around the base/trunk of the tree. This process will expose some of the tree to the poisonous gas, which can shorten the life span of the tree. Driskell Fumigation, Inc. assumes no responsibility/liability for trees that need to be wrapped by our crew and exposed to the poisonous gas used.
- ▶ **POTTED PLANTS:** Removal of all desirable growing potted plants, from the structure/area to be fumigated, is the responsibility of the property owner. Any growing potted plants left within/too close to the fumigated structure/area will be considered undesirable, covered under the tent and will not likely survive. Driskell Fumigation, Inc. assumes no responsibility for any loss of and/or damage to any growing potted plants.
- ▶ **PATIO:** The wood members, fiberglass sheeting, and/or structural integrity of the patio cover(s) may be fragile. It may suffer an undetermined amount of damage during the fumigation process. Driskell Fumigation, Inc. assumes no responsibility/liability for damage to your patio cover(s).
- ▶ **CARPORT:** The wood members, fiberglass sheeting, roof, and/or structural integrity of the carport may be fragile and may suffer an undetermined amount of damage during the fumigation process. Driskell Fumigation, Inc. assumes no responsibility/liability for damage to your carport.
- ▶ **CHIMNEY:** The chimney may be weak, have cracks, missing bricks, and/or may not be properly attached to the structure. It may suffer an undetermined amount of damage during the fumigation. Driskell Fumigation, Inc. assumes no responsibility/liability for the damage to the chimney.
- ▶ **AWNING:** Please retract all awnings. Awning may be weak, have cracks, missing panels, and/or not properly attached to the structure and may suffer an undetermined amount of damage during the fumigation. Driskell Fumigation, Inc. assumes no responsibility/liability for any damage.
- ▶ **SOLAR PANELS:** The solar panels may be weak, have cracks, missing panels, broken pipes, and/or not properly attached to the structure and therefore may suffer an undetermined amount of damage during the fumigation process. Driskell Fumigation, Inc. assumes no responsibility for damage to the solar panels.
- ▶ **ROOF DOMES/SKYLIGHTS:** The roof domes/skylights may be weak, have cracks, missing panels, and/or not properly attached to the structure and may suffer an undetermined amount of damage during the fumigation process. Driskell Fumigation, Inc. assumes no responsibility for damage to the roof domes/skylights.
- ▶ **GUTTERS AND/OR FRENCH DRAINS:** Rain gutters and/or French drains may be weak, have cracks, missing pieces, and/or dents, and may suffer an undetermined amount of damage during the fumigation process. Driskell Fumigation, Inc. assumes no responsibility/liability for the damage of the gutter(s) and/or French drains.
- ▶ **ROOF RIDGE/PEAK:** The roof is an older material or tile, likely having a higher probability of breakage. Because of the steepness of the roof, it is difficult for our crew to walk on the roof and this may cause damage to the roof. Driskell Fumigation, Inc. will assume no responsibility/liability for any damage to roof.
- ▶ **ANTENNA:** Rotor or Dish - Driskell Fumigation, Inc. may have to detach the antenna(s) to perform the fumigation, unless otherwise specified. Satellite dish(es) will be wrapped around so they do not have to be detached. Driskell Fumigation, Inc. assumes no responsibility/liability for any damage to your antenna(s) and/or satellite dish(es) or for any realignment of satellite dish(es) or for any other work completed by another company.
- ▶ **PESTS:** Driskell Fumigation, Inc. does not do any removal of pests and/or remains of pests (including any and/or all pests, wood destroying or otherwise). Driskell Fumigation, Inc. will not be held responsible/liable for any pest removal. The home/property owner is responsible for any and/or all pest(s) removal.
- ▶ **CONSUMABLES:** Before introducing the fumigant into your home, all pantries, drawers, cabinets, freezer(s), and refrigerator(s) will be double checked by our crew. If any items for consumption are found improperly bagged/stored as specified, our crew will place the items outside the fumigated area. Driskell Fumigation, Inc. assumes no responsibility/liability for food that spoiled because it had to be removed by our crew.

PLEASE SIGN BELOW TO ACKNOWLEDGE THAT YOU ARE COMPLETELY AWARE OF THE CONDITIONS AND DAMAGES THAT MAY OCCUR AND YOU AUTHORIZE DRISKELL FUMIGATION, INC. AND OUR CREW TO PROCEED WITH THE FUMIGATION.

OWNER/AGENT PRINT NAME: JARED FIKURSKI

OWNER/AGENT SIGNATURE: [Signature] DATE: 11-17-16

PHONE #: 831-775-1967 EMERGENCY PHONE #: 831-818-2789

834 Jury Court, Suite A
San Jose, CA 95112
Website: www.driskellfumigation.com

DRISKELL FUMIGATION, INC.
PR 4897

Phone: (408) 920-6353
Fax: (408) 920-6360
Email: e-mail@driskellfumigation.com

Property Address: Paragon Boat Å- Dry Docked at 7501 Sandholdt Rd Moss Landing

Tent Up Date: 11/28/2016 Aeration Date: 11/29/2016 Safe For Re-Entry: 11/30/2016 - **BY 5PM**

IMPORTANT KEY INFORMATION

Driskell Fumigation, Inc. will need to have access to EVERY lock of the structure(s) to be fumigated. Our fumigation crew will require the key(s) to the locks of all the structure(s) being fumigated, before the fumigation may take place, due to a law requiring that "all structures being fumigated be locked up (with these keys). In addition, all structures being fumigated shall have a secondary lock on all exterior doors (applied by Driskell Fumigation, Inc.)." We will need the keys during the entire fumigation process. We will need to enter the interior of your property so that we may complete the necessary fumigation and aeration procedures. Please leave all interior doors unlocked. **Please indicate where the key(s) will be left for Driskell Fumigation.**

___ Under the front doormat ___ In the mailbox ___ In the electrical meter box

___ Combo lock box. Combo to lock and location: on CABIN DOOR 0812

(Please do **NOT** place the lock box at the gas meter, as the lock box may be lost when PG&E/PAU disassembles the gas meter.)

❖ **Once the property has been certified safe for re-entry, the key(s) will be returned to the location they were left for Driskell.**

Please leave all gates, leading to the property and/or the gas meter, **open/unlocked** for the utility company (PG&E / PA Utilities) by 8AM on the morning of the fumigation. The utility company (PG&E/PAU) can arrive anytime between 8 AM and 12 PM noon.

A fumigation crew can arrive anytime between 8 AM and 5 PM or later, to commence with the fumigation.

If there are any locked gates barring access to the structure(s) to be fumigated and/or the gas meter, upon arrival of either the utility company and/or the fumigation crew, the fumigation may be postponed or canceled.

Fumigations cannot be performed in strong winds and/or rain and will be rescheduled if there is inclement weather.

❖ Please verify that you have completed the following, to ensure the fumigation takes place smoothly and as scheduled:

___ Indicated where keys will be left

___ ☒ Unlocked all gates at property

___ ☒ Signed and completed all required documents
(even if the property is vacant)

N/A ☒ Included the signed "Neighbor Permission
Release" (If a signature was required)

N/A Called the utility company to schedule your "fumigation unlock" / turn on appointment to have your gas service
restored/gas meter re-assembled/pilot lights re-lit. (PG&E 800-743-5000 or PAU 650-329-2161)

PLEASE NOTE: Driskell Fumigation, Inc. does not do any removal or covering/masking of Drywood Termite or other wood destroying pest evidence/pellets/droppings/remains. Driskell Fumigation, Inc. does not do any removal of pests and/or remains of pests (any and all pests, wood destroying or otherwise). The property owner is responsible for any and all pest(s) removal.

SECURITY: During the fumigation and aeration period, the possibility of burglary exists as it does anytime you leave your home; therefore, we recommend you take any steps that you feel necessary to prevent this. **DRISKELL DOES NOT PROVIDE ON-SITE SECURITY, EXCEPT AS REQUIRED BY STATE OR LOCAL ORDINANCE.** Our insurance does not cover malicious vandalism or theft. Driskell Fumigation, Inc. is not responsible for stolen or damaged property, real or personal, due to burglary of the premises during the fumigation. We suggest that **all valuables** such as jewelry, coin or stamp collections, cash, art objects, furs or **anything else of value to you be removed prior to fumigation.**

OCCUPANT AND OWNER/AGENT PRINT NAME: JARED FIARSKI

SIGNATURE: [Signature] DATE: 11-17-16